INDEX TO GEOPHYSICAL ABSTRACTS 164–167, 1956

AUTHOR INDEX

A

Abstract

Abdulgafarov, K. K. *See* Cherdyntsev, V. V.
Ádám, Oszkár. Causes of non-reflection of some southwestern Transdanubian areas 164–295
Adams, J. A. S. The uranium geochemistry of Lassen Volcanic National Park, California 164–258
Adams, R. D. *See* Day, A. A.
Adams, W. M. The Reeff horizontal seismograph and its calibration 164–71
Adlung, Alfred. Determination of the angles of emergence with the aid of the wave front method 165–54
——— Seismic observations of chamber blasts 166–245
Afanas'yev, G. D. The problem of the age of magmatic formations of the northern Caucasus 164–30
Argocs, W. B., and Isaacs, K. Tunis to Lisbon airborne magnetometer profile 165–282
Ahrens, L. H. Analytical error as a possible cause of the t(206/238) > t(207/235) > t(207/206) age distribution 164–20
Ahrens, L. H. Radioactive methods for determining geological age 167–1
Aithal, V. S. Determination of thorium and uranium concentration ratios in Indian rocks and minerals 167–237
——— The measurement of alpha activities of Indian rocks and minerals using proportional counter 167–236
See also Venkatasubramanian, V. S.
Akamatu, K. The variable inductance type seismograph 166–99
Aki, Keiiti. Quantitative prediction of earthquake occurrence as stochastic phenomena 164–62
Alcaraz, Arturo. The Lanao earthquake, Philippines 165–28
See also Kintanar, R. L.
Aldrich, L. T. Measurement of radioactive ages of rocks 165–17
Aldrich, L. T., Davis, G. L., Tilton, G. R., and Wetherill, G. W. Radioactive ages of minerals from the Brown Derby mine and the Quartz Creek granite near Gunnison, Colorado 166–29
Aldrich, L. T., Tilton, G. R., Davis, G. L., Nicolaysen, L. O., and Patterson, C. C. Comparison of U-Pb, Pb-Pb, and Rb-Sr ages of Precambrian minerals 167–17
Aldrich, L. T., Wetherill, G. W., and Davis, G. L. Determinations of radiogenic Sr^{87} and Rb^{87} of an interlaboratory series of lepidolites 167–36
Aldrich, L. T., Wetherill, G. W., Tilton, G. R., and Davis, G. L. Half-life of Rb^{87} 167–231
See also Wetherill, G. W.
Aleksandruk, V. M. *See* Starik, I. Ye.
Alger, R. P. Electrical logging problems in the Eocene Wilcox 164–125
——— Electrical logging problems in the Eocene Wilcox 166–169
Allan, D. W., and Jacobs, J. A. The melting of asteroids and the origin of meteorites 167–6
See also Jacobs, J. A., and Russell, R. D.
Allen, J. F. J. *See* Hodgson, J. H.
Allen, William, Jr. The gravity meter in underground prospecting 166–219
Al'pin, L. M. Model studies of resistivity well logging by mathematical nets 166–165
Ambolt, N. *See* Egedal, J.
Amirkhanov, Kh. I., Gurvich, I. G., and Sardarov, S. S. The mass-spectrometric rapid method of determination of the absolute age of geologic formations using the radioactive disintegration of K^{40} into A^{40} 164–29

Abstract

Amirkhanov, Kh. I., Gurvich, I. G., Shanain, L. L., and Sardarov, S. S. A mass-spectrometric method of measuring the amount of radiogenic argon in geological formations to determine their absolute age 166–21

Anderson, W., and Turner, R. C. Radon content of the atmosphere 166–311

Andreyev, B. A. Determination of the depth of the upper surface of the crystalline bedrock in the (Russian) shield regions from magnetic anomalies 164–248

Annau, Edgar. *See* Posgay, Károly.

Anstey, N. A. Instrumental distortion and the seismic record 165–334

Antsyferov, M. S., and Gol'dfarb, M. L. Experimental investigation of a string galvanometer 164–114

Aoki, Harumi. *See* Iida, Kumizi.

Arakawa, Y. On the microseisms caused by a typhoon 165–293

Arambourg, C. The "raised beaches" of the Quaternary 164–207

Argentière, Rômulo. The radioactivity of nonuranium- and thorium-bearing rocks 165–309

Argentieri, D. Gravitational effect of Jupiter on some geophysical phenomena 164–79

Arkhangel'skaya, V. M. Determination of the azimuth of the epicenter of an earthquake from the records of surface waves of distant earthquakes 166–75

Armbrust, B. F., Jr., and Kuroda, P. K. On the isotopic constitution of radium Ra-224/Ra-226 and Ra-228/Ra-226) in petroleum brines 165–307

Arnold, K. On the mean ellipsoid of the earth 166–186

Asada, Toshi. On lower limit of the magnitude of earthquakes accompanied by aftershocks 164–57

Asami, Eizo. Reverse and normal magnetism of the basaltic lavas at Kawajiri-Misaki, Japan 166–282

Asano, Shûzô. On the accuracy of hypocenter determination 165–51

Aslanya, A. T. The study of the theory of the tectonic deformation of the earth 167–115

Aswathanarayana, U. Absolute ages of the Archaen orogenic cycles of India 164–34

——— Applications of nuclear physics in the economic aspects of geology 166–298

——— Distribution of radioactivity in the rocks of South India : I—charnockites and associated rocks 164–256

Aswathanarayana, U., and Mahadevan, C. The potentialities of deep sea sediments as sources of radioactive elements 166–309

See also Mahadevan, C., and Sastry, A. V. R.

Ault, W. U. *See* Kulp, J. L.

B

Bacon, L. O. The circular line electrode in equipotential prospecting 165–118

Baillie, W., and Rozsa, T. The effect of topography on near-surface velocities 167–256

Baird, P. D., and Sharp, R. P. Glaciology 165–166

Balavadze, B. K. The radioactivity of some hot springs of Tkvarcheli 167–244

Ball, G. M. A note on gravitational interpretation 165–180

Banfield, A. F., Behre, C. H., Jr., and St. Clair, David. Geology of Isabela (Albermarle) Island, Archipelago de Colon (Galapagos) 164–310

Baranov, V. I. Aeroradiometric prospecting for uranium and thorium deposits and the interpretation of gamma anomalies 165–330

——— The effect of external conditions on radioactive disintegration 166–300

Barducci, Italo. On the apparent modulus of elasticity of porous solids 164–96

Barenboym, M. I. Dynamic characteristics of the refracted waves on the slopes of salt domes 165–338

——— The recording of subsalt horizons 164–290

Barnes, J. W., Lang, E. J., and Potratz, H. A. Ratio of ionium to uranium in coral limestone 166–20

Barnes, R. F. *See* Diamond, Herbert.

Barsukov, O. A. *See* Dakhnov, V. N.

Barsukov, O. M. A method of calibrating the measuring instruments for electric prospecting 165–127

Barta, György. A 40–50 year period in the secular variation of the geomagnetic field 167–184

See also Haáz, I. B.

Bartels, Julius. Geomagnetically indicated local heterogeneities of electric conductivity of the underground 164–194

Bartolucci, Giorgio. Fumaroles, solfataras, and hot springs in northwestern Argentina and the possibility of their industrial use 167–279

Abstract

Baryshnikov, V. B. *See* Monakhov, F. I.

Bassompierre, Pierre, and Munck, Fernand. Discovery by magnetic exploration of a bed of iron ore in the Calymenes schists south of the Flamanville granite (Manche) 164–244

Bate, G. L. *See* Kulp, J. L.

Bateman, A. M., and Jensen, M. L. Notes on the origin of the Rhodesian copper deposits 167–178

Båth, Markus. The earth's core—a modern geophysical problem 165–222

Baus, R. A. *See* Blifford, I. H., Jr.

Beals, C. S., Hodgson, J. H., Innes, M. J. S., and Madill, R. G. Problems of geophysics in the Canadian Arctic 165–158

Beck, A. The stability of thermistors 166–234

Beck, A., Jaeger, J. C., and Newstead, G. The measurement of the thermal conductivities of rocks by observations in boreholes 166–233

Beer, K. E. *See* Bowie, S. H. U.

Begemann, F., Geiss, Johannes, Houtermans, F. G., and Buser, W. Isotopic composition and radioactivity of recent Vesuvius lead 164–23

Běhounek, Rudolf. Geoelectric exploration for the dam over the Vltava River near Zlakovice 164–111

Behre, C. H., Jr. *See* Banfield, A. F.

Bellair, Pierre. The volcanic activity of the Ahaggar in the framework of African volcanic activity 164–316

Belluigi, Arnaldo. Field generated by a cable carrying alternating current lying on a terrain with interlayer 165–116

——— On a geoelectrical inverse problem 166–150

——— On the Elflex electrical method for direct exploration for petroleum 165–108

——— The function of a thin electrically conducting layer 165–115

Belousov, V. V. Fundamental questions of general geotectonics 167–114

——— Internal structure and the evolution of the earth from geotectonic evidence 164–191

——— On the geologic structure and evolution of the ocean basins 167–117

Bemmelen, R. W. van. The geochemical control of tectonic activity 166–193

Bendefy, Lászlo. Determination of temporal changes of elevation of base levels 165–182

Benioff, Hugo. Mechanism and strain characteristics of the White Wolf fault as indicated by the aftershock sequence 166–48

——— Relation of the White Wolf fault to the regional tectonic pattern 166–198

——— Seismograph development in California 166–97

Benioff, Hugo, and Gutenberg, Beno. General introduction to seismology 166–37

Bennema, J. Holocene movements of land and sea-level in the coastal area of the Netherlands 165–233

Bentley, C. R., and Worzel, J. L. Geophysical investigations in the emerged and submerged Atlantic coastal plain. Part X: Continental slope and continental rise south of the Grand Banks 164–200

Berckhemer, Hans. Rayleigh-wave dispersion and crustal structure in the east Atlantic Ocean basin 166–248

Berckhemer, Hans, and Oliver, Jack. On the significance of seismic impulses with parallel traveltime curves 166–344

Bereza, G. V., Slutskovskiy, A. I., and Polshkov, M. K. Frequency analysis of seismic vibrations 165–351

Bernard, Pierre. Microseismic activity in Normandy 167–227

——— On the amplification of seismographs whose period is increased with condensers 164–72

Bernazeaud, Jacques: Grimbert, Arnold; Lazard, Bertrand; Roth, Raoul; and Sanselme, Henri. Conditions of deposition and age of the uraninite at Bas-Cavally (Ivory Coast) 167–22

Berry, J. E. *See* Hicks, W. G.

Berzon, I. S. Approximate methods of quantitative interpretation of the maps of equal arrival of reflected waves 166–345

——— The change in the predominant frequency of seismic waves with increasing distance from the source of vibrations 165–333

Berzon, I. S., Pariyskaya, G. N., and Starodubrovskaya, S. P. On recording high-frequency reflected waves on the Russian Platform 166–338

Besada, E. M. *See* Hernández, R. P. J.

Abstract

Besairie, Henri; Eberhardt, Peter; Houtermans, F. G.; and Signer, Peter. Age determinations on some galenas from Madagascar 164–35
——— Second series of measurements of age of galenas from Madagascar 167–23
See also Holmes, Arthur.
Bespalov, D. F. *See* Kukharenko, N. K.
Binge, H.-J. Volcanism and intrusions as a result of the dependence of x on time in Jordan's cosmology 164–303
Birch, Francis. Heat flow at Eniwetok Atoll 166–239
Bisby, H., Franklin, E., and Taylor, D. Instrumental developments in the prospecting, mining and chemical processing of nuclear materials 165–320
Black, R. A. Geophysical exploration for uranium on the Colorado Plateau 165–152
Blackwell, J. H. The axial-flow error in the thermal conductivity probe 165–219
Blair, B. E. Physical properties of mine rock, Part 3 167–269
Blifford, I. H., Jr., Friedman, H., Lockhart, L. B., Jr., and Baus, R. A. Geographical and time distribution of radioactivity in the air 166–310
Block, L., and Herlofson, N. Numerical integration of geomagnetic field lines 167–191
Blum, H. A., and Martin, J. L. Log interpretation problem in low resistivity sands 164–122
Blum, P. A., and Lebeau, André. On a method of eliminating slow variations in recording pulsations of the geomagnetic field 166–269
Blundun, G. J. The refraction seismograph in the Alberta foothills 166–360
Boaga, Giovanni. Methods and instruments of modern geophysical research 166–172
Bod, Magdolna. *See* Erkel, András.
Bøgvad, R. *See* Bondam, J.
Bokanenko, L. I. Determination of the frequency and phase characteristics of electrodynamic seismometers by means of additional exciting coils 167–261
Boldizsár, T. Terrestrial heat flow in Hungary 166–238
Bonchkovskiy, V. F., and Namsaray, S. On the precision of the inclinometer 164–142
Bondam, J., and Bøgvad, R. The geothermal gradient at Ivigtut, South Greenland 165–216
Bonelli y Rubio, J. M. *See* Rodríguez-Navarro de Fuentes, José.
Bonini, W. E. *See* Woollard, G. P.
Bordet, Claude. On the geology of the Isère-Arc tunnel (Savoie) 164–185
Borrego González, Joaquin. The Atlas gravimeter, model F. Description, calibration, and maintenance of the instrument 164–158
Bortfeld, Reinhard. On surface waves in the Minden–Steinhuder Meer area 164–294
Bot, A. C. W. C. *See* Schurmann, H. M. E.
Bott, M. H. P. A geophysical study of the granite problem 167–142
Bourgoin, J. P. Certain characteristics of the surface and base of the Greenland icecap 167–129
Bowie, S. H. U., Hale, F. H., Ostle, D., and Beer, K. E. Radiometric surveying with a car-borne counter 165–327
See also Davidson, C. F.
Boyle, T. L. Airborne radiometric surveying 165–328
Bradley, W. C. Carbon-14 date for a marine terrace at Santa Cruz, California 165–6
Brand, E. Results of recent exploratory activity in the Rehden-Aldorf area 166–182
Brannon, H. R., Jr., and Osoba, J. S. Spectral gamma-ray logging 165–316
Brauch, Wolfgang. The perpendicular-time curve in seismic reflection 164–285
Brekhovskikh, L. M. On tsunami and observations of very distant propagation of sound in the ocean 166–70
Brinckmeier, G. Team work in seismic prospecting 166–327
Brock, B. B. Some observations on vertical tectonics in Africa 164–147
Broda, E., and Rohringer, G. The measurement of radio-carbon with the gas Geiger counting tube 164–11
Broding, R. A., and Rummerfield, B. F. Simultaneous gamma ray—resistance logging as applied to uranium exploration 165–137
Broecker, W. S., and Kulp, J. L. The radiocarbon method of age determination 167–7
Broecker, W. S., Kulp, J. L., and Tucek, C. S. Lamont natural radiocarbon measurements III 166–6
See also Ericson, D. B.
Bronshteyn, K. G. Magnetic susceptibility of sedimentary rocks 164–232
Brown, P. D., and Robertshaw, Jack. The in-situ measurement of Young's modulus for rock by a dynamic method 167–80

Abstract

Brown, R. J. E. *See* Pihlainen, J. A.

Brown, R. M., and Grummitt, W. E. The determination of tritium in natural waters 165–240

Brown, W. F., Jr. Minimum variance in gravity analysis 164–161

Brundage, H. T. Australian aerial survey reports near completion 165–281

Bruun, Anton Fr., Langer, Ebbe, and Pauly, Hans. Magnetic particles found by raking the deep sea bottom 167–274

Brynjólfsson, Ari. Results of partial demagnetization of the natural magnetism of Icelandic basalts 165–269

Bucher, W. H. Role of gravity in orogenesis 167–119

Buddington, A. F., Fahey, Joseph, and Vlisidis, Angelina. Thermometric and petrogenetic significance of titaniferous magnetite 164–181

Budryk, Witold. The effects of earthquakes in the mines of Upper Silesia 164–48

Bukhnikashvili, A. V. Experiences with the measurement of short-period variations of telluric currents as a method of determining geologic structure applied to the section of the Georgian Military Highway 166–163

Bukhnikashvili, A. V., and Kebuladze, V. V. On the invariability of the electric field of sulfide deposits 167–92

Bulanzhe, Yu. D. Formulas for the evaluation of the errors in gravimetric tying of two points with repeated measurements performed with a bank of gravimeters 167–137

——— On the precision of the measurements with quartz gravimeters having horizontal torsion wire 167–139

Bulanzhe, Yu. D., and Popov, E. I. Quartz gravimeter for the determination of gravimetric base stations 165–184

Buljan, Miljenko. Deep submarine volcanisms and the chemistry of ocean 167–277

Bullard, F. M. Volcanic activity in Costa Rica and Nicaragua in 1954 164–308

Bullen, K. E. Features of seismic pP and PP rays 166–87

Bullerwell, W. Temperature surveys in the [Stowell Park] boreholes 166–237

Burdon, D. J. *See* Manley, Horace.

Burgers, J. M. Rotational motion of a sphere subject to visco-elastic deformation I, II, III 166–191

Bürgl, Hans, and Kunz, Bruno. Magnetic measurements in the Vienna basin 167–214

Burke, W. H., Jr., and Meinschein, W. G. C^{14} dating with a methane proportional counter 164–10

Burkhart, Kurt. Construction data for the inductive pulsation and earth-current installation at the geomagnetic observatory in Fürstenfeldbruck 167–38

——— Micropulsations of earth currents and the horizontal component of the earth's magnetism 166–34

——— The earth current, its origin and apparent effect on the geomagnetic field 167–190

Burling, R. L. Some unusual reflections of sound in the ocean 166–356

Burwash, R. A. *See* Shillibeer, H. A.

Buser, W. *See* Begemann, F.

Butterlin, Jacques. New information on the geologic constitution of the depths of the Caribbean Sea 165–229

——— On the nature of the sea bottom in the Antilles 164–202

Buwalda, J. P. *See* Gutenberg, Beno.

Bycroft, G. N. Forced vibrations of a rigid circular plate on a semi-infinite elastic space and on an elastic stratum 165–77

Byerly, P. E. *See* Joestring, H. R.

Byerly, Perry. The Fallon-Stillwater earthquakes of July 6, 1954 and August 23, 1954: Historic introduction 166–56

Byus, Ye. I. On the seismicity of Transcaucasia 165–29

C

Cahen, Lucien. Geology of the Belgian Congo 165–381
    See also Holmes, Arthur.

Cailleux, André. Amplitude of glacio-eustatic regressions 164–208

Caloi, Pietro. C_1, $_1$ 164–66

Caloi, Pietro, De Panfils, M., DiFilippo, Domenico, Marcelli, L., and Spadea, M. C. The earthquake in the Val Padana May 15–16, 1951 167–51

Abstract

Caloi, Pietro, and Spadea, M. C. Relations between slow variations in inclination and seismic movements in zones of high seismicity 164–61
Cambefort, H. Measurement of the porosity of rocks by electrical methods 164–130
Campbell, C. D., and Runcorn, S. K. Magnetization of the Columbia River basalts in Washington and northern Oregon 167–209
Campbell, W. M. *See* Martin, J. L.
Canada Geological Survey. Aeromagnetic maps of Newfoundland 167–220
——— Aeromagnetic maps of Northwest Territories 167–221
——— Aeromagnetic maps of the Province of Alberta 167–219
——— Aeromagnetic maps of the Province of Ontario 167–222
——— Aeromagnetic maps of the Province of Saskatchewan 167–223
Carabelli, E. Experimental geophysical surveys in ancient burial places 165–149
Carey, S. W. Correlation of the post-Triassic history of Tasmania with secular variation in temperature and viscosity of the sub-crust 165–165
——— Wegener's South American–African assembly, fit or misfit 165–163
Carlyle, R. H. Little Smoky geophysical exploration 167–104
Carpenter, E. W. Some notes concerning the Wenner configuration 164–107
Carpenter, E. W., and Habberjam, G. M. A tripotential method of resistivity prospecting 165–120
Carte, A. E. Thermal constants of pyrophyllite and their change on heating 166–231
Castet, Jean, Dubief, Jean, and Lagrula, Jean. On a zone of large gravity and magnetic anomalies in the northern Tanezrouft 167–212
Castro, Honorato de. Gravimetric determination of the best-fitting ellipsoid for Mexico 164–140
——— The determination of gravity by the oscillations of a free pendulum 164–156
——— Variations in the latitude of points on the surface of the earth produced by the action of the moon and the sun 164–78
Cattala, Louis. Geographic position, value of magnetic declination and intensity of gravity at Tromelin Islet 167–148
——— Measurements of the gravimetric tide at Madagascar 167–147
——— Some measurements of magnetic declination in the central part of Madagascar 167–188
——— Some measurements of magnetic declination in western and southern Madagascar 167–189
——— Structural interpretation of the gravity survey of Madagascar 165–204
——— Study of gravity in Madagascar 164–177
Chadwick, Peter. Heat flow from the earth at Cambridge 166–236
Chakraborty, S. K. Disturbances of cylindrical origin in an isotropic elastic medium 166–110
——— On disturbances produced in an elastic medium by twists applied on the inner surface of a spherical cavity 166–111
Chapman, N. G., and Humphrey, R. W. An investigation of the variation of the atmospheric radioactivity at Wellington from 5 May to 18 July 1955 165–301
Chapman, R. W. *See* Jaffe, H. W.
Chastenet de Géry, Jérôme, and Kunetz, Géza. Potential and apparent resistivity over dipping beds 166–147
Chatterjee, J. S. The crust as the possible seat of earth's magnetism 166–255
Cherdyntsev, V. V., and Abdulgafarov, K. K. The helium content of some stony meteorites 164–17
Cherdyntsev, V. V. *See also* Kosov, N. D.
Chernyavkina, M. K. Evaluation of the errors in the determination of the epicenters of the aftershocks of the Chatkal' earthquake 165–35
Chetayev, D. N. A theorem of electric exploration 166–141
——— Theory of sounding using direct current impulses in a nongrounded loop 166–132
——— The reflex method of electrical exploration 165–109
See also Tikhonov, A. N.
Choudhury, M. A. Depth of the Mohorovičić discontinuity in the Hindu Kush region 167–76
Chovits, Bernard, and Fischer, Irene. A new determination of the figure of the earth from arcs 167–111
Chudoba, Vratislav. Gravimetric nets in Czechoslovakia 165–194
Chujo, Junske. On an analysis of the off set spread 166–335
Chukin, V. T. *See* Komarov, S. G.

Abstract
Chuman, R. W. Electric log correlation of the Mesaverde Group in southwestern Wyoming 165–139
Cipa, W. Short note on some geomagnetic investigations on lava flows and tuff vents in the fore-Eifel 165–285
Cizancourt, Henri de. Trial interpretation of certain gravity anomalies in the western Mediterranean and northern Africa 165–205
Clark, A. R. The determination of the long dimension of conducting ore bodies 165–121
Clark, R. H. *See* Turner, F. J.
Clark, S. P., Jr. Effect of radiative transfer on temperatures in the earth 166–228
See also Herrin, Eugene
Clarkson, H. N., and LaCoste, L. J. B. An improved instrument for measurement of tidal variations in gravity 166–205
Clegg, J. A. Rock magnetism 167–195
Clegg, J. A., Deutsch, E. R., and Griffiths, D. H. Rock magnetism in India 166–281
Closs, Hans, and Schott, Wolfgang. State of petroleum geology and geophysics 164–133
Cloud, W. K. Intensity distribution and strong-motion seismograph results, Nevada earthquakes of July 6, 1954, and August 23, 1954 166–57
See also Murphy, L. M., and Newmann, Frank.
Cock, J. I. *See* Hodgson, J. H.
Colbert, L. O. Geophysical research in Alaska 165–157
Colley, G. C. Gravity variations in surveys across geological boundaries 164–166
Collins, Francis, and Lee, C. C. Seismic wave attenuation characteristics from pulse experiments 164–93
Collins, T. L. *See* White, F. A.
Comstock, S. S. Scintillation drill-hole logging 165–317
Cook, J. C. An electrical crevasse detector 167–98
Cook, K. L. Regional gravity survey in northeastern Oklahoma and southeastern Kansas 164–179
Coron, Suzanne, and Gloden, Albert. Isostatic anomalies of Luxembourg 166–224
See also Gloden, Albert.
Correia Neves, J. M. *See* Morais, M. X. de
Cortes, H. C., and Gsell, R. N. There is oil under those shelves 165–151
Costa, N. L. *See* Marquez, L.
Coulomb, Jean. Rapid variations of the magnetic field and telluric currents 166–131
Cowper, G. *See* Cruikshank, A. J.
Coze, Jean. Note on the earthquake of April 16, 1955 167–53
Cram, I. H. *See* Oliphant, C. W.
Crane, H. R. University of Michigan radiocarbon dates I 167–9
Crosthwait, L. B. A measurement of atmospheric radioactivity at Wellington 165–300
Cruikshank, A. J., Cowper, G., and Grummitt, W. E. Production of Be^7 in the atmosphere 165–236
Cucuzza Silvestri, Salvatore. The recent activity of Stromboli (February–March, 1954) 166–370
Cummings, G. L., Wilson, J. T., Farquhar, R. M., and Russell, R. D. Some dates and subdivisions of the Canadian Shield 166–25
Curatolo, M., Palumbo, Donato, and Santangelo, Mariano. Uranium and thorium content of meteorites 164–255
Custódio de Morais, J. Some observations of terrestrial magnetism in the Azores 167–215
——— Temperatures of the ground 165–214

D

Dakhnov, V. N. On the low apparent resistivity of producing horizons, formed by thin layers of clay and oil-bearing sand 164–121
Dakhnov, V. N., Kholin, A. I., and Barsukov, O. A. The separation of strata on the basis of their saturation with oil or water in cased wells by the neutron gamma method 166–321
Daniels, Farrington. *See* Zeller, E. J.
Darbyshire, J. Refraction of microseisms at island stations 167–226
Das Gupta, S. C. Note on microseisms produced on the surface of the earth due to storm in the deep sea 164–250
Dauvillier, A. The origin of the chemical elements and the evolution of the universe 167–160
Davidson, C. F., and Bowie, S. H. U. Methods of prospecting for uranium and thorium 165–322

Abstract

Davidson, C. F. *See also* Horne, J. E. T.

Davis, G. L. *See* Aldrich, L. T., and Wetherill, G. W. 166–29

Davydov, B. I. Phase transitions under high pressures 165–221

Day, A. A. On the values of gravity at St. Anne (Alderney), St. Peter Port (Guernsey) and St. Helier (Jersey) 165–196

Day, A. A., Hill, M. N., Laughton, A. S., and Swallow, J. C. Seismic prospecting in the Western Approaches of the English Channel. With an appendix on the results at two additional seismic stations, by R. D. Adams and A. A. Day 167–268

De Bremaecker, J. Cl. Use of amplitudes: Part II, Focal depths 165–57

Dedebant, G., and Machado, E. A. M. Effects of certain filters on correlation 166–183

Deeg, Emil, and Huber, Oskar. The dielectric behavior of various clays in relation to their water content by measurement with decimeter waves 164–129

de Graaff Hunter, James. Observing and using deflections 167–108

Dellwig, L. F. The Barker County earthquake of January 6, 1956 166–55

Denson, M. E. Geophysical-geochemical prospecting for uranium 165–153

Denton, E. R. Formation porosity and fluid content from velocity logs 166–331

——— The continuous velocity log in Canada 164–290

De Panfils, M. *See* Caloi, Pietro.

de Sitter, L. U. The strain of rock in mountain-building processes 167–121

Deutsch, E. R. *See* Clegg, J. A.

Deutsch, Sarah, Hirschberg, D., and Picciotto, E. E. Measurement of geologic ages by means of pleochroic halos 164–25

Deutsch, Sarah, Houtermans, F. G., and Picciotto, E. E. Study of the radioactivity of metallic meteorites by the photographic method 167–234

Deutsch, Sarah, Picciotto, E. E., and Houtermans, F. G. Radioactivity of iron meteorites by the photographic method 165–306

De Vries, D. A.; Webb, John. Thermal conductivity of soil 167–156

de Vries, Hl. *See* Straka, H.

Dewan, J. T. Neutron log correction charts for borehole conditions and bed thickness 165–318

de Witte, Leendert. A study of electric log interpretation methods in shaley formations 164–120

See also Frankel, S. P.

Diamond, Herbert, and Barnes, R. F. Alpha half-life of Pu^{244} 167–230

Dibble, R. R., and Suggate, R. P. Gravity survey for possible oil structures, Kotuku-Ahaura district, North Westland 167–149

Die Umschau. The profile of the sea floor in the northern Arctic Sea 166–368

DiFilippo, Domenico. *See* Caloi, Pietro.

Dixon, R. H. *See* Turner, F. J.

Dobrin, M. B., and Van Nostrand, R. G. Exploration geophysics makes rapid strides 165–144

——— Review of current developments in exploration geophysics 164–132

Dobrin, M. B. *See also* Press, Frank.

Doell, R. R. Palaeomagnetic study of rocks from the Grand Canyon of the Colorado River 164–234

——— Remanent magnetization of the upper-Miocene "blue" sandstones of California 165–268

Dohr, G. Periods of first motion on Göttingen seismograms 166–95

Doke, Tadayoshi. *See* Tajima, Eizo.

Domzalski, W. Some problems of shallow refraction investigations 166–347

Donohoo, H. V. W. Annual review, geophysics and geochemistry 165–145

Dowling, J. J. Adjustable magnetic control for seismographs 165–69

Driver, G. E. Tritium survey instruments 165–241

Drysdale, W. S. Firth of Forth seismic refraction survey 165–368

Dubief, Jean. *See* Castet, Jean.

Due Rojo, Antonio. Geophysics as the present time in the polar regions 166–184

——— Radioactive chronometry 166–1

——— Seismic activity in Spain during 1951 164–41

——— Seismic activity in Spain during 1952 164–42

——— Seismological notes of the year 1953 164–36

——— Seismological notes for 1954 165–21

——— Submarine geology 166–367

——— The seismic period in Granada, April-May, 1956 166–61

Dumanoir, J. L. *See* Martin, Maurice.

Abstract

Dupuy de Lome, E., and Lozano, Sanchez. Work of the Petroliferous Investigation and Exploitation Company, S. A. 164–138

Dürbaum, Hansjürgen. Note on a paper by Satō 167–88

Durr, F., and Stober, G. Note on magnetic measurements in the fumaroles of Ahuachapán 167–216

Dutt, Amitava. Some observations on the mobility and diffusion of potassium during metamorphism 164–268

Du Vernet, J. P. An airborne magnetometer survey in the Arctic Islands 166–288

Dyer, W. B. Gravity prospecting in southwestern Ontario 165–193

Dyk, Karl. A comparison of additive and multiplicative compounding 165–344

Dzhibladze, E. A. *See* Savarenskiy, Ye. F., and Solov'yev, E. L.

E

Eardley, A. J. The riddle of mountain building 166–194

Eason, G., Fulton, J., and Sneddon, I. N. The generation of waves in an infinite elastic solid by variable body forces 165–78

Eaton, J. P. *See* Macdonald, G. A.

Eberhardt, Peter, Geiss, Johannes, Lang, C., Herr, Wilfrid, and Merz, Erich. On the question of the decay of Ta^{180} 164–217

See also Besairie, Henri, and Schurmann, H. M. E.

Eckelmann, W. R., and Kulp. J. L. Uranium-lead method of age determination. Part I: Lake Athabasca problem 164–21

See also Kulp, J. L.

Eckermann, H. von, and Wickmann, F. E. A preliminary determination of the maximum age of the Alnö rocks 165–19

Edwards, J. M., and Simpson, A. L. A method for neutron derived determination for thin beds 164–271

Egedal, J., and Ambolt, N. The effect on geomagnetism of the solar eclipse of 30 June 1954 (supplementary communications) 165–249

Egyed, Lászlo. A new theory on the internal constitution of the earth and its geological-geophysical consequences 167–165

——— On a new method of determination of mean density 165–172

——— The change of the earth's dimensions determined from paleogeographical data 167–164

Eklund, S. *See* Flinta, J.

Ellis, L. G., and Winterhalter, A. C. Unusual reflection events in offshore seismic work 166–355

Elsasser, W. M. *See* Takeuchi, Hitoshi.

Emiliani, Cesare. Pleistocene temperature variations in the Mediterranean 165–243

Enenshteyn, B. S., Rybakova, E. V., and Skugarevskaya, O. A. Some results of experimental investigations on the building up of electrical current in the ground 166–134

See also Tikhonov, A. N.

Engineering and Mining Journal. New airborne geophysical method speeds prospecting 165–117

Ericson, D. B., Broecker, W. S., Kulp, J. L., and Wollin, Goesta. Late Pleistocene climates and deep-sea sediments 166–8

Eriksson, E., and Welander, P. On a methematical model of the carbon cycle in Nature 167–131

Erkel, András, and Bod, Magdolna. Interpretation of the results of induced potential measurements with respect to laboratory experiments 165–141

Erös, János. *See* Posgay, Károly.

Escher, B. G. Three caldera-shaped accidents: volcanic calderas, meteoric scars, and lunar cirques 164–305

Evans, H. T., Jr. *See* Jaffe, H. W.

Everingham, I. B. *See* Thyer, R. F., and Wood, F. W.

Evernden, J. F., and Verhoogen, John. Electrical resistivity of meteorites 166–170

Evison, F. F. A coal seam as a guide for seismic energy 165–366

——— Seismic waves from a transducer at the surface of stratified ground 167–252

——— The seismic determination of Young's modulus and Poisson's ratio for rocks in situ 167–81

Ewald, H., Garbe, S., and Ney, P. The isotopic composition of strontium from sea water and from rubidium-poor rocks 167–34

Abstract

Ewing, Maurice, and Press, Frank. Rayleigh wave dispersion in the period range 10 to 500 seconds 165–62

——— Seismic measurements in ocean basins 167–168

See also Katz, Samuel, Miller, E. T., Press, Frank, Shurbet, D. H., and Shurbet, G. L.

F

Fabian, H. J. Carbon ratio theory, geothermal gradient and natural gas deposits in northwest Germany 164–183

Fahey, Joseph. *See* Buddington, A. F.

Fair, D. R. R., and Howells, H. A survey of the natural gamma radioactivity in the West Cumberland area 165–310

Fairbairn, H. W. *See* Webber, G. R.

Fairbridge, R. W. Some bathymetric and geotectonic features of the eastern part of the Indian Ocean 167–273

Falini, Filippo. Determination of the regional gravity gradient in the area of the plains of the Garigilano and lower Volturno (Campania) 165–200

Fanselau, Gerhard. On the reduction of measurements with the magnetic field balances, especially the combined suspension balance 167–211

Fanselau, Gerhard, and Frohlich, Friedrich. The ferrimagnetism of the field of the earth's crust 165–258

Farquhar, R. M. *See* Cummings, G. L., Mawdsley, J. B., Shillibeer, H. A., and Wilson, J. T.

Favre, B. Determination of the position in space of a reflector underneath a refracting interface separating two media of different velocity, from the information derived from a shot at a single cross spread 164–287

——— On the determination of the coefficients of a linear velocity function as a function of the depth in seismic reflection 167–257

Fedoseyenko, N. Ye. A portable high-frequency installation for parametric measurements 167–262

See also Ventskevich, E. V.

Fedynskiy, V. V. Ten years of investigations at the NIIGR (Scientific research institute of geophysical methods of exploration) 1944–54 165–147

Feely, H. W. *See* Kulp, J. L.

Fenner, G. W. *See* Oliphant, C. W.

Finley, J. E. *See* Oliphant, C. W.

Fireman, E. L., and Schwarzer, D. Measurement of the tritium concentration in natural waters by a diffusion cloud chamber 166–254

Fischer, Irene. *See* Chovitz, Bernard.

Flandrin, J. The development of guiding principles and techniques in petroleum geology 164–131

Flawn, P. T. Basement rocks of Texas and southeast New Mexico 167–208

Fleckenstein, J. O. Spinning motion of the earth of geophysics and fundamental system of astronomy 164–80

Flint, R. F. New radiocarbon dates and late-Pleistocene stratigraphy 166–7

Flinta, J., and Eklund, S. On the radioactivity of Rb^{87} 166–302

Folinsbee, R. E. Archean monazite in beach concentrates, Yellowknife geologic province, Northwest Territories, Canada 166–28

Folinsbee, R. E., Lipson, J. I., and Reynolds, J. H. Potassium-argon dating 167–29

Ford, I. H., and Ollier, C. D. Radioactivity of zircons 164–259

Förtsch, Otto, Schneider, H. J., and Vidal, H. Seismic studies of the Gepatsch and Kesselwand firns in the Otzal Alps 164–153

Förtsch, Otto, and Vidal, H. Glaciological and glacial-geological results of seismic measurements on glaciers of the Otztaler Alps, 1953–1954 165–169

——— Results of seismic measurements on the Hintereisglacier in the Ötztaler Alps, 1954 167–130

Foshag, W. F., and Gonzalez, J. R. Birth and development of Parícutin volcano 167–287

Frankel, S. P., and de Witte, Leendert. Digital computation of resistivity departure curves on Whirlwind I 167–90

Franklin, E. *See* Bisby, H.

Frantti, G. E. Geophysical investigations in the central portion of Michigan's Upper Peninsula 165–209

Fredriksson, Kurt. Cosmic spherules in deep-sea sediments 165–373

Friedman, H. *See* Blifford, I. H., Jr.

Abstract
Friedman, Irving. Deuterium content of natural waters and other substances 164–211
Fritsch, Volker. Geoelectrical foundation investigations in Yugoslavia and Austria 165–128
Fritze, K., and Strassmann, F. Indirect determination of the half-life of rubidium 165–294
Frohlich, Friedrich. On the techniques of investigations of the magnetization of igneous rocks 167–193
  See also Fanselau, Gerhard.
Fuchida, Takato. Recent progress in well logging 165–138
Fujimoto, F. On vibrational characteristics of the ground assumed from seismogram data 166–85
Fulton, J. *See* Eason, G.
Funt, B. L. *See* Pringle, R. W.

G

Gaertner, H. R. von. Thoughts on the mountain-building theories of Ernst Kraus 164–143
Gaither, V. U. Index of wells shot for velocity—fourth supplement 164–289
Gálfi, János; Gellert, Ferenc; and Sédy, Loránd. Pressure wave formation in air shooting 165–362
Gálfi, János, and Liptay, István. Pressure gage for seismic investigation purposes 164–277
Gálfi, János, and Stegena, Lajos. Deep reflection in the vicinity of Hajdúszoboszló 166–364
Gal'perin, E. I. The method of solving direct three-dimensional problems of geometric seismology in stratified media with boundary surfaces of any form 166–343
Gamburtsev, G. A., Veitsman, P. S., and Tulina, Yu. V. The constitution of the earth's crust around the northern Tien Shan as revealed by the deep seismic sounding 164–199
Garbe, S. *See* Ewald, H.
Gardner, L. W. *See* Wyllie, M. R. J.
Garland, G. D. Gravity measurements in North America with the Cambridge pendulum apparatus. II 165–192
——— Interpretations of gravimetric and magnetic anomalies on traverses in the Canadian Shield in northern Ontario 165–191
Garrigue, Hubert, and Perrin, Albert. Radioactive blowhole at the summit of Puy-de-Dôme 166–308
Garvitch, Z. S. A field instrument for measuring temperatures of natural boiling pools 165–218
Garvitch, Z. S., and Probine, M. C. Soil thermometers 166–232
Gaskell, T. F. Seismic prospecting in the Middle East 166–365
——— The relation between size of charge and amplitude of refracted wave 166–340
Gast, P. W. *See* Kulp, J. L.
Gates, Olcott, and Gibson, William. Interpretation of the configuration of the Aleutian Ridge 164–150
Gayskiy, V. N. The accuracy of the determination of the focus and the structural elements of the crust of the earth 164–63
  See also Golenetskiy, S. I.
Geese-Bähnisch, Ingeborg, and Huster, E. New determination of the half-life of Rb^{87} 166–301
Geiss, Johannes. *See* Begemann, F., Eberhardt, P., and Schurmann, H. M. E.
Gellert, Ferenc. *See* Gálfi, János.
Gentner, W., Goebel, K., and Präg, R. Argon determination on potassium minerals. III 164–27
Gentner, W., and Kley, W. On geologic age determination by the potassium-argon method 164–28
Gentner, W., and Zähringer, J. Argon and helium determinations in iron meteorites 164–210
Geological Association of Canada. Symposium on Precambrian correlation and dating 167–2
Georgi, J. Temperature and density measurements on the Greenland icecap 167–128
Gerard, V. B. A simple, sensitive, saturated-core recording magnetometer 165–255

Abstract

Gerard, V. B., and Lawrie, J. A. Aeromagnetic surveys in New Zealand, 1949–1952 ---- 167–224
Gerasimov, I. P. The application of geomorphologic methods in seismotectonic studies ---- 165–50
Geresben, Lászlo. See Szénás, György.
Gerling, E. K. Age relations of the granite intrusions of the Ukraine on the basis of the data obtained by argon method ---- 166–22
——— The presence of inert gases in meteorites and their isotopic composition ---- 165–16
——— The presence of inert gases in meteorites and their [isotopic] composition ---- 166–251
Gerling, E. K., and Rik, K. G. New determination of the age of stony meteorites by the argon method ---- 166–23
Gerth, Heinrich. The geological structure of the South American cordillera ---- 166–378
Geslin, Marcel. Radioactivity of natural waters, rocks, and sediments ---- 166–303
Geyer, R. A., and Romberg, F. What is a gravity anomaly ---- 166–210
Gialanella, Lucio. The origin and evolution of the cosmic world ---- 164–189
Gibbs, H. S., and McCallum, G. J. Natural radioactivity of soils ---- 165–312
Gibson, William. *See* Gates, Olcott.
Gidon, Paul. Geologic results of geophysical exploration in the vicinity of Chambéry ---- 165–363
Giletti, B. J. *See* Kulp, J. L.
Gill, E. D. Radiocarbon dates for Australian archaeological and geological samples ---- 165–4
Gillieson, A. H., and Thorne, R. P. Discrepancy between the spectro-isotopic and the mass-spectrometric results for the natural abundance ratio of the lithium isotopes ---- 164–213
Girlanda, Antonino. Study of a seismic movement of the Tyrrhenian basin, originating at a depth of 265 km ---- 164–49
——— The deep-focus earthquake in the Lipari Islands, November 23, 1954 ---- 164–50
Giuliani, Francisco. Active stress in unconsolidated and consolidated ground; seismic action ---- 166–86
Glazov, A. N. The utilization of radioactive isotopes in engineering investigations ---- 167–246
Glicken, Milton. Uses and limitations of the airborne magnetic gradiometer ---- 164–239
Glidden, C. H. *See* Oliphant, C. W.
Gloden, Albert, and Coron, Suzanne. Gravity anomalies in the Grand Duchy of Luxembourg ---- 165–203
See also Coron, Suzanne.
Glover, R. N. *See* McNair, A.
Gnedin, K. I. On the tectonics of the northern part of Sakhalin Island ---- 166–203
Goebel, K. *See* Gentner, W.
Goguel, Jean. Geologic application of gravity surveys ---- 165–175
——— On the characteristics of the isostatic compensation in Berry ---- 167–141
——— Remarks on the gravimetry of the northern Massif Central ---- 167–144
——— Tidal gravity corrections for 1955 ---- 165–173
Gol'dfarb, M. L. *See* Antsyferov, M. S.
Goldman, J. E. *See* Urquhart, H. M. A.
Golenetskiy, S. I., and Gayskiy, V. N. Two devices for the graphical processing of the observational data of near earthquakes ---- 165–55
Gonzalez, J. R. *See* Foshag, W. F.
Gorshkov, G. S. The chronology of the volcanic eruptions of the Kuril Ridge ---- 166–376
See also Zavaritskiy, A. N.
Gott, G. B. *See* Pierce, A. P.
Gottfried, David, Senftle, F. E., and Waring, C. L. Age determination of zircon crystals from Ceylon ---- 164–22
See also Hurley, P. M.
Grabovskiy, M. A. Determination of the vertical component of the magnetic field over a two-phase magnetic system after its thermomagnetization ---- 165–275
——— The magnetic anisotropy of the rocks ---- 166–270
Grabovskiy, M. A., and Petrova, G. N. On the stability of the remanent magnetization of rocks ---- 165–264
Grabovskiy, M. A., and Petrova, G. N. The thermocoercive force of rock at high temperatures ---- 166–273
Grabovskiy, M. A., Petrova, G. N., and Isakova, L. I. The generation of thermoremanent magnetization of rocks ---- 165–263

Abstract

Grebe, W. H. The fumaroles and thermal springs in the older volcanic mountains of El Salvador — 167–282

Gregg, D. R. Eruption of Ngauruhoe 1954–55 — 167–288

Gregory, A. F. Analysis of radioactive sources in aeroradiometric surveys over oil fields — 167–248

Gregory, A. R. *See* Wyllie, M. R. J.

Griffiths, D. H. The remanent magnetism of varved clays from Sweden — 166–283
  See also Clegg, J. A., and Powell, D. W.

Griggs, D. T. *See* Turner, F. J.

Grimbert, Arnold. The uraninite from Grabo (Ivory Coast) — 167–21
  See also Bernazeaud, Jacques.

Groshevoy, G. V. Two-coil reflex galvanometer free of inductive coupling — 165–103

Groshevoy, G. V., and Kopylov, V. P. A reflex galvanometer of small dimensions and high sensitivity — 164–278

Grummitt, W. E. *See* Brown, R. M., and Cruikshank, A. J.

Grunebaum, Bernard. Relation between reflection time increment, inclination of reflecting layer and integration coverage — 167–258

Gsell, R. N. *See* Cortes, H. C.

Guedes, S. V. *See* MacFadyen, D. A.

Guest, N. J. The volcanic activity of Oldonyo L'Engai, 1954 — 166–369

Guigue, Simone. Radioactivity of the hot springs of Algeria — 164–264

Gunten, H. R. von. *See* Schurmann, H. M. E.

Gurevich, G. I. Mechanical analysis of the problems of tectonics as usually set forth — 165–162

——— On the fundamental peculiarities in the behavior of anomalous liquids (On the solid-liquid state) — 165–220

——— On the nature of slow movements related to earthquakes — 165–38

——— On the physical foundations of the theory of the propagation of elastic waves — 165–76

Gurvich, I. G. *See* Amirkhanov, Kh. I.

Gurvich, I. I. Shaking table for testing seismometers — 164–276

Gutenberg, Beno. Damping of the earth's free nutation — 165–72

——— Epicenter and origin time of the main shock on July 21 and travel times of major phases — 166–43

——— Geophysical data implied in isostatic calculations — 167–172

——— Great earthquakes 1886–1903 — 167–69

——— Investigations of microseisms in southern California — 166–295

——— Magnitude determination for larger Kern County shocks, 1952; effects of station azimuth and calculation methods — 166–46

——— New information on the structure of the earth — 167–167

——— Seismograph stations in California — 166–68

——— The energy of earthquakes — 167–68

——— The first motion in longitudinal and transverse waves of the main shock and the direction of slip — 166–47

Gutenberg, Beno, Buwalda, J. P., and Sharp, R. P. Seismic exploration on the floor of Yosemite Valley, California — 166–359

Gutenberg, Beno, and Richter, C. F. Earthquake magnitude, intensity, energy, and acceleration — 166–78

——— Magnitude and energy of earthquakes — 167–67
  See also Benioff, Hugo, and Richter, C. F.

Gwinner, M. P. Earthquake foci and structure in Upper Swabia — 165–25

H

Haalck, Hans. The physics of the earth's interior — 167–163

Háaz, I. B. Determination of the dip, density, and magnetic susceptibility of a layer from its gravity and magnetic effect — 165–177

Háaz, I. B., and Barta, György. Differences in geomagnetic elements between the Budakeszi, Pruhonice, and Ogyalla observatories — 164–231

Habberjam, G. M. *See* Carpenter, E. W.

Hagedoorn, J. G. Templates for fitting smooth velocity functions to seismic refraction and reflection data — 164–288

Hahn, Albrecht. *See* Wolf, Wilhelm.

Hahn, Otto. Radioactive methods for geologic and biologic age determinations — 165–1

——— The newer radioactive methods of geologic and biologic age determinations — 164–2

Abstract

Hale, F. H. *See* Bowie, S. H. U.
Hales, F. W. *See* Muir, F.
Hamamatsu, O. On the Queen Charlotte Islands earthquake (Aug. 22, 1949) observed in Japan (1st paper) 166–50
Hamilton, R. G. *See* Oliphant, C. W.
Hamilton, W. B. Precambrian rocks of Wichita and Arbuckle Mountains, Oklahoma 167–25
Hammer, Sigmund. Geophysical activity in 1955—interim report to midyear 164–137
——— Geophysical activity increases five percent 165–146
Hannaford, W. L. W. *See* Serson, P. H.
Hansen, Miller. Geomagnetic survey of the Tioga area, north Dakota 165–290
Harpum, J. R. Recent investigation in pre-Karroo geology in Tanganyika 166–195
Harrington, M. R. Man's oldest date in America 164–15
Harrison, J. C. An interpretation of gravity anomalies in the eastern Mediterranean 165–206
Haseba, T. On anomalies of the appearance time of the seismic initial motion in Japan 165–59
Hasegawa, Hirosi. *See* Matuzawa, Takeo.
Hasegawa, Kazuo. *See* Tsukada, Tadashi.
Hatase, Yasuhiko. *See* Sano, Shun'ichi.
Hatsuda, Zinichiro. Radioactive exploration 165–325
Hattori, Yasumasa. Recent application of geophysical prospecting to civil engineering 165–364
Havemann, Hans. On the question of a system of convection currents in the earth 164–146
Hayakawa, Masami, and Sasaki, Tsuneo. On "S. S. C." and "E. T. L." seismograph 165–361
See also Nagumo, Shōzaburō.
Hayase, Ichikazu. Relative geologic age measurements on granites by pleochroic halos and the radioactivity of the minerals in their nuclei 164–24
Hayashi, Hajime. Recent development of geophysical exploration for oil 165–154
Hayatu, Akio. On the decay factor of maximum amplitude of earthquake motions 164–58
Hayden, R. J. *See* Wasserburg, G. J., and Wetherill, G. W.
Heaps, H. S. The effect of elastic intrusions upon a gravitational stress 166–108
Heaps, S. N. *See* White, J. E.
Hector, F. S. *See* Meek, J. H.
Hée, Arlette, and Jarovoy, M. Autoradiography of beta rays of potassium 165–295
Heidecke, Otto. Basic principles of electrical logging 164–115
Heinrichs, W. E., Jr. Status of mining geophysics today 166–177
Heiskanen, W. A. On the World Geodetic System 167–107
Helbig, K. The propagation of elastic waves in anisotropic media 165–82
See also Krey, Theodor.
Hellbardt, G. Seismic investigations on an ice sheet 165–367
Henderson, J. R., Jr. *See* Rossman, D. L.
Henderson, R. G. *See* Zietz, Isidore.
Hensoldt, E. E. Physics of the ground in construction of arteries of communication. 5. Geophysical treatment 166–175
Herlofson, N. *See* Block, L.
Hermont, A. J. Design principles for seismic deflection amplifiers 167–263
Hernández, R. P. J., and Besada, E. M. Magnetic measurements on Deception Island 166–290
Herr, Wilfrid, and Merz, Erich. A new method of age determination of rhenium-bearing minerals by means of neutron activation 164–31
See also Eberhardt, P.
Herrin, Eugene, and Clark, S. P., Jr. Heat flow in west Texas and eastern New Mexico 167–158
Herzog, Gerhard. Geophysical prospecting by the use of radioactivity surveying 164–273
Herzog, L. F., and Pinson, W. H., Jr. Rb/Sr age, elemental and isotopic abundance studies of stony meteorites 167–33
Hess, V. F., Kisselbach, V. J., and Miranda, H. A., Jr. Determination of the alpha-ray emission of materials constituting the earth's surface 166–304

Abstract

Hicks, W. G., and Berry, J. E. Application of continuous velocity logs to determination of fluid saturation of reservoir rocks 166–330

Higuti, T., and Onozaki, S. On the abnormal free vibration of Wiechert's 200 kg horizontal seismograph 165–68

Hill, H. J., and Milburn, J. D. Effect of clay and water salinity on electrochemical behavior of reservoir rocks 165–142

Hill, M. J. *See* Moody, J. D.

Hill, M. L. Nature of movements on active faults in southern California 166–200

——— Tectonics of faulting in southern California 166–199

Hill, M. N. Notes on the bathymetric chart of the N. E. Atlantic 165–374

See also Day, A. A.

Hiller, Heinz, and Ruprecht, Leo. Seismic investigations in coal mining 164–292

Hirono, T. *See* Wadati, K.

Hirschberg, D. *See* Deutsch, Sarah.

Hirvonen, R. A. On the precision of the gravimetric determination of the geoid 164–141

——— The removal of spherical harmonics of first order from a field of observed anomalies 167–109

Hoagland, A. D. *See* McMurry, H. V.

Hodgson, J. H. A seismic survey in the Canadian Shield, II: Refraction studies based on timed blasts 165–227

——— Direction of faulting in Pacific earthquakes 164–60

Hodgson, J. H., and Allen, J. F. J. Tables of extended distance for PKP and PcP 165–60

Hodgson, J. H., Allen, J. F. J., and Cock, J. I. Tables of extended distances for PPP, pPP, pPKP, and for P at very short distances 166–88

——— Tables of extended distances for S, SS, sS 166–89

Hodgson, J. H., and Cock, J. I. Direction of faulting in the deep focus Spanish earthquake of March 29, 1954 167–70

——— Direction of faulting in the Greek earthquakes of August 9–13, 1953 166–51

See also Beals, C. S., and Willmore, P. L.

Hoekstra, H. R., and Katz, J. J. Isotope geology of some uranium minerals 165–245

Hoering, Thomas. Variations of nitrogen-15 abundance in naturally occurring substances 164–214

Holmes, Arthur. Dating the Precambrian of peninsular India and Ceylon 167–20

Holmes, Arthur, and Besairie, Henri. First measurements of geochronology in Madagascar 165–14

Holmes, Arthur, and Cahen, Lucien. African geochronology. Results available to September 1, 1954 166–17

Homma, S. Boundary waves of longitudinal type along a continuously varying intermediate layer 166–115

——— Rayleigh waves in a medium with superficial double layers 166–118

Honda, Hirokichi, and Nakamura, Kohei. On the motion of the surface of the sea due to a submarine earthquake 164–91

Hori, Minoru. *See* Miyamura, Setumi.

Horne, J. E. T., and Davidson, C. F. The age of the mineralization of the Witwatersrand 165–18

Horrix, Wilhelm. *See* Reich, Hermann.

Hospers, J. Reversals of the main geomagnetic field 167–196

Housner, G. W. Geotechnical problems of destructive earthquakes 167–57

Houtermans, F. G. *See* Begemann, F., Besairie, Henri, Deutsch, Sarah, and Schurmann, H. M. E.

Howe, H. H. *See* Wait, J. R.

Howell, L. G. *See* Martinez, J. D.

Howells, H. *See* Fair, D. R. R.

Huber, Oskar. *See* Deeg, Emil.

Hughes, D. S., and Kennel, J. M. Variation of elastic wave velocity with frequency in fused quartz and Armco iron 165–96

Hughes, D. S., and Maurette, Christian. Variation of elastic wave velocities in granites with pressure and temperature 165–97

Humphrey, R. W. *See* Chapman, N. G.

Hunt, C. B. Radiocarbon dating in the light of stratigraphy and weathering processes 164–13

Huntley, H. E. Radioactivity in quartz inclusions 164–260

Abstract

Hurley, P. M. Direct radiometric measurement by gamma-ray scintillation spectrometer. Part I: Uranium and thorium series in equilibrium 165–297
——— Direct radiometric measurement by gamma-ray scintillation spectrometer. Part II: Uranium, thorium, and potassium in common rocks 165–298
Hurley, P. M., Larsen, E. S., Jr., and Gottfried, David. Comparison of radiogenic helium and lead in zircon 165–11
See also Webber, G. R.
Huster, E. *See* Geese-Bähnisch, Ingeborg.

I

Ichikawa, M. On non-linear oscillations of the vertical seismograph (for strong earthquakes) 166–98
——— On the distribution of compressions and dilatations of the P-wave 165–36
——— On the first impulse and the network of seismologic observatories 165–56
Iida, Kumizi. Earthquakes accompanied by tsunamis occurring under the sea off the islands of Japan 167–45
——— On the geophysical exploration for coal 165–155
Iida, Kumizi, and Aoki, Harumi. On the visco-elastic waves radiated from a spherical gravity in elastico-viscous medium 165–80
Iida, Kumizi, and Nakai, Junji. An investigation of orebody location and spontaneous polarization anomaly 166–157
Iida, Kumizi, and Wada, Tatsuhiko. Vertical earth movement around the Bay of Ise as deduced from changes in heights of mean sea level 165–234
Ikegami, Ryōhei. Relation between the periods of microseisms and the situation of typhoon 167–228
Imbò, Giuseppe. Considerations arising from the seismic study of the last paroxysm of Vesuvius 165–376
——— Eruptive energies during the eruption of Vesuvius of March, 1944 165–375
——— Oscillations of the magma column revealed by statoscope observations 164–312
Innes, M. J. S. *See* Beals, C. S.
Ioseliani, M. S. Seismologic nature of the inner Kartalin plain 167–265
Ippolito, Felice. Present state of uranium and thorium prospecting in Italy 165–326
Irving, E. Palaeomagnetic and palaeoclimatological aspects of polar wandering 166–276
——— The magnetization of the Mesozoic dolerites of Tasmania 166–280
Isaacs, K. *See* Agocs, W. B.
Isakova, L. I. *See* Grabovskiy, M. A.
Ishkov, P. K. The propagation of elastic waves in a layer lying on an elastic base 165–81
Ivanhoe, L. F. Geometric analysis of seismic fault evidence 165–348
——— Integration of geological data on seismic sections 165–347
Iwai, Y. *See* Wadati, K.

J

Jacobs, J. A. Effect of altitude on the position of the magnetic pole 166–257
Jacobs, J. A., and Allan, D. W. The thermal history of the earth 165–211
See also Allan, D. W.
Jaeger, J. C. Conduction of heat in an infinite region bounded internally by a circular cylinder of a perfect conductor 166–229
See also Beck, A.
Jaffe, H. W., Evans, H. T., Jr., and Chapman, R. W. Occurrence and age of chevkinite from the Devil's Slide fayalite-quartz syenite near Stark, New Hampshire 165–10
Jakosky, J. J., and Jakosky, J. J., Jr. Characteristics of explosives for marine seismic exploration 167–264
Jakosky, J. J., Jr. *See* Jakosky, J. J.
Janczewski, E. W. Earthquakes in Upper Silesia 164–46
——— The location of the foci of some earthquakes in Upper Silesia during 1950 164–47
Jankowsky, W. On the structure of the area between Bremen and Cuxhaven 166–362
Japan Geographical Survey Institute. Gravity survey in Japan I. Gravity survey in Hokkaido district 164–176
——— Resurvey of the southwestern part of Japan after the great Nankaido earthquake of 1946 164–55
——— Second order magnetic survey of Japan 164–246
——— The observation of the vertical deflection in Japan 166–190

Abstract

Járányi, Istvan. *See* Stegena, Lajos.

Jarmell, Sol. Gravity investigation in the Renovo area of Central Pennsylvania 165–210

Jarovoy, Michel. *See* Hée, Arlette.

Jeffery, P. M. The radioactive age of four Western Australian pegmatites by the potassium and rubidium methods 167–32

Jelstrup, H. S. The earliest essays on isostatic explanations in Norway 167–175

Jensen, K. J. *See* Wasserburg, G. J.

Jensen, M. L. *See* Bateman, A. M.

Jirlow, K. Experimental investigation of the inhibition of convection by a magnetic field 167–181

Jitsukawa, Akira. *See* Tsuboi, Chuji.

Joesting, H. R. Geophysical exploration in Alaska 165–150

Joesting, H. R., and Byerly, P. E. Aeromagnetic and gravity profiles across the Uravan area, Colorado 167–145

John, H. The problem of velocity in the area of the Swabian foreland Molasse 166–361

Johnston, H. F. List of geomagnetic observatories and thesaurus of values 166–263

Jolly, R. N. Investigation of shear waves 167–253

Jones, E. A. W. *See* Shillibeer, H. A.

Jones, L. Introductory paper on the gravimetric surveys in the Belgian Congo and Ruanda-Urundi 167–143

Jones, V. L. Extrapolation and interpolation formulae adaptable to desk and other types of digital computers 167–106

Jung, Karl. The first order harmonic term in isostasy 167–173

——— The representation of tidal forces 164–77

——— What do we know about the depths of the earth 164–192

Jurain, Georges. Abnormal radioactivity in the Upper Triassic of the Vosges 164–262

K

Kailasam, L. N. Thickness of the Gangetic alluvium near Calcutta as deduced from seismic reflection measurements 164–298

Kalashnikov, A. G. The geomagnetic field, its correlation with the structure of the earth and with the processes going on within it 164–221

Kametani, Takuya. On reflection traveltime curves and their inclinations 165–341

Kanai, Kiyoshi. A short note on the relation of amplitude-period of earthquake motion 164–70

——— An explanation for the ground vibrations caused by periodically exerted force 167–85

——— On Sezawa-waves (M_2-waves). Part II 167–87

Kanai, Kiyoshi; Osada, Kaio; and Yoshizawa, Shizuyo. Observational study of earthquake motion in the depth of the ground. V. (The problem of the ripple of earthquake motion) 165–63

Kanai, Kiyoshi, and Suzuki, Masazi. Analytical results of the acceleration seismograms obtained at Tokyo and Yokohama 164–68

Kanai, Kiyoshi, and Suzuki, Tomisaburo. Relation between the property of building vibrations and the nature of ground. (Observations of earthquake motion at actual buildings) II 165–46

Kanai, Kiyoshi; Suzuki, Tomisaburo; and Yoshizawa, Shizuyo. Relation between the property of building vibration and the nature of the ground. (Observation of earthquake motion at actual buildings) III 167–58

Kanai, Kiyoshi; Tanaka, Teiji; and Osasa, Kaio. Measurement of the microtremor. I 164–251

Kaneko, Tetsuichi, and Tazime, Kyozi. An experimental study on seismic waves 165–353
See also Tamano, Toshiro.

Kantor, Ján, and Kupčo, Gejza. The absolute age of lepidolites from Rožna township in Moravia determined by the radiogenic strontium method 167–35

Kantor, S. A. The foundations of the theory of neutron logging 164–270

Kapitsa, S. P. Magnetic properties of eruptive rocks exposed to mechanical stresses 164–233

Karapetyan, N. K. A method of determining reduced seismic accelerations 164–53

——— The traveltime curve of seismic waves in the Little Caucasus 165–31

Karatayev, V. N. The processing of the observations made with the CH–3 gravimeter 166–206

Kárník, Vít, and Vaněk, Jiří. Traveltimes of P and S waves for Praha 165–58

Abstract

Karplus, W. J., and Smith, O. J. M. The application of electrical transients to well logging 165–135
Kasahara, Keichi. A short discussion on ripples in earthquake shocks. (Aftershocks of the Boso-Oki earthquake) 167–74
——— Experimental studies on the mechanism of generation of elastic waves V 166–122
——— Strain energy in the visco-elastic crust 167–123
Kashpur, Ya. N. Temperature measurement in the deepest drill hole of the Donets basin 165–217
Katō, Yoshio. Recent development in magnetic prospecting 165–280
Katō, Yoshio; Ossake, Justo; and Okuda, Mitsunao. Investigation on magnetic disturbance by the induction magnetograph. Part IV 165–247
Katō, Yoshio, and Takagi, Akio. Model seismology (Part 1) 164–92
See also Suwa, Akira.
Kats, A. Z. Methods of measuring dynamic deformations in the ground and in structures 167–272
——— On the estimation of the soil conditions in seismic microzoning 165–64
See also Puchkov, S. V.
Katsumata, M. Ground coefficient for amplitude of earthquake 166–84
Katz, J. J. *See* Hoekstra, H. R.
Katz, Samuel. Seismic study of crustal structure in Pennsylvania and New York 165–230
Katz, Samuel, and Ewing, Maurice. Seismic refraction measurements in the Atlantic Ocean. Part VII: Atlantic Ocean basin, west of Bermuda 165–228
Kaufman, Sheldon, and Libby, W. F. The natural distribution of tritium 164–218
Kawasumi, Hirosi. Notes on the theory of vibration analyser 167–60
Kazanli, D. N. The correlation of the magnetic and gravitational fields of the earth with deep geologic processes 164–222
Kebuladze, V. V. On the possibility of using electrotelluric disturbances and the long-period variations in geologic exploration 166–130
See also Bukhnikashvili, A. V.
Keller, G. W. Dispersion of seismic waves near a small explosion 164–279
Kennel, J. M. *See* Hughes, D. S.
Kerr-Grant, C. The Adelaide earthquake of 1st March, 1954 167–50
Kertz, Walter. Models for geomagnetically induced electric currents in the crust 165–253
Keylis-Borok, V. I. Asymmetric interference waves in a multilayer medium 165–84
——— On the relation between point sources and three-dimensional sources 166–81
——— On the resonant properties of interference waves in a layer 164–89
Khalevin, N. I. Boundary velocities in basement formations of the Turgay lowland 165–369
Khalfin, L. A. The field of a point source in the presence of an oblate and a prolate spheroid 166–129
Kholin, A. I. *See* Dakhnov, V. N.
Khovanova, P. I. Experiences in the use of low frequency earth currents in prospecting 165–101
Kikkawa, Kyōzō. Study on radioactive springs 164–265
Kilczer, Gyula. Equalization of transformed observation data 165–346
——— Possibility of the detection of shot and inverse layers by means of seismic refraction measurements 165–345
Killelbach, V. J. *See* Hess, V. F.
Kimura, Koichi. *See* Kiyono, Takeshi.
King, A. J. Geophysical investigation at the Kidunda dam site 166–152
——— Preliminary magnetometric survey of Mwinditi Hill, near Itiso, Dodoma District 166–289
——— The siting of water-borings at Mlali, Morogoro 166–151
King, L. C. Pediplanation and isostasy; an example from South Africa 164–206
King, R. F. The remanent magnetism of artificially deposited sediments 166–278
See also Powell, D. W.
Kintanar, R. L., Quema, Jose, and Alcaraz, Artuto. The Lanao earthquake, Philippines, 1 April 1955 165–28
Kintzinger, P. R. Geothermal survey of hot ground near Lordsburg, New Mexico 167–157
Kirillova, I. V. On an average epicenter map 165–30
Kirnos, D. P. *See* Savarenskiy, Ye. F.
Kishimoto, Yoshimichi. *See* Nishimura, Eiichi.
Kishi, Haruo. *See* Shibatō, Kihei.

Abstract
Kishinouye, Fuyuhiko. Human susceptibility to shock vibrations of the ground 165–45
Kisłow, Afrikan. Electrical logging of drill holes 164–116
——— Electric methods of prospecting 164–101
Kitano, Akihiko. *See* Masuda, Hideo.
Kiyono, Takeshi. Ground resistivity methods 165–122
Kiyono, Takeshi, and Kimura, Koichi. Theoretical study on the electromagnetic induction method (IV) 166–142
Kiyono, Takeshi; Kimura, Koichi; and Kobayashi, Keiichi. Theoretical study on the electromagnetic induction method (II) 165–114
Klemmer, Konrad. An ascent of Etna 167–283
Kley, W. *See* Gentner, W.
Kleyn, A. H. On seismic wave propagation in anisotropic media with applications in the Betun Area, South Sumatra 165–352
Knapman, W. H. A gravity survey in the Peake and Denison ranges 166–218
——— Radiometric borehole logging in the Kadina district 164–272
Knopoff, L. The attenuation of compression waves in lossy media 166–112
——— The interaction between elastic wave motions and a magnetic field in electrical conductors 164–82
——— The seismic pulse in materials possessing solid friction, I: Plane waves 167–84
Kobayashi, Hajime. *See* Shibatō, Kihei, and Suyama, Junji.
Kobayashi, Keiichi. *See* Kiyono, Takeshi.
Kobayashi, Naoyoshi. *See* Omote, Syun'itiro.
Koefoed, O. On the effect of Poisson's ratios of rock strata on the reflection coefficients of plane waves 164–94
Kogan, S. D. Determination of the dynamic parameters of earthquake foci, approximately equivalent to a combined source 166–82
Kogbetliantz, E. G. Electronic computers aid geophysical interpreters 166–212
Kohman, T. P. Extinct natural radioactivity: possibilities and potentialities 165–314
Kokesh, F. P. The long interval method of measuring seismic velocity 166–333
Kolosenko, M. N. Determination of the azimuth of the epicenter of a distant earthquake from the first arrivals of a seismic wave at two stations 165–53
Koltoński, Wacław. On the possibilities of the application of ultrasonic waves in geology and mining industry 166–337
See also Malecki, Ignacy.
Komarov, S. G., Sokhranov, N. N., and Chukin, V. T. Electrical well logging in the presence of strong stray currents 165–136
Kōmura, Saburō. On relations between the Ishimoto-Iida's statistical formula and some crack-phenomena 164–56
Koning, L. P. G. Preliminary note on the frequency-depth relation of earthquakes 167–55
Konshin, G. G. *See* Samoylov, V. G.
Kopylov, V. P. *See* Groshevoy, G. V.
Korschunow, Alex. A contribution to the applied seismology of unconsolidated ground and near-surface layers 166–124
——— Deep-focus earthquakes on Göttinger records 166–91
——— On surface-waves in loose materials of the soil 164–286
——— On the reliability of harmonic analysis of seismograms 167–259
Korzhinskiy, D. S. Exaggeration of the role of solar energy in the "energetics" of the earth's crust 167–154
Kosminskaya, I. P. Amplitude curves and traveltime curves of seismic waves on the free boundary of semispace 165–332
——— Amplitudes and traveltime curves of waves produced in homogeneous perfectly elastic medium by a harmonic concentrated force 165–79
——— Methods of analyzing the curves of the amplitudes and the traveltime curves of the phases forming the composite harmonic waves 165–85
Kosov, N. D., and Cherdyntsev, V. V. Emanation from minerals and the determination of absolute geologic age 166–12
Kostic, V. *See* Milojevic, A.
Koz'yakova, K. Ya. Some results of the calibration of the CH3 gravimeter 167–138
Krajčovič, Silvester. On the depth range of the geoelectric resistivity method 166–145
Kraus, Ernst. New ideas on the origin of the Alps 164–144
Krey, Theodor, and Helbig, K. A theorem concerning anisotropy of stratified media and its significance for reflection seismic 167–260

Abstract

Krinari, A. I., and Salikhov, A. G. Density and magnetic susceptibility of Paleozoic rocks of the eastern part of the Tatar SSR and their effect on gravity and magnetic anomalies ------ 167–207
Krishnan, M. S. The structural and tectonic history of India ------ 164–145
Krouskij, L. Diagramming of a single reflection element by means of arcs ------ 164–284
Kruglyakova, G. I. The effect of accessory minerals on the production of reverse polarity of rocks ------ 165–265
Krumbein, W. C., and Slack, H. A. Statistical analysis of low-level radioactivity of Pennsylvanian black fissile shale in Illinois ------ 166–307
Krylov, A. Ya. *See* Starik, I. Ye.
Kukharenko, N. K., Shimelevich, Yu. S., Bespalov, D. F., and Odinokov, V. A. A new geophysical method of locating oil-bearing and water-bearing strata and of determining the contact between water and oil in cased oil wells ------ 166–320
Kulakova, L. S., and Rikhter, V. G. A submerged mud volcano in the Caspian Sea ------ 165–377
Kullerud, Gunnar, Padget, P., and Vokes, F. M. The temperature of deposition of sphalerite-bearing ores in the Caledonides of northern Norway ------ 164–182
Kulp, J. L. Carbon-14 measurements on geological samples ------ 164–5
——— Dating with carbon-14 ------ 164–6
Kulp, J. L., Ault, W. U., and Feely, H. W. Sulfur isotope abundances in sulfide minerals ------ 165–244
Kulp, J. L., Bate, G. L., Ault, W. U., and Feely, H. W. Lead and sulfur isotopic abundances in Mississippi Valley galenas ------ 164–212
Kulp, J. L., Bate, G. L., and Giletti, B. J. New age determinations by the lead method ------ 164–19
Kulp, J. L., Eckelmann, W. R., Gast, P. W., and Miller, D. S. Age of the Black Hills gold mineralization ------ 167–27
See also Broecker, W. S., Eckelmann, W. R. and Ericson, D. B.
Kume, Shoichi. On some magnetic properties of ilmenite at low temperatures ------ 165–262
Kunetz, Gésa. Effect of vertical layers on electrical surveys ------ 165–119
See also Chastenet de Géry, Jérôme.
Kunori, Shoichi; Nakabayashi, Kazutaka; and Shibatō, Kihei. A review of the origin of the generation of S. P. current ------ 165–124
Kunz, Bruno. *See* Bürgl, Hans.
Kunz, K. S., and Tixier, M. P. Temperature surveys in gas producing wells ------ 164–187
Kupčo, Gejza. *See* Kantor, Ján.
Kurata, Nobuo. On searching for ground water ------ 165–130
Kurbatov, V. V. *See* Starik, I. Ye., and Zhirov, K. K.
Kuroda, P. K. On the isotopic constitution of radium (Ra–223/Ra–226) in uranium minerals and recent problems in geochronology ------ 165–12
See also Armbrust, B. F., Jr.
Kutasheva, E. V. *See* Nikitin, P. N.

L

LaCoste, L. J. B. *See* Clarkson, H. N.
Lagrula, Jean. On the synthesis of gravimetric and seismologic data on the crust of the earth ------ 166–208
——— On the thickness of the crust of the earth ------ 164–198
See also Castet, Jean.
Lang, A. H. Uranium prospecting in Canada—ground and aerial surveys ------ 165–324
Lang, C. *See* Eberhardt, Peter.
Lang, E. J. *See* Barnes, J. W.
Langer, Ebbe. *See* Bruun, Anton Fr.
Langergausen, G. F. Periodicity in climatic variations of former geologic epochs and some problems of geochronology ------ 166–2
Lányi, János. Measurements of road vibrations due to motor vehicles by means of seismic instruments ------ 164–297
Lapwood, E. R. Study of a series of Japanese earthquakes ------ 167–73
Larsen, E. S., Jr. *See* Hurley, P. M.
Lashkhi, A. S. *See* Tsitsishvili, D. A.
Latta, T. E. Gamma-ray logging of drill holes ------ 165–315
Laubscher, H. P. Structural and seismic deformation along normal faults in the Eastern Venezuelan basin ------ 165–370
Laughton, A. S. *See* Day, A. A.

Abstract
Lauterbach, Robert. Contributions to the structural interpretation of the geomagnetic survey map of the German Democratic Republic 165–286
Lawrence, P. L. *See* White, J. E.
Lawrie, J. A. *See* Gerard, V. B.
Lazard, Bertrand. *See* Bernazeaud, Jacques.
Lebeau, André. *See* Blum, P.-A.
LeBorgne, Eugène. Abnormal magnetic susceptibility of the upper layers of the soil 165–271
Lecolazet, Robert. An application of the method of H. and Y. Labrouste, using ordered linear sequences, to the analysis of the tidal variation of gravity 167–135
Lee, C. C. *See* Collins, Francis.
Legget, R. F. *See* Pihlainen, J. A.
Lehmann, I. The times of P and S in northeastern America 164–65
Leighton, M. M. *See* Ruhe, R. V.
Lenoble, André. Method of prospecting and surveying uranium deposits 165–323
Lerici, C. M. Archeological exploration 165–148
Levi, Hilde. Bibliography of radiocarbon dating 165–2
——— Radiocarbon dating conference in Cambridge 164–7
Levin, B. Yu. The constitution of the earth 164–190
Li, Y.-Y. Domain walls in antiferromagnets and the weak ferromagnetism of α–Fe_2O_3 165–259
Libby, W. F. Dating by means of radioactive carbon and tritium. Possibility of industrial application of these isotopes 164–8
——— Radiocarbon dating, 2d ed 166–5
See also Kaufman, S.
Liliyenberg, D. A. *See* Dumitrashko, N. V.
Linnenborn, V. J. Radioactivity and the age of the earth 164–4
Lipson, J. I. K-A dating of sediments 167–30
See also Folinsbee, R. E.
Liptay, István. *See* Gálfi, János.
Lisowski, Bolesław. Solar daily variations of magnetic declination at Świder 165–251
Litvinenko, I. V. Nomograms for the construction of approximate seismic profiles 166–354
Lockhart, L. B., Jr. *See* Blifford, I. H., Jr.
Loewe, Fritz. The investigation of "inland ice"—Greenland, Antarctica 165–167
Logachev, A. A. Textbook of magnetic exploration 166–285
Lomnitz, C. Creep measurements in igneous rocks 167–270
Lopes Paradela, Pedro. A modification in the seismic prospecting apparatus of the Serviço de Fomento Mineiro 165–358
Lopez Arroyo, Alfonso. On the elastic anisotropy of the earth's crust 164–196
——— Tides in the solid earth body 164–75
Lotze, Franz. Current geological characteristics of the year 1953 164–37
——— Current geological characteristics of the year 1954 165–22
Lounsbury, M. The natural abundances of the uranium isotopes 166–252
Lozano Calvo, Luis. Calibration of gravimeters by the vertical gradient of gravity 165–185
——— Formula for normal gravity in Spain 166–214
Lozano, Sanchez. *See* Dupuy de Lome, E.
Lukavchenko, P. I. The measurement of gravity in drill holes 164–168
——— The urgent problems of petroleum gravimetry 164–155
Lundbak, Asger. Combined analysis of gravimetric and magnetic anomalies and some palaeomagnetic results 167–204
Lundberg, Hans. What causes low radiation anomalies over oil fields 166–322
Lyapunov, A. A. On a criterion for the verification of the interpretation of gravimetric observations 164–164
Lyubimova, Ye. A. The first all-union conference on geothermal investigation in the U. S. S. R 167–153
——— The heating of the earth's depths in the process of the formation of the earth 164–180
——— The thermal history of the earth and its geophysical aftereffects 166–230
——— The thermal regime of the earth 165–212
Lyustikh, Ye. N. Gravitational anomalies and the deep tectonics of Indonesia and other island arcs 165–197

Abstract

Lyustikh, Ye. N. The evaluation of the rheological properties of asthenosphere from the "floating up" of Fennoscandia 165–232
——— The role of volcanoes and thermal springs in the energy balance of the crust of the earth 165–380
——— The tectonics of the deep parts of the crust according to gravimetric data 165–171

M

Mabey, D. R. Geophysical studies in the intermontane basins in southern California 166–220
McBirney, A. R. An appraisal of the fumarolic activity near Ahuachapán, El Salvador 167–280
——— The Nicaraguan volcano Masaya and its caldera 164–309
——— The origin of the Nejapa pits near Managua, Nicaragua 167–290
——— Thoughts on the eruption of the Nicaraguan volcano Las Pilas 167–289
McCallum, G. J. Correction for the effect of cosmic radiation on the field measurements of the radioactivity of soils 166–306
——— Evaluation of the accuracy of the New Zealand radiocarbon dating method 165–3
See also Gibbs, H. S.
McCarver, H. C. Geophysics is here to stay 166–179
McClung, Lowell. *See* Zmuda, A. J.
McCullough, E. J. Resistivity measurements in cyclothemic sediments 164–112
Macdonald, G. A., and Eaton, J. P. The 1955 eruption of Kilauea Volcano 165–383
McDonald, K. L. Geomagnetic secular variation at the core-mantle boundary 164–223
McDowell, A. N. *See* Travis, J. P.
MacFadyen, D. A., and Guedes, S. V. Air survey applied to the search for radioactive minerals in Brazil 165–329
Macgregor, A. M. Significance of atomic dates 166–18
McGregor, P. M. Magnetic results from Macquarie Island, 1952 166–265
Machado, E. A. M. *See* Dedebant, G.
Machado, Frederico. The fracture pattern of Azorean volcanoes 167–278
McMurry, H. V., and Hoagland, A. D. Three-dimensional applied potential studies at Austinville, Virginia 166–164
McNair, A., Glover, R. N., and Wilson, H. W. The decay of potassium 40 164–254
McPharlin, D. Magnetic observations in the Middleback Range area 164–242
——— The geology and iron ore resources of the Middleback Range area. Appendix 1, Magnetic observations in the Middleback Range area 164–243
Madill, R. G. *See* Beals, C. S.
Maekawa, Hideo. *See* Nagata, Takesi.
Magnitskiy, V. A. The internal structure of the earth 167–162
——— The nature of the intermediate layer in the earth's mantle at depths of 400 to 900 km 166–241
——— The physical state of matter in the deep parts of the earth 165–223
Mahadevan, C., and Aswathanarayana, U. Age levels of Archaean structural provinces 164–33
——— Radioactivity of sea floor sediments off east coast of India 164–257
See also Aswathanarayana, U.
Makino, Naofumi. Electromagnetic methods 165–113
Malecki, Ignacy, and Kołtoński, Wacław. The use of ultrasonic waves in the investigation of the structure of homogeneous geologic formations 164–95
Malinovskaya, L. N. Methods of determining the mechanism of earthquakes 164–59
Małoszewski, Stanisław. The important magnetic anomaly near Jordonowo in Carpathian Mountains 167–217
Malovichko, A. K. The interpretation of gravimetric data in prospecting for favorable structures for oil and gas 166–209
Malz, H. Observations of non-volcanic mud cones 164–306
Manfredini, Antonio. On some results obtained in the field by the direct current electrical method 165–129
Manley, Horace. The effects of weathering and alteration on the magnetic properties of a doleritic basalt 167–201
Manley, Horace, and Burdon, D. J. The thermo-magnetic properties and history of some plutonic rocks from the Leinster Granite, Ireland 165–270
Marcelli, L. *See* Caloi, Pietro.

Abstract

Marinov, N. A. On the structural significance of the fault rejuvenated by the earthquake of 1905 in Western Mongolia 167–125
Marler, G. D. How old is Old Faithful geyser 167–11
Marmo, Vladi. On the absolute age in geology 166–3
Marquez, L., and Costa, N. L. The formation of 32p from atmospheric argon by cosmic rays 164–216
Marshall, C. E., and Narain, H. Regional gravity in the eastern and central Commonwealth [of Australia] 165–190
Martin, G. R. *See* Purkayastha, B. C.
Martin, Hans. Dam geophysics 167–267
Martin, J. L., and Campbell, W. M. Displacement logging—a new exploratory tool 164–118
See also Blum, H. A.
Martin, Maurice, and Dumanoir, J. L. Determining true resistivity 166–166
Martin, Rudolfo. Geophysics and its application 164–135
Martinez, J. D., and Howell, L. G. Palaeomagnetism of chemical sediments 166–284
Martynova, T. A. *See* Ostrovskiy, M. I.
Maruchek, J. L. *See* Oliphant, C. W.
Masuda, Hideo, and Kitano, Akihiko. On the direction of initial motion observed in seismic prospecting 166–348
Matorina, T. V., Oborina, S. F., and Savarenskiy, Ye. F. Determination of the velocity of propagation of longitudinal waves through the mantle on the basis of observational data of a deep earthquake 165–65
Matschinski, Matthias. "Density" in a volcanic arc and relative amount of alumina in its rocks 167–276
——— Fluctuation phenomena in geophysics.—Their mathematical description and practical application 165–159
——— On the theory of so-called head waves with infinitely small amplitudes 165–83
——— Statistical method in geophysical prospecting 167–254
Matson, T. E. *See* Oliphant, C. W.
Matsuda, Takeo. Gravity survey at Yokote District, Akita Prefecture 166–222
Matsuda, Takeo. North American gravimeter 165–186
Matsuzawa, Akira. The method of analysis for gravitational prospecting 165–178
Matumoto, Hideteru. *See* Miyamura, Setumi.
Matumoto, Tosimatu, and Satō, Yasuo. On the vibration of an elastic globe with one layer. The vibration of the first class 164–81
Matuzawa, Takeo. Field theory of earthquakes : Details of the source region 165–39
——— Reflection and refraction of seismic waves through a continuously variable layer 167–83
——— S-waves at a solid-liquid interface. Part 2 164–84
Matuzawa, Takeo, and Hasegawa, Hirosi. Field theory of earthquakes 165–42
Maurette, Christian. *See* Hughes, D. S.
Mawdsley, J. B., and Farquhar, R. M. Report of the committee on Precambrian and related dating 166–24
Mayaud, P. N. Magnetic activity in the polar regions 167–187
Mayne, K. I. Terrestrial helium 165–239
Medvedev, S. V. Seismometer for determining the intensity of earthquakes 167–61
Meek, J. H., and Hector, F. S. A recording magnetic variometer 165–254
Mehendru, P. C. *See* Srivastava, S. S.
Meinhold, Rudolf. Remarks on the question of salt emplacement 167–124
Meinschein, W. G. *See* Burke, W. H., Jr.
Meisser, Otto. Geophysical anomalies in the vicinity of the lead-zinc ore deposits of the Trepča 165–284
Mela, Henry, Jr. *See* Phair, George.
Melchiori, Jorge. Geological and geophysical exploration in the mines of Cercapuquio 165–291
Melchoir, P. J. Earth tides 164–76
——— On the damping of the free movement of the instantaneous pole of rotation at the surface of the earth 165–71
Melikova, O. S. *See* Starik, I. Ye.
Melkov, V. G. Methods of uranium prospecting 166–313
Menyaylov, A. A. The main stages of the evolution of Sheveluch Volcano 166–377
Merriam, D. F. History of earthquakes in Kansas 166–54

Abstract

Merz, Erich. *See* Eberhardt, Peter, and Herr, Wilfrid.
Meshcheryakov, Yu. A. Present day tectonic movements of British Isles 166–201
Meyer-Abich, Helmut. The eruption of the volcano Izalco (El Salvador) of February 28, 1955 and its activity up to the beginning of 1956 167–281
Mielecke, Walter. Geoelectrical measurements as an aid to geologic mapping 166–156
Migaux, Léon. Geophysics and petroleum exploration 164–134
Miguel y González-Miranda, Luis de. Rapid recorder for telluric currents 166–33
——— Telluric currents, 1948 166–31
——— Telluric currents, 1949 166–32
Miholić, Stanko. Chemical analysis of thermal water at Fojnica 167–245
Mikov, D. S. The interpretation of magnetic and gravitational anomalies by the method of the exclusion of elementary fields 165–278
Milburn, J. D. *See* Hill, H. J.
Miller, D. S. *See* Kulp, J. L.
Miller, E. T., and Ewing, Maurice. Geomagnetic measurements in the Gulf of Mexico and in the vicinity of Caryn Peak 165–287
Miller, M. M. Glaciothermal studies on the Taku glacier southeastern Alaska 167–127
Milne, W. G. Canadian west coast earthquakes, 1952 165–23
——— Canadian west coast earthquakes, 1953 164–43
——— Canadian west coast earthquakes, 1954 164–44
——— Seismic activity in Canada, west of the 113th meridian 1841–1951 166–49
Milojevic, A., Kostic, V., and Petrovic, M. Radiation detectors with halogen counters for use in prospecting 165–321
Minakawa, Shinya, and Yamagata, Osamu. Report on the resistivity survey of Oami landcreep area in Asumamura, Higashitagawa-gun, Yamagata Prefecture 166–160
Mining Magazine. Ilmenite in Norway 164–247
Miranda, H. A., Jr. *See* Hess, V. F.
Misener, A. D. Heat flow and depth of permafrost at Resolute Bay, Cornwallis Island, N. W. T., Canada 164–184
Miyabe, Naomi. Vertical earth movement in Nankai District 166–189
Miyamoto, Sadao. New nomographs for estimating epicenter 166–73
Miyamura, Setumi, and Hori, Minoru. Some laboratory experiments on the practical use of the accelerometric seismograph of the Ishimoto type 167–62
Miyamura, Setumi, and Matumoto, Hideteru. Line carrier telerecording seismograph (abbr. LTS) 167–65
Miyamura, Setumi, and Tsujiura, Masaru. A VHF radio telerecording seismograph (abbr. RTS) 167–66
——— Line carrier telerecording chronograph (abbr. LTC) for local seismological network 167–64
See also Omote, Syun'itiro.
Molard, Pierre. Seismographs with electrostatic amplification 164–73
Molodensky, M. S. Density and elasticity in the earth's interior 165–224
Monakhov, F. I. Angles of emergence of longitudinal seismic waves in southern Sakhalin region 167–75
——— The character of the sources of microseisms related to cyclones 166–293
Monakhov, F. I., and Baryshnikov, V. B. On the sources of microseisms 166–294
Monnet, C. The use of integrators helps computing terrain corrections in gravimetry 167–136
Montandon, Frédéric. On the frequency of destructive earthquakes and on their hypothetical prediction 167–71
Moody, J. D., and Hill, M. J. Wrench-fault tectonics 167–122
Mooney, H. M., and Wetzel, W. W. The potentials about a point electrode and apparent resistivity curves for a two-, three-, and four-layer earth 166–144
Moore, E. J. Laboratory analysis of the electric logging parameters of the Wier sand 166–167
Morais, M. X. de, and Correia Neves, J. M. Field observations of radioactivity in the Sierra de Estrela 167–250
Moran, D. F. *See* Steinbrugge, K. V.
Morelli, Carlo. Gravity and tectonics in the Marche and in eastern Abruzzi 164–173
——— Tidal gravity corrections for 1955 165–174
Moret, Léon. New data on the absolute age and the origin of the clays of Eybens near Grenoble, Isère 166–10, 167–37
Mori, Kiyoshi. *See* Nagumo, Shōzaburō.

Abstract
Morimoto, Ryōhei, and Ossaka, Joyo. The 1952–1953 submarine eruption of the Myōjin reef near the Bayonnaise rocks, Japan (I) 165–384
See also Tsuya, Hiromichi.
Morrisey, N. S. Finding oil with geophysics 166–178
Morrison, L. S. Gravity surveys to determine possible fault trends 164–167
Mossman, R. W. *See* Oliphant, C. W.
Muchemblé, Georgette. Notes on radioactive underground waters of northern France and the radioactivity of the enclosing rocks 164–269
Mügge, R. Fluctuation of ground water level due to earthquakes and atmospheric pressure variations 164–54
Muir, F., and Hales, F. W. A rational approach to the design of electrical filters and of shot-hole and geophone patterns in seismic reflection prospecting 164–281
Mukherjee, B. Electrical conductivity of coal, coke, and lignite 164–127
Mukherjee, S. M. *See* Tandon, A. N.
Müller, Erich. Experiments on wave propagation in rock samples 167–79
Müller, Iván. The distribution of gravity on the surface of the Krasovskii, Hayford, and Bessel ellipsoids 165–170
Munck, Fernand. *See* Bassompierre, Pierre.
Munk, W. H. Polar wandering: a marathon of errors 165–73
Münnich, K. O. *See* Schwarzbach, M.
Munuera Quiñonero, Jose. Historical note on Spanish geomagnetic cartography 165–252
Murai, Isamu. *See* Shimozuru, Daisuke.
Murauchi, Sadanori. Geophysical studies of volcano Suwanose-Jima in the Tokara Islands 164–314
See also Omote, Syun'itiro.
Murrina, G. A. *See* Starik, I. Ye.
Murphy, L. M., and Cloud, W. K. United States earthquakes 1953 164–45
Myachkin, V. I. *See* Riznichenko, Yu. V.
Myers, J. O. *See* Whetton, J. T.
Mytton, J. W. *See* Pierce, A. P.

N

Nagamune, T. On the traveltime and the dispersion of surface waves (II) 166–244
Nagata, Takesi. Reverse magnetization of eruptive rocks 164–236
Nagata, Takesi; Oguti, Takasi; and Maekawa, Hideo. Model experiments of electromagnetic induction within the earth 166–258
Nagata, Takesi, and Ozima, M. Anomalous increase in thermo-remanent magnetization of ferromagnetic minerals. Magnetic interaction between different constituents in ferromagnetic minerals 167–202
Nagumo, Shozaburo; Mori, Kiyoshi; and Hayakawa, Masami. Experimental studies on seismic disturbances and reflection waves 166–334
Nairn, A. E. M. Relevance of palaeomagnetic studies of Jurassic rocks to continental drift 167–206
Nakabayashi, Kazutaka. *See* Kunori, Shoichi.
Nakai, Junji. *See* Iida, Kumizi.
Nakamura, Kohei. *See* Honda, Hirokichi.
Nakano, Takamasa. Crustal movement and shoreline development along the Pacific coast of Japan since Holocene period—A report on the geomorphological studies of lowlands of Japan 164–209
Namikawa, Tomikazu. Magneto-hydrodynamic oscillations of a conducting liquid mass rotating in a uniform magnetic field 167–179
Namsaray, S. *See* Bonchkovskiy, V. F.
Narain, H. *See* Marshall, C. E., and Rao, V. B.
Nature. Improvements in seismic prospecting 166–328
Naumenkov, N. L. *See* Vladimirov, N. P.
Nazarov, A. G. The equations of the theory of earthquake resistance with the dissipation of the energy taken into account 164–52
Nechay, A. M. The identification of lithologic properties of rocks from the results of geophysical investigations in drill holes 165–134
Negi, B. S. *See* Rao, M. B. R.
Nersesov, I. L. The coefficient of coupling of the seismograph-galvanometer system 167–63
See also Subbotin, M. I.
Nettleton, L. L. History of concepts of Gulf Coast salt-dome formation 164–148

Abstract

Neumann, Frank. Sensitivity controls on Galitsin-type seismographs 166–103

Neumann, Frank, and Cloud, W. K. Strong-motion records of the Kern County earthquakes 166–45

Neumann van Padang, M. A Swedish sketch of Krakatau in 1748 167–291

——— Present position regarding the catalogue of the active volcanoes of the world 167–275

Newstead, G. *See* Beck, A.

Ney, P. *See* Ewald, H.

Nicholson, S. B., and Wulf, O. R. The diurnal variation of irregular geomagnetic fluctuations 164–226

Nicolaysen, L. O. *See* Aldrich, L. T.

Nielsen, L. E., and Stockton, F. D. Flow patterns in glacier ice 167–126

Nieuwenkamp, W. Energy in orogenesis and metamorphism 166–192

Nikitin, P. N., and Kutasheva, E. V. Catalog of local earthquakes in the region of the mineral waters (Mineral'nyye Vody) of the Caucasus 165–37

Nikolayevskiy, A. A. On the factors changing the character of seismic records 166–341

Nishimura, Eiichi, and Kishimoto, Yoshimichi. On the local structural character of the earth's crust 167–169

Niskanen, E. On the buckling of the earth's crust 167–120

——— Some remarks on the geoidal undulations and the theory of plasticity 164–139

Noddack, W., and Zeitler, G. Age determinations on granites of the Fichtelgebirge by the argon method 164–26

Noguchi, Takashi. Spontaneous polarization method 165–123

Norinelli, Armando. Increase in the density of gravimetric observations in the east central zone of the Alpine arc 164–175

Noritomi, Kazuo. Investigations of thermoelectricity for metallic and silicate minerals 164–128

Nosske, Gerhard. Successes and failures with self-potential measurements 167–93

O

Oakeshott, G. B. The Kern County earthquakes in California's geologic history 166–41

Oakeshott, G. B., and others. Earthquakes in Kern County, California during 1952 166–42

Obara, Nobuhiko. Geological researches for Takayama dam site, Kyōto Prefecture, accompanied by electric resistivity prospecting 166–159

Oblogina, T. I. Dynamic characteristics of diffracted elastic waves 166–120

Obolenskaya, A. N. Use of radioactive isotopes in drill-hole exploration 166–319

Oborina, S. F. *See* Matorina, T. V.

Ochiai, Toshiro. *See* Tsukada, Tadashi.

O'Connell, D. J. K. Earthquakes: What causes them, and where they occur 167–41

——— Some famous earthquakes 167–42

Odinokov, V. A. *See* Kukharenko, N. K.

Officer, C. B., Jr. Geologic interpretation of a series of seismic reflection profiles from Bermuda to the continental margins 165–372

Ogawa, Kenzō. Gravity survey at Ibaraki District 166–223

Ogawara, M. Probability of the coming felt earthquake to Tokyo 165–48

Ogilvie, W. P. Seismic exploration in the North 167–103

Oguti, Takasi. *See* Nagata, Takesi.

Ohashi, Shuji. On the figures of SP distribution (Part 4)—At the Kutchan mine area 166–143

Okada, Atsushi. Results of precise levellings in the neighborhood of Kurosawaziri, Iwate Prefecture, northeastern Japan 167–113

Okada, Atusi. *See* Tsuya, Hiromichi.

Okuda, Mitsunao. *See* Kato, Yoshio.

Okhotsimskaya, M. V. Seasonal distribution of short-period variations of the electromagnetic field of the earth 167–186

Ölander, V. R. On the geoid in the Baltic area and the orientation of the Baltic Ring 167–112

Olczak, Tadeusz. On the secular variations of geomagnetism in Poland in the period from 1901.0 to 1935.0 167–183

——— Secular variation of the magnetic declination at Gdansk 164–225

Oliphant, C. W. Symposium: Examples of geological and geophysical cooperation in petroleum exploration 166–180

Oliver, Jack. *See* Berckhemer, Hans, and Press, Frank.

Abstract

Ollier, C. D. *See* Ford, I. H.

Olsson, B. H. Note on the automatic recording of time signals on seismograph records 164–74

——— The electrical effects of tidal streams in Cook Strait, New Zealand 167–39

Omote, Syun'itiro. Aftershocks that accompanied the Tottori earthquake of Sept. 10, 1943. (The 2d paper) 167–44

Omote, Syun'itiro; Miyamura, Setumi; and Yamazaki, Yoshio. Triggered magnetic tape recorder for routine seismic observations 166–107

Omote, Syun'itiro, and Tazime, Kyozi. Basic study on seismic prospecting 165–331

Omote, Syun'itiro; Yamazaki, Yoshio; Kobayashi, Naoyoshi; and Murauchi, Sadanori. Ice tremors generated in the floating lake ice (Part 1) 167–82

Ono, Kichihiko. *See* Shibato, Kihei, and Suyama, Junji.

Onozaki, S. *See* Higuti, T.

Opdyke, N. D., and Runcorn, S. K. New evidence for reversal of the geomagnetic field near the Pliocene-Pleistocene boundary 165–272

——— Remanent magnetization of lava flows in northern Arizona 166–279

Öpik, E. J. Cosmic sources of deep-sea deposits 164–204

——— Paleomagnetism, polar wandering and continental drift 167–198

——— The origin of meteorites and the constitution of the terrestrial planets 167–161

——— The origin of the moon 167–166

——— The time-scale of our universe 167–4

Opp, A. G. A magnetometer survey of the Keene Dome, McKenzie County, North Dakota 165–289

Orilia, N., and Petrucci, G. On a device adapted for subsurface prospecting by the electrochemical (induced potential) method 167–94

Ormea, G. B. Circuit equivalents of the seismic-electric effect 165–354

Osada, Kaio. *See* Kanai, Kiyoshi.

Osoba, J. S. *See* Brannon, H. R., Jr., and Perkins, F. M., Jr.

Ossaka, Joyo. *See* Morimoto, Ryōhei, and Tsuya, Hiromichi.

Ossaka, Justo. *See* Kato, Yoshio.

Ostle, D. *See* Bowie, S. H. U.

Ostrovskiy, M. I., and Martynova, T. A. Experimental studies of the magnetic properties of rocks from the Kursk magnetic anomaly 165–274

Oszlaczky, Szilárd. Tables for the gravimetric effects of cylindrical masses 165–176

Ovchinnikov, I. K. Contribution to the theory of the dissemination of current from point and linear electrodes in a heterogeneous semispace 166–133

Ozawa, Izuo. On the observation of changes of the Earthcrust in the time of earthquakes 166–72

Ozawa, Takeo. *See* Tsukada, Tadashi.

Özdogan, İhsan. Electromagnetic variometer for the vertical component 165–257

Ozerskaya, M. L. Physical properties of the rocks forming the crystalline basement 165–231

——— The results of laboratory determinations of the elastic properties of rocks 164–97

Ozima, M. *See* Nagata, Takesi.

P

Padget, P. *See* Kullerud, Gunnar.

Pakiser, L. C., and Warrick, R. E. A preliminary evaluation of the shallow reflection seismograph 165–355

Palumbo, Donato. *See* Curatolo, M.

Paneth, F. A. The helium method of geologic age determination and the age of iron meteorites 164–18

Pannocchia, G. The registration of earthquakes at Pavia 164–67

Parascandola, Antonio. Note on the recent steam eruption at the Solfatara di Pozzuoli 166–371

Parasnis, D. S. The electrical resistivity of some sulphide and oxide minerals and their ores 167–100

Pariyskaya, G. N. *See* Berzon, I. S.

Parwel, A., Ubisch, H. von, and Wickman, F. E. On the variations in the relative abundance of boron isotopes in nature 167–176

Pasechnik, I. P. Four component installation with inclined seismographs for azimuthal determination 165–66

Pasechnik, I. P. *See also* Ventskevich, E. V.

Abstract
Pastor, Manuel. Note concerning the Granadan earthquakes of April 19, 1956 166–62
Paterson, N. R. Seismic wave propagation in porous granular media 166–126
Patterson, C. C. Age of meteorites and the earth 167–5
  See also Aldrich, L. T.
Pauly, Hans. *See* Bruun, A. F.
Pekeris, C. L. The seismic buried pulse 164–83
——— The seismic surface pulse 165–88
Perkins, F. M., Jr., Osoba, J. S., and Ribe, K. H. Resisitivity of sandstones as related to the geometry of their interstitial water 167–101
Perrin, Albert. *See* Garrigue, Hubert.
Perrin, René. Possible explanation of gravity anomalies without recourse to isostasy 167–140
Petrov, L. V. Distortions in phase displacement circuits 166–342
Petrova, G. N. Experiences in tracing a buried fault by the magnetometric method 165–283
——— Three kinds of magnetization in rocks 166–272
Petrova, G. N. *See also* Grabovskiy, M. A.
Petrovic, M. *See* Milojevic, A.
Petrucci, G. *See* Orilia, N.
Petrushevskiy, B. A. Importance of geologic phenomena in seismic zoning 165–49
——— On the correlation between the seismic phenomena of Ural-Siberian Platform and the Tien Shan Mountains with the geologic conditions in these regions 166–65
Petryayev, Ye. P. *See* Starik, I. Ye.
Pettersson, Hans. Magnetic pellets and meteors 164–203
Peyve, A. V. General characteristics, classification, and spatial distribution of deep fractures. Principal types of deep fractures. Part I 167–118
Phair, George, and Mela, Henry, Jr. The isotopic variation of common lead in galena from the Front Range and its geological significance 166–253
Phillips, G. A. *See* Waters, G. S.
Picciotto, E. E. Nuclear phenomena in geology and geophysics 166–297
  See also Deutsch, Sarah
Pienkowski, S., Rygierowa, D., Szwacka, C. J., Twarowska, B., and Zmysłowska, B. Modes of distribution of radioactive substances in Polish rocks 167–240
Pierce, A. P., Mytton, J. W., and Gott, G. B. Radioactive elements and their daughter products in the Texas Panhandle and other oil and gas fields in the United States 165–308
Pieuchot, Maurice. *See* Richard, Henri.
Pihlainen, J. A., Brown, R. J. E., and Legget, R. F. Pingo in the Mackenzie Delta, Northwest Territories, Canada 166–235
Pinar, Nuriye. Report on seismological research in Turkey from 1952 to 1954 (in Turkish and French) 167–49
Pinson, W. H., Jr. *See* Herzog, L. F.
Piyp, B. I. *See* Zavaritskiy, A. N.
Plass, G. N. The carbon dioxide theory of climatic change 167–132
Plichon, J. N. Application of geophysical methods to civil engineering works 166–174
Pohl, Egon, and Pohl-Rüling, Johanna. Radioactive measurements of the air in Badgastein and Böckstein 164–266
Pohl, Egon. *See also* Pohl-Rüling, Johanna
Pohl-Rüling, Johanna, and Pohl, Egon. New determinations of the radium and radon content of some outlets of the Gastein hot springs 164–268
  Johanna. *See also* Pohl, Egon
Pohly, R. A. Reefs are hard to find 166–225
Poisson, Charles. Earthquakes felt in Madagascar in 1954 167–47
——— The Andilamena earthquake 167–52
Polak, E. J. Geophysics as an aid in coalmining 164–136
Polański, Antoni. Radioactive methods of the determination of the absolute age in geology 164–3
Polshkov, M. K. *See* Bereza, G. V.
Ponsford, D. R. A. Radioactivity studies of some British sedimentary rocks 165–311
——— Radioactivity of the rocks of the [Stowell Park] borehole 166–305
Popov, E. I. *See* Bulanzhe, Yu. D.
Poritsky, H. Propagation of transient fields from dipoles near the ground 165–111

Abstract

Porstendorfer, Gottfried. Telluric currents as a geophysical investigation method and the possibilities of their practical application in the German Democratic Republic 164–103

Posgay, Károly. Mean error of seismic reflection measurements in the case of intensely jointed fault structures 164–283

Posgay, Károly, and Annau, Edgar. Diffraction of seismic waves 165–337

Posgay, Károly, and Erös, János. Determination of seismic wave velocities in near-surface layers 164–282

Potratz, H. A. *See* Barnes, J. W.

Potzger, J. E. *See* Zumberge, J. H.

Powell, D. W., Griffiths, D. H., and King, R. F. Gravity and magnetic anomalies in North Wales; with an appendix on the magnetic anomalies over the Lleyn peninsula 164–172

Präg, R. *See* Gentner, W.

Press, Frank. Velocity of Lg waves in California 167–77

Press, Frank, and Dobrin, M. B. Seismic wave studies over a high-speed surface layer 165–100

Press, Frank, Ewing, Maurice, and Oliver, Jack. Crustal structure and surface-wave dispersion in Africa 166–243

Press, Frank. *See also* Ewing, Maurice

Price, C. A. Crustal movement in the Lake Ontario-Upper St. Lawrence River Basin 167–174

Priddy, R. R. Fresh water strata of Mississippi as revealed by electrical log studies 164–126

Princep Curto, J. M. Diurnal distribution of the basic type of geomagnetic bays in Tortosa, Cheltenham, Tucson, and San Juan 166–266

Pringle, R. W., Turchinetz, W., and Funt, B. L. Liquid scintillation techniques for radiocarbon dating 164–9

Probine, M. C. *See* Garvitch, Z. S.

Prosen, D. A contribution to the establishment of a gravimetric network in Yugoslavia 167–152

Proskuryakova, T. A. *See* Savarenskiy, Ye. F.

Pryor, W. A. Quality of groundwater estimated from electric resistivity logs 166–168

Puchkov, S. V. Seismicity of the Ashkhabad region from observations in 1953 166–64

Puchkov, S. V., and Kats, A. Z. Experiences of seismic microzoning of ground on the basis of instrumental data 165–47

Pudovkin, I. M. Magnetic variations at high latitudes 167–185

——— Some questions in the theory of the calculation of ΔT 165–248

——— Three-dimensional computations of the vertical gradients of the horizontal and vertical components of the magnetic field in the interpretations of anomalies 164–163

Pugh, J. C. Isostatic readjustment in the theory of pediplanation 164–205

Puri, D. D. *See* Srivastava, S. S.

Purkayastha, B. C., and Martin, G. R. The yields of ^{129}I in natural and in neutron-induced fission of uranium 165–242

Puzyrev, N. N. On ways of making more precise the methods of interpreting seismic prospecting data 166–353

——— The effect of the curvature of the boundary in the determination of the velocity using the traveltime curves of the reflected waves 165–339

Q

Quema, J. C. *See* Kintanar, R. L.

Quiring, Heinrich. Geomagnetism and geothermal gradient 164–224

R

Rade, J. Notes on the geotectonics and uranium mineralization in the northern part of the Northern Territory, Australia 166–196

Rafter, T. A. C^{14} variations in nature and the effect on radiocarbon dating 164–12

Raman, C. V. The elasticity of crystals 165–93

Ramirez, J. E. Progress in seismology in Central America, Mexico, and the Caribbean islands during 1950 and 1951 164–40

Rao, M. B. R., and Negi, B. S. Geophysical exploration in the arid tracts of Rajputana 167–96

Abstract
Rao, V. B. Magnetic properties of magnetite — 167–200
Rao, V. B., and Narain, H. Regional magnetic survey of the South Sydney Basin — 167–213
Rassomakhin, G. I. *See* Vladimirov, N. P.
Reich, Hermann. Determination of Quaternary movements on the northern border of the Bavarian Alps on the basis of seismic investigations — 164–293
Reich, Hermann, and Horrix, Wilhelm. Geophysical investigations of the Ries and its environs and their geological interpretation — 164–304
Reinhardt, H. G. Quarry explosions in the investigation of deeper crustal structure — 164–197
Reiter, Reinhold. Recording of potential gradients, measurements of the polar electrical conductivity of the air as well as the relative radioactivity of the air and determination of the NO_2' content of precipitation and clouds on the Zugspitzplatt (2,580 m above sea level) in the summer of 1955 — 167–232
——— The emanation content of the air in the northern Dolomites in relation to stratification of the atmosphere and wind direction — 164–267
——— Variations of the natural radioactivity of the air, measurements at an elevation of 2,600 m above sea level in the northern Alps — 165–303
Research Group for Explosion Seismology, Japan. Observations of seismic waves from the second Kamaisi explosion — 166–247
——— The fifth explosion seismic observations carried out in northeastern Japan — 167–170
Reynolds, J. H. *See* Folinsbee, R. E.
Rezanov, I. A. The Kazandzhik earthquake of the year 1946 — 164–51
Ribe, K. H. *See* Perkins, F. M. Jr.
Richard, Henri, and Pieuchot, Maurice. Seismic efficiency of explosives — 166–339
Richards, A. F. *See* Snodgrass, J. M.
Richter, C. F. Foreshocks and aftershocks — 166–44
——— Seismic history in the San Joaquin Valley — 166–40
Richter, C. F., and Gutenberg, Beno. Seismicity of Southern California — 166–39
See Gutenberg, Beno
Rik, K. G. *See* Gerling, E. K.
Rikhter, V. G. *See* Kulakova, L. S.
Rikitake, Tsuneji. Growth of the magnetic field of the self-exciting dynamo in the earth's core — 166–256
——— Magneto-hydrodynamic oscillations in the earth's core — 164–219
——— Magneto-hydrodynamic oscillations of a conducting fluid sphere in a uniform magnetic field — 165–246
——— Magneto-hydrodynamic oscillations of a conducting fluid sphere under the influence of the Coriolis force — 167–180
Rikitake, Tsuneji, and Yokoyama, Izumi. The anomalous behaviour of geomagnetic variations of short period in Japan and its relation to the subterranean structure. The 6th report. (The results of further observations and some considerations concerning the influence of the sea on geomagnetic variations) — 166–36
Rimbert, Francine. On the demagnetization by an alternating magnetic field of magnetic and α–Fe_2O_3 — 166–274
——— On the effect of alternating fields on rocks with a viscous isothermal remanent magnetization — 166–275
Rische, H. An expanded evaluation procedure for seismic refraction survey measurements — 166–352
Rivière, André. On the radioactivity of present and recent sediments of the Mediterranean coast. Particular study of the Gulf of Lion. Sedimentologic interpretation — 167–242
——— Sedimentological interest in the measurement of natural radioactivity — 164–261
Rivkin, I. Ya. The nature of disturbances in electric well logging — 164–117
Riznichenko, Yu. V. Seismoacoustic methods of studying the stressed conditions of rocks — 164–301
Riznichenko, Yu. V., and Myachkin, V. I. The seismic impulse method in the investigation of rock pressure — 164–300
Rizzi, Ted M. Airborne geophysics in the search for uranium in the Black Hills — 166–325
Robertshaw, Jack. *See* Brown, P. D.
Robson, G. R., and Willmore, P. L. Some heat measurements in West Indian soufrières — 167–159

Abstract

Rocha Gomes, A. A., and Silva, F. J. Prospecting for pyrite in Baixo Alentejo 165–132

Roche, Alexandre. On the date of the last inversion of the terrestrial magnetic field 167–205

Rod, Emile. Earthquakes of Venezuela related to strike-slip faults? 167–54

Rode, K. P. Geo-kinetic evolution of greater India 166–202

Rodríguez-Navarro de Fuentes, José. Proposed magnetic map of the Iberian Peninsula 166–292

Rodríguez-Navarro de Fuentes, José, and Bonelli y Rubio, J. M. The Gergal earthquake of July 1, 1950 166–63

Rohringer, G. *See* Broda, E.

Roman, Irwin. Graphical scales for mapping potential functions 167–89

Romberg, F. *See* Geyer, R. A.

Roques, Maurice. Determination of the absolute age of the Carboniferous granite of Mayet de Montagne, Allier 166–30

——— Graph for calculation of the apparent ages of minerals by the lead-alpha method 167–18

Roquet, Juliette. On the magnetic properties of volcanic rocks rich in pyrite 167–203

——— Study of the magnetic properties of volcanic rocks with natural inverse magnetization 165–266

Rose, J. C. *See* Woollard, G. P.

Ross, J. E. R. Geodetic investigations in the Canadian Arctic 165–160

Rossman, D. L., Henderson, J. R., Jr., and Walton, M. S., Jr. A reconnaissance aeromagnetic survey of the southern part of Prince of Wales Island, Alaska 167–218

Roth, Étienne. Isotopic composition of the hydrogen of the gases at Lacq 167–177

Roth, Raoul. *See* Bernazeaud, Jacques.

Rothé, J. P. Presentation of a radioactivity map of the Hercynian Vosges 167–249

——— Table of the seismicity of the earth during the years 1953–1954 (Seismological chronicle) 167–43

Röthlisberger, H. Studies in glacier physics on the Penny Ice Cap, Baffin Island, 1953, Part III 164–152

Rourke, F. M. *See* White, F. A.

Roy, Supriya. Thermal experiments with the vanadium-bearing titaniferous magnetites of Mayurbhanj—A study of the different types of crystallographic intergrowths 166–271

Rozsa, T. *See* Baillie, W.

Rubin, Meyer, and Suess, H. E. U. S. Geological Survey radiocarbon dates III 164–14

Rubin, Meyer. *See also* Wright, H. E., Jr.

Rudnick, Philip. The spectrum of the variation in latitude 165–74

Ruhe, R. V. Radiocarbon dates and Pleistocene chronological problems in the Mississippi Valley region 165–7

Rummerfield, B. F. *See* Broding, R. A.

Runcorn, S. K. Applications of remanent magnetization of rocks 167–199

——— Paleomagnetic survey in Arizona and Utah 165–273

——— Paleomagnetism, polar wandering and continental drift 167–197

——— The present status of theories of the main geomagnetic field 167–182

See also Campbell, C. D., *and* Opdyke, N. D.

Rupnik, J. L. *See* Oliphant, C. W.

Ruprecht, Leo. *See* Hiller, Heinz.

Russell, R. D. Lead isotopes as a key to the radioactivity of the earth's mantle 165–313

Russell, R. D., and Allan, D. W. The age of the earth from lead isotope abundances 166–4

Russell, R. D. *See also* Cummings, G. L., *and* Shillibeer, H. A., *and* Wilson, J. T.

Russell, W. L. The use of gamma-ray measurements in prospecting 166–315

Rybakova, E. V. *See* Enenshteyn, B. S.

Rygierowa, D. *See* Pienkowski, S.

S

Sabatier, Germain, and Saucier, Henri. Some experiences with the deformation of acid eruptive rocks at high temperature 164–302

Sagisaka, S., and Yamagishi, N. Observations of surface waves of the near earthquakes 166–96

St. Amand, Pierre. Two proposed measures of seismicity 166–83

Abstract

St. Clair, David. *See* Banfield, A. F.
Sakakura, A. Y. Air scattering of gamma rays from thick uranium sources---- 165–296
Sakuma, Shūzō. Effect of thermal history on viscosity of Oosima lavas (Elastic and viscous properties of volcanic rocks. Part 4)---- 164–99
Salikhov, A. G. *See* Krinari, A. I.
Salter, R. E. Magnetic tape recorder spells progress---- 165–359
Samoylov, V. G., and Konshin, G. G. The application of the electric method of exploration to geologic investigations when designing and building reservoirs, ponds, and basins in areas of possible karst---- 164–109
San Roman, J. S. de. Geomagnetism, 1947---- 166–264
Sano, Shun'ichi. On the measurement of radioactive intensity in the field measured by gamma ray G. M. counter (1)---- 166–317
——— On the scintillation counters for geophysical use---- 166–318
——— Portable instruments for measurement of radioactivity---- 166–316
Sano, Shun'ichi, and Hatase, Yasuhiko. Radioactive prospecting in the Naegi Region, Gifu Prefecture---- 166–326
Sanselme, Henri. *See* Bernazeaud, Jacques.
Santangelo, M. *See* Curatolo, M.
Santi, B. Exhalative-hydrothermal manifestations on the island of Ischia---- 164–317
Santo Akima, Tetsuo. Comparative studies of surface waves travelling across Tibet Plateau and Sea of Japan, with some notes on the method of finding the velocities of surface waves for a limited position of their path---- 165–61
Sappa, Mercurino. Geyseriform phenomena of the island of Ischia---- 164–318
Sardarov, S. S. *See* Amirkhanov, Kh. I.
Sarrafian, G. P. A marine seismic model---- 165–349
Sarrot-Reynauld de Cresseneuil, Jean. New attempts at stratigraphic correlation in the La Mure Coal Basin by radioactivity measurements---- 166–324
Sasa, Kenzo. Geophysical prospecting applied to engineerings for disaster prevention---- 165–365
Sasaki, Tsuneo. *See* Hayakawa, Masami.
Sastry, A. V. R., and Aswathanarayana, U. Distribution of radioactivity in the rocks of South India: Part II—Khondalites of Andhra State---- 167–238
Sato, Gakuji. A study on equilobro-four-electrode method (1).—Theoretical curves of apparent resistivity for simple ore models---- 166–138
Satō, Kōnosuke. Geophysical exploration in mining of Japan---- 165–156
——— Some problems of prospecting for radioactive minerals---- 166–314
Sato, Ryosuke. On Rayleigh waves generated at rough surfaces (1) (two-dimensional case)---- 166–117
——— The reflection of elastic waves on corrugated surface---- 166–114
Satō, Yasuo. Analysis of dispersed surface waves by means of Fourier transform I---- 165–90
——— Analysis of dispersed surface waves by means of Fourier transform II. Synthesis of movement near the origin---- 167–86
——— Analysis of dispersed surface waves by means of Fourier transform III. Analysis of practical seismogram of South Atlantic earthquake---- 167–78
——— A note on Tsuboi-Nagata's method---- 165–181
——— How can we get rid of surface waves?---- 165–342
——— On the direction of earthquake sound---- 166–74
——— Relation between seismic intensity and epicentral distance (2)---- 165–40
——— Study on surface waves XI. Definition and classification of surface waves---- 164–86
——— Study of surface waves XII. Non-dispersive surface waves---- 165–89
See also Matumoto, Tosimatu, *and* Yamaguchi, Rinzo.
Saucier, Henri. *See* Sabatier, Germain.
Sauer, Walther. The earthquakes of the province of Imbabura---- 165–24
Sauramo, Atti. Land uplift with hinge-lines in Fennoscandia---- 166–250
Savarenskiy, Ye. F. On the distortions of seismicity maps---- 167–72
——— Remarks on the importance of ground conditions for seismic and clinometric observations---- 164–69
——— The structure of the mantle on the basis of seismic data---- 165–266
——— The tsuami problem---- 166–71
Savarenskiy, Ye. F., and Dzhibladze, E. A. On the seismicity of the Great Caucasus---- 166–67

Abstract

Savarenskiy, Ye. F., and Kirnos, D. P. The elements of seismology and seismometry 167–40

Savarenskiy, Ye. F., Proskuryakova, T. A., and Tsirel'-Sprintsson, V. S. The correlation between microseismic vibrations and the position of cyclones over the ocean 164–249

——— *See also* Matorina, T. V.

Sawicki, Jerzy. The magnetic field of a magnetic dipole placed on the surface of the earth 166–137

Scarsella, Francesco. On some correlations between the geologic and gravimetric surveys in the Marche, Umbria, and Abruzzi 164–174

Scheidegger, A. E. The physics of orogenesis in the light of new seismological evidence 165–164

Schenk, Erwin. Geoelectric investigations of the mineral spring area of Selters a. d. Lahn 166–155

Schneider, H. J. *See* Förtsch, O.

Schott, Wolfang. *See* Closs, Hans.

Schulze, G. A., and Trappe, H. J. The mapping of salt dome flanks with seismic methods 167–266

Schulz-Weidner, W. Did a giant meteorite create the Lesser Antilles 164–201

Schumacher, E. Age determinations of stone meteorites with the rubidium-strontium method 165–15

Schumann, G. Investigation of the radioactivity of the atmosphere by the filter method 165–304

Schurmann, H. M. E., Bot., A. C. W. C., Steensma, J. J. S., Suringa, R., Eberhardt, Peter, Geiss, Johannes, Gunten, H. R., von Houtermans, F. G., and Singer, P. Second preliminary note on age determinations of magmatic rocks by means of radioactivity 167–19

Schuyler, G. L. Computations of the directions of microseisms at tripartite stations 165–292

Schwander, H. Determination of the relative oxygen isotopes ratios in silicate rocks and minerals 164–215

Schwarzbach, Martin. Contributions to the climatic history of Iceland. Part 4. The volcanic region of Hredavatn, West Iceland 167–12

Schwarzbach, Martin, and Münnich, K. O. On the determination of the absolute age of Gfabfok volcano (western Iceland) 165–5

Schwarzer, D. *See* Fireman, E. L.

Sebestyén, Károly. Filtration potential in the vicinity of Velem 164–110

——— Investigations concerning the detection of some of our Transdanubian lignite deposits in boreholes by means of the induced potential method 164–124

——— Telluric current recording apparatus 165–102

Sédty, Lorand. *See* Gálfi, János.

Seedsman, K. R. Regional gravity survey of the Moorlands Military sheet area 164–169

Seelis, K. H. Seismic velocities in the Upper Alsace potash basin 164–291

Seki, Akira. *See* Utsu, Tokuji.

Selzer, E. Experimental determination of the field of a permeable alloy cylinder, in a uniform magnetic field parallel to its axis of revolution 167–194

Senftle, F. E. *See* Gottfried, David.

Serson, P. H., and Hannaford, W. L. W. A portable electrical magnetometer 167–192

Shakhsuvarov, D. N. The method of interpreting the results of observations of the electromagnetic field in dipole sounding 166–148

See also Tikhonov, A. N.

Shalayev, S. V. The determination of a conductive body by electrical prospecting methods 164–104

Shamina, O. G. Elastic impulses produced by destruction of specimens of rocks 166–366

Shanin, L. L. *See* Amirkhanov, Kh. I.

Sharp, R. P. *See* Baird, P. D., *and* Gutenberg, Beno.

Shashkin, V. L. Method of determining the natural background of gamma-radiation counters 167–247

Shebalin, N. V. Experiences with the instrumental observations at the central seismic station at Moscow 165–67

Sheynmann, Yu. M. Notes on the classification of structures of the continents 167–116

Shibatō, Kihei. Geophysical prospecting at Kuga Mine, Yamaguchi Prefecture 164–113

Abstract

Shibatō, Kihei; Kishi, Haruo; and Takagi, Shinichiro. Study on spontaneous polarization of powdered pyrite 165–143
Shibatō, Kihei, Kobayashi, Hajime, and Ono, Kichihiko. Geophysical exploration at Tsuzura, Miyazaki Prefecture 166–161
See also Kunori, Shoichi.
Shillibeer, H. A., and Burwash, R. A. Some potassium-argon ages for western Canada 165–13
Shillibeer, H. A., Russell, R. D., Farquhar, R. M., and Jones, E. A. W. Radiogenic argon measurements 164–253
Shima, Etsuzo, and Sibano, Muturo. Futatsui earthquake of October 19th, 1955 166–53
Shima, Makoto. On the geochemical study of carbon 14. I. The Ozegahara peat: 167–10
Shima, Michiyasu. Elastic theory and elastic properties of the Earth's interior (II) 166–240
Shimazu, Yasuo. Chemical structure and physical property of the Earth's mantle inferred from chemical equilibrium condition 164–195, 165–225
Shimelevich, Yu. S. *See* Kukharenko, N. K.
Shimozuru, Daisuke. A note on the elasticity of marble 165–95
——— Elasticity of rocks under the initial stresses, with special reference to the fracture problem 165–371
——— Study on the elasticity near the melting point. Part 1. Nature of dilatational wave 164–98
——— Study on the elasticity near the melting point. Part 2. Velocity of dilatational wave in sodium 166–123
Shimozuru, Daisuke, and Murrai, Isamu. Elasticity of marble with special reference to its elastic aeolotrophy 165–94
Shmidt, O. Yu. The origin and early evolution of the earth 164–188
Shokin, P. F. Certain regularities in the drift of zero of quartz gravimeters 165–183
——— Concerning the evaluation of the drift of zero point in gravimeters 164–159
Shumway, George. A resonant chamber method for sound velocity and attenuation measurements in sediments 165–99
Shurbet, D. H., and Ewing, Maurice. Microseisms with periods of seven to ten seconds recorded at Bermuda 167–225
Shurbet, G. L., and Ewing, Maurice. Gravity reconnaissance survey of Puerto Rico 165–207
Shurbet, G. L., Worzel, J. L., and Ewing, Maurice. Gravity measurements in the Virgin Islands 167–151
See also Worzel, J. L.
Shvank, O. A. The nature of the gravity anomalies in the Saratov region of the Volga basin 164–178
Sibano, Muturo. *See* Shima, Etsuzo.
Sievert, R. M. Records of gamma radiation from the ground and the beta radiation from radioactive debris in Sweden 167–233
Signer, Peter. *See* Besairie, Henri, *and* Schurmann, H. M. E.
Silva, F. J. da. *See* Rocha Gomes, A. A.
Sima, Hiromu. *See* Suzuki, Ziro.
Simon, Wilhelm. The clocks of the earth 164–1
Simonenko, T. N. Computation of the Z_a values from measured values of Δ T 166–287
Simpson, A. L. *See* Edwards, J. M.
Skatskiy, V. I. Electromechanical accelerograph with a piezoelectric crystal transducer 166–100
Skeels, D. C. Correlation of geological and geophysical data 166–173
Skugarevskaya, O. A. *See* Enenshteyn, B. S., *and* Vladimirov, N. P.
Skuridin, G. A. The jumps in the discontinuous solutions of the dynamic equations of the theory of elasticity 166–109
See also Zvolinskiy, N. V.
Slack, H. A. *See* Krumbein, W. C.
Slaucitajs, Léonidas. On the use of the QHM and BMZ magnetometers in the field and in the magnetic observatory 166–267
Slemmons, D. B. Geologic setting for the Fallon–Stillwater earthquakes of 1954 166–58
Slichter, L. B. Geophysics applied to prospecting for ores 166–176

Abstract
Slutskoviskiy, A. I. On A. M. Yepinat'yeva's paper "Secondary pressure-bubble pulses in seismic exploration" 164–280
——— The automatic amplified gain control in seismic amplifiers 164–274
See also Bereza, G. V. *and* Voyutskiy, V. S.
Smart, W. M. The origin of the earth 167–3
Smellie, D. W. Elementary approximations in aeromagnetic interpretation 167–210
Smith, D. O. Development of a vibrating-coil magnetometer 165–276
——— Magnetization of a magnetite single crystal near the Curie point 165–261
Smith, M. K. Noise analysis and multiple seismometer theory 165–343
Smith, O. J. M. *See* Karplus, W. J.
Smolitskiy, Kh. L. The generalization of a criterion for the verification of the interpretation of gravitational observations 164–160
Sneddon, I. N. *See* Eason, G.
Snodgrass, J. M., and Richards, A. F. Observations of underwater volcanic acoustics at Bárcena Volcano, San Benedicto Island, Mexico, and Shelikof Strait, Alaska 164–311
Sobotovich, E. V. *See* Starik, I. Ye.
Sojka, Krzysztof. The problem of oscillation of energy in seismic investigations 166–336
Sokhranov, N. N. *See* Komarov, S. G.
Solov'yev, S. L. On the classification of earthquakes according to their energy 166–76
——— The relation between energy and intensity of an earthquake 165–41
Solov'yev, S. L., and Dzhibladze, E. A. The changing of the flux of seismic energy with epicentral distance 164–88
Solov'yev, V. N. The photoelectric signal device for violent earthquakes 165–70
Soske, J. L. Seismic prospecting for petroleum and natural gas in the Great Valley of California 166–358
Spadea, M. C. *See* Caloi, Pietro.
Spencer, T. W. Reflection of an acoustical pressure pulse from a liquid-solid plane boundary 164–85
Sretenskiy, L. N. Production of elastic vibrations in a semiplane by undulatory movements of a liquid 166–69
Srivastava, S. S., Mehendru, P. C., and Puri, D. D. Microwave dielectric measurements: Part III—Solid dielectric materials of Indian origin 167–102
Stackler, W. F. Can gravity surveys map subsurface structures? 165–179
——— Gravity—an accurate exploration tool 166–211
See also Thyssen-Bornemisza, Stephan von.
Starik, F. Ye. *See* Starik, I. Ye.
Starik, I. Ye., Melikova, O. S., Kurbatov, V. V., and Aleksandruk, V. M. The dependence of the capacity of uraninite to radiate radon, thoron, and actinon on the temperature 166–14
Starik, I. Ye., Melikova, O. S., and Sobotovich, E. V. The distribution of radioactive elements in different parts of uraninite 166–15
Starik, I. Ye., Murina, G. A., and Krylov, A. Ya. Criteria for the suitability of minerals for determination of their age by the helium method 167–15
Starik, I. Ye., Starik, F. Ye., and Petryayev, Ye. P. The comparative leaching of uranium and radium isotopes from uraninite 166–13
Starodubrovskaya, S. P. *See* Berzon, I. S.
Stead, F. W. Instruments and techniques for measuring radioactivity in the field 165–319
Steensma, J. J. S. *See* Schurmann, H. M. E.
Stefanović, D. Application of the electrical resistivity method in the solution of problems in engineering geology 167–97
Stegena, Lajos, and Járányi, Istvan. Horizontal torsion seismometer 164–275
See also Galfi, Janos.
Steinbrugge, K. V., and Moran, D. F. Damage caused by the earthquakes of July 6 and August 23, 1954 166–59
Stern, T. W. *See* Stieff, L. R.
Stieff, L. R., and Stern, T. W. The interpretation of the $Pb^{206}/U^{238} < Pb^{207}/U^{235} << Pb^{207}/Pb^{206}$ age sequence of uranium ores 165–20
Stober, G. *See* Durr, F.
Stockton, F. D. *See* Nielsen, L. E.
Stoneley, R. S. Rayleigh waves in a medium with two surface layers (2d paper) 166–90
——— The propagation of surface elastic waves in a cubic crystal 165–87

Abstract
Straka, H., and de Vries, Hl. A radiocarbon date for the age of the Eifel crater lakes 164-16
Strakhov, V. N. The determination of certain basis parameters of magnetized bodies from magnetic observations 165-277
Strassmann, F. *See* **Fritze, K.**
Strobach, Klaus. Studies of microseisms in Hamburg 166-296
Stuart, M. R. Dielectric constant of quartz as a function of frequency and temperature 165-140
Subbotin, M. I., and Nersesov, I. L. A fluxmeter inclinometer 165-161
Subsoil Research Team, Earthquake Research Institute, Tokyo University. Investigation into seismic characteristics of subsoils in Tokyo 167-59
Sucksdorff, E. The influence of the moon and the inner planets on the geomagnetic activity 164-227
Suess, H. E. Absolute chronology of the last glaciation 165-8
See also **Rubin, Meyer.**
Suggate, R. P. *See* **Dibble, R. R.**
Šumi, Franc. Geoelectric exploration of inclined thin beds and ore veins 166-146
Suringa, R. *See* **Schurmann, H. M. E.**
Sutton, G. H. Gravity bases in central Africa 166-215
Suwa, Akira. The eruption of Sakura-Jima in 1955 166-374
Suwa, Akira, Takeyama, I., and Kato, Y. The viscosity of fresh lava and the distribution of earth-current potential difference at the atrio, during the 1950-51 eruptions of Miharayama 166-375
Suyama, Junji. Equipment and field techniques of electrical prospecting 165-126
Suyama, Junji; Kobayashi, Hajime; and Ono, Kichihiko. Geophysical prospecting in the Tsuno Mine, Shimane Prefecture 166-162
Suzuki, Masazi. *See* **Kanai, Kiyoshi.**
Suzuki, Tomisaburo. *See* **Kanai, Kiyoshi.**
Suzuki, Ziro. On Love waves in heterogenous media 164-87
Suzuki, Ziro, and Sima, Hiromu. On forms of seismic waves generated by explosion, II 165-86
Svyatlovskiy, A. Ye. Seismotectonic characteristic of the Kamchatka-Kurile region 164-39
——— The earthquakes and the peculiarities of the geologic structure of the Kurile-Kamchatka region 166-66
Swallow, J. C. *See* **Day, A. A.**
Szabadvary, László. Geoelectric soil investigations based on several boring 164-108
Szénás, György, and Geresben, László. Application of seismic refraction measurements to bauxite exploration 164-296
Szwacka, C. J. Analysis of the radioactivity of granite from Karkonosze Mountains 167-239
See also **Pienkowski, S.**

T

Tajima, Eizo, and Doke, Tadayoshi. Airborne radioactivity 165-302
Tajima, Hirokazu. *See* **Tsuboi, Chuji.**
Takagi, Akio. *See* **Kato, Yoshio.**
Takagi, Shinichiro. On the origin of earthquake on the asymmetric push conical type of the distribution of initial motion of seismic wave (the 14th paper) 165-43
Takagi, Shinichiro. *See also* **Shibato, Kihei.**
Takahashi, Takehito. Analysis of the dispersion curves of Love waves 165-91
Takahasi, Ryutaro. A short note on a graphical solution of the spectral response of the ground 166-127
Takeuchi, Hitoshi, and Elsasser, W. M. Fluid motions near the core boundary and the irregular variations in the earth's rotation 164-220
Takeyama, I. *See* **Suwa, A.**
Tamaki, Ituo. The anomalies of incident time of P-waves of deep earthquakes in Japan 166-92
——— The crustal structure derived from the traveltime of shallow earthquakes 166-246
Tamano, Toshiro, and Kaneko, Tetsuichi. Seismic field techniques and some other problems 165-360
Tamrazyan, G. P. The earthquakes in the Kazbek region and their relation to elastic tides in the earth 167-46

Abstract

Tanaevsky, Olga, and Vassy, Étienne. Natural and artificial radioactivity of the atmosphere 165–305

Tanaka, Teiji. *See* Kanai, Kiyoshi.

Tandon, A. N. Zones of India liable to earthquake damage 165–26

Tandon, A. N., and Mukherjee, S. M. The Manipur-Burma border earthquake of 22 March 1954 165–27

Tardi, Pierre. Definitive results of the measurement of an arc of the equatorial meridian in 1898 to 1906 by a French expedition under the authority of the Academy of Sciences 166–187

Tarkhov, A. G. Determination of the electrical properties of rocks by the attenuation of radio waves 166–171

——— Geophysical exploration by the induction method 164–102

Tarrant, L. H. A rapid method of determining the form of a seismic refractor from line profile results 166–350

Tatsugami, Masao. Refraction computing set squares 166–349

Tauber, Henrik. Copenhagen natural radiocarbon measurements 167–8

Taylor, D. *See* Bisby, H.

Taylor, R. S. Glacial geology of north-central Keewatin, Northwest Territories, Canada 166–9

Tazime, Kyozi. Dispersion by a small explosion 166–363

——— Some notices on the design of the electromagnetic recorder having no amplifier 166–105

See also Kaneko, T. *and* Omote, Syun 'tiro.

Teisseyre, Roman. The conducting half-plane problem in geophysical exploration 166–136

Temkina, B. S., and Yezupov, F. I. Data on the theory of resistivity well logging obtained from measurements on models 164–119

Terrones L., A. J. The application of modern mining exploration methods in Peru 165–133

Terry, N. B., and Woods, H. J. The measurement of elastic wave velocity in small cylindrical specimens 166–121

Teupser, Christian. On the theory of recording of mechanical and electrodynamic vibration meters 166–104

Thiel, Edward. Correlation of gravity anomalies with the Keweenawan geology of Wisconsin and Minnesota 166–226

Thiesen, K. On the determination of D by means of QHM 166–268

Thorne, R. P. *See* Gillieson, A. H.

Thyer, R. F., and Everingham, I. B. Gravity survey of the Perth Basin, Western Australia 166–217

Thyssen-Bornemisza, Stephan von, and Stackler, W. F. Observations of the vertical gradient of gravity in the field 166–221

Tikhonov, A. N., and Chetayev, D. N. On the possibility of using the resistance of an antenna for electrical sounding 165–107

Tikhonov, A. N., and Enenshteyn, B. S. Physical causes of errors in vertical electrical sounding using the compensating method 164–106

Tikhonov, A. N., and Shakhsuvarov, D. N. On the possibility of using the impedance of the natural electromagnetic field of the earth in exploration of the upper layers of the earth 166–128

——— The method of evaluating electromagnetic fields excited in stratified media by alternating current 165–104

Tilton, G. R. The interpretation of lead-age discrepancies by acid-washing experiments 165–9

See also Aldrich, L. T., *and* Wetherill, G. W.

Timofeyev, A. N. On the causes of the gravity anomalies in the western part of the West Siberian plain 167–150

——— On the method of characteristic points 166–185

Tixier, M. P. *See* Kunz, K. S.

Tocher, Don. Movement on the Rainbow Mountain fault 166–60

Toperczer, Max. A contribution to the seismotechtonics of the eastern Alps 164–38

Toulis, W. J. Theory of a resonance method to measure the acoustic properties of sediments 165–98

Traill, R. J. *See* Wanless, R. K.

Trappe, H. J. *See* Schulze, G. A.

Travis, J. P., and McDowell, A. N. Model studies of salt-dome tectonics 164–149

Abstract

Tribalto, Giuseppe. Geophysical investigations during 1954 in Lazio 165–198

Tsekov, G. D. Method of evaluating curves of the potential variation along a vertical electric profile, using similar curves for the potential-drop arrangement 166–149

Tsimel'zon, I. O. The nature of the local gravitational anomalies on the Apsheron Peninsula 166–227

Tsirel 'sprintsson, V. S. *See* Savarenskiy, Ye. F.

Tsitsishvili, D. A., and Lashkhi, A. S. Electrofiltration field of some phenomena of hydroelectric projects in the Georgian SSR 167–95

Tskhakaya, A. D. On the seismicity of Akhalkalaki highland 165–34

Tsuboi, Chuji. Gravity measurments by means of gravimeters 165–187

Tsuboi, Chuji; Jitsukawa, Akira; and Tajima, Hirokazu. Gravity survey along the lines of precise levels throughout Japan by means of a Worden gravimeter. Part 6. Chubu district 165–201

——— Gravity survey along the lines of precise levels throughout Japan by means of a Worden gravimeter. Part 7. Tōkohu district 165–202

Tsujiura, Masaru. *See* Miyamura, Setumi.

Tsukada, Tadashi; Ochiai, Toshiro; Hasegawa, Kazuo; and Ozawa, Takeo. Electrical exploration on Isahaya Bay 165–131

Tsuya, Hiromichi. Geological and petrological studies of Volcano Fuji, V. 5. On the 1707 eruption of Volcano Fuji 166–373

Tsuya, Hiromichi; Morimoto, Ryōhei; and Ossaka, Joyo. The 1950–1951 eruptions of Mt. Mihara, Ōshima volcano, Seven Izu Islands, Japan. Part II. The 1951 eruption. A. Activity of the second period 164–313

Tsuya, Hiromichi; Okada, Atusi; and Watanabe, Tasuku. Evolution of Mihara Crater, Volcano Ōshima, Izu, in the course of its activities since 1874 167–284

Tucek, C. S. *See* Broecker, W. S.

Tulina, Yu. V. *See* Gamburtsev, G. A.

Turchinetz, W. *See* Pringle, R. W.

Turner, F. J., Griggs, D. T., Clark, R. H., and Dixon, R. H. Deformation of Yule marble. Part 7, Development of oriented fabrics at 300°C–500°C 167–271

Turner, R. C. *See* Anderson, W.

Twarowska, B. *See* Pienkowski, S.

Tyapkin, K. F. Rapid evaluation of the gradients of the potential on different levels 164–165

U

Ubisch, H. von. *See* Parwel, A.

Udintsev, G. B. On the topography of the Kurile–Kamchatka graben 166–372

Ullmann, Wolfgang. On the classification of seismographs, oscillation- or vibration-meters 166–102

——— On the general equation of motion of seismographs with one degree of freedom 166–101

Urey, H. C. The cosmic abundances of potassium, uranium and thorium and the heat balances of the earth, the moon, and Mars 165–213

Urquhart, H. M. A., and Goldman, J. E. Magnetostrictive effects in an antiferromagnetic hematite crystal 165–260

Uryson, V. O. On the reduction of the effect of disturbances on deep electric profiling 167–91

Usami, T. The reflection and refraction of elastic waves at sea bottom 166–116

Utsu, Tokuji. On deflection of the direction of initial motion of P wave 166–94

——— Some remarkable phases on seismograms of near earthquakes (Part 1) 166–93

Utsu, Tokuji, and Seki, Akira. A relation between the area of aftershock region and the energy of main shocks 166–79

Uyeda, Seiya. Magnetic interaction between ferromagnetic material contained in rocks 165–267

V

Vajk, Raoul. Bouguer corrections with varying surface density 167–133

Vajk, Raoul, and Walton, George. Geophysical history of Parentis oil field, France 166–181

Válek, Rostislav. Gravimetric observations in the central part of the Slovak Carpathians and their interpretation 165–195

Abstract

VanderHoof, V. L. The major earthquakes of California 166–38

van der Vliet, G. *See* Zierfuss, H.

Vaněk, Jiří. *See* Kárník, Vít.

Van Nostrand, R. G. Continuous velocity logging 166–329

——— Continuous velocity measurement in boreholes 167–235

See also Dobrin, M. B.

Varjão de Andrade, Paulo. A result of SP log interpretation 164–123

Vasil'yev, Yu. F. The resistance thermometer with the single-core cable 164–186

Vassy, Etienne. *See* Tanaevsky, Olga.

Vatan, M. A. *See* Rivière, André.

Veitsman, P. S. *See* Gamburtsev, G. A.

Vening Meinesz, F. A. A phase-transition layer between 200 and 900 km depth in the earth 166–242

——— On the possibility of applying Stokes's theorem and the formula for the plumb-line deflection derived from it 167–110

——— The second order corrections for pendulum observations at sea 167–134

Venkatasubramanian, V. S., and Aithal, V. S. The application of the α-helium method to some Archaean specimens 167–16

Ventskevich, E. V., Pasechnik, I. P., and Fedoseyenko, N. E. The use of "preliminary unrolling" in recording of seismic vibrations 166–106

Verhoogen, John. Ionic ordering and self-reversal of magnetization in impure magnetites 166–277

See also Evernden, J. F.

Veselov, K. E. Elementary theory of gravimeters built as spring balances 164–157

——— Use of the second vertical derivative of the potential of gravity in the geologic interpretation of gravimetric survey 164–162

Vickers, R. C. Airborne and ground reconnaissance of part of the syenite complex near Wausau, Wisconsin 167–251

Victor, P.-E. Wringing secrets from Greenland's icecap 164–151

Vidal, H. *See* Förtsch, Otto.

Vladimirov, N. P., Naumenko, N. L., Rassomakhin, G. I., and Skugarevskaya, O. A. Experimental investigations of the building-up of the electromagnetic field in a multilayer medium 166–135

Vlisidis, Angelina. *See* Buddington, A. F.

Vlodavets, V. I. On tsunami related to volcanic eruptions 166–380

——— Some results of volcanological research in the U. S. S. R 165–378

——— Volcanoes of the U. S. S. R 166–379

Vokes, F. M. *See* Kullerud, Gunnar.

Voskoboynikov, G. M. On the determination of the direction of the magnetization of disturbing bodies from the data obtained in magnetic exploration 164–241

Voytkevich, G. V. Isotopic composition of lead and the problem of primary magma 167–171

Voyutskiy, V. S., and Slutskovskiy, A. I. Seismic station with velocity filters 165–356

Vvedenskaya, A. V. The determination of the displacement fields produced by earthquakes, using the dislocation theory 166–80

Vvedenskaya, N. A. Generalizations on observations from the permanent seismic stations of Central Asia 165–33

——— The accuracy of determinations of the focus of an earthquake by the method of intersections 165–52

Vybornykh, S. F. The method of marked atoms in investigations of the technical condition of oil and gas wells 166–323

W

Wada, Tatsuhiko. *See* Iida, Kumizi.

Wadati, Kiyoo, and Hirono, T. Magnitude of earthquakes—especially of near, deep-focus earthquakes 166–77

Wadati, Kiyoo, and Iwai, Y. The minute investigation of seismicity in Japan (2nd paper) 166–52

Wade, R. T. Application of MicroLogs to the lower Glen Rose of East Texas 167–99

Wait, J. R. Mutual electromagnetic coupling of loops over a homogenous ground—an additional note 165–112

——— Radiation resistance of dipoles in an interface between two dieletrics 165–105

——— Transient fields of a vertical dipole over a homogeneous curved ground 165–106

Abstract

Wait, J. R., and Howe, H. H. Amplitude and phase curves for ground-wave propagation in the band 200 cycles per second to 500 kilocycles 165–110

Waldie, A. D. Weight-drop technique—how it's working 165–357

Walton, George. *See* Vajk, Raoul.

Walton, M. S., Jr. *See* Rossman, D. L.

Wanless, R. K., and Traill, R. J. Age of uraninites from Blind River, Ontario 166–27

Wanner, Ernst. The position of the earthquake foci in central Valais 167–48

Waring, C. L. *See* Gottfried, David.

Warrick, R. E. *See* Pakiser, L. C.

Wasserburg, G. J., and Hayden, R. J. The branching ratio of K^{40} 164–252

Wasserburg, G. J., Hayden, R. J., and Jensen, K. J. A^{40}-K^{40} dating of igneous rocks and sediments 167–31

See also Wetherill, G. W.

Wasserstein, B. The ages of uraninites by a new method 166–19

Watanabe, Tasuku. *See* Tsuya, Hiromichi.

Waters, G. S., and Phillips, G. A. New method of measuring the earth's magnetic field 165–256

Watson, I. J. The results of gravimeter observations between the stations on the primary gravity base-line of Great Britain 166–213

See also Whetton, J. T.

Webb, John. Thermal conductivity of soil 165–215, 167–156

Webber, G. R., Hurley, P. M., and Fairbairn, H. W. Relative ages of eastern Massachusetts granites by total lead ratios in zircon 167–24

Weber, Max. The determination of an arbitrarily curved layer boundary from seismic reflection measurements 165–340

——— The traveltime surface of a multiple reflected wave front in an inhomogeneous body with arbitrarily curved surface 165–336

Wegener, Kurt. The temperature in the Greenland ice cap 165–168

Welander, P. *See* Eriksson, E.

Wendt, Immo. Attempts at the determination of density of sand deposits by measurement of the absorption of gamma-radiation 167–243

——— Potash determination in the laboratory and underground with the counter 167–235

Wetherill, G. W. An interpretation of the Rhodesia and Witwatersrand age patterns 167–28

——— Discordant uranium-lead ages, I 166–11

Wetherill, G. W., Tilton, G. R., Davis, G. L., and Aldrich, L. T. New determinations of the age of the Bob Ingersoll pegmatite, Keystone, S. Dakota 167–26

Wetherill, G. W., Wasserburg, G. J., Aldrich, L. T., Tilton, G. R., and Hayden, R. J. Decay constants of K^{40} as determined by the radiogenic argon content of potassium minerals 167–229

See also Aldrich, L. T.

Wetzel, W. W. *See* Mooney, H. M.

Weyl, Richard. Geologic travels through Costa Rica.

1. The volcanoes of the Cordillera Central 165–382

——— Glowing clouds, glowing tuffs, and welded tuffs 164–307

Whetton, J. T., Myers, J. O., and Watson, I. J. A gravimeter survey in the Craven district of northwest Yorkshire 167–146

——— Gravity surveying in the East Carmarthenshire anthracite coal field 164–171

——— The geological results of measurements of gravity in East Carmarthenshire 164–170

White, F. A., Collins, T. L., Jr., and Rourke, F. M. Search for possible naturally occurring isotopes of low abundance 165–235

White, J. E., Heaps, S. N., and Lawrence, P. L. Seismic waves from a horizontal force 166–125

Whitten, C. A. Crustal movement in California and Nevada 166–188

——— Measurements of earth movements in California 166–197

Wickersham, W. E. Magnetic storm monitor 164–238

Wickman, F. E. The cycle of carbon and the stable carbon isotopes 165–237

See also Eckermann, H. von, *and* Parwel, A.

Wiebenga, W. D. Geophysical investigations of water deposits, Western Australia 166–153

Abstract

Wielądek, Romuald. Theory of errors of measurements made by means of static gravimeters 166–207

Wierzbicka, Zuzanna. Analysis of γ and β radioactivity of rock specimens 167–241

Wiese, Horst. Deep tellurics—investigation of the earth's crust by means of geomagnetic variations 164–193

——— Deep tellurics. Investigation of the regional electrical conductivity structure of the deep underground through geomagnetic variations 166–249

Wilckens, Friedrich. Geoelectrical investigations of the Kropfmühle graphite deposit in the Bavarian Forest 166–154

——— The basic principles of the self-potential method 165–125

Wilkening, M. H. Variation of natural radioactivity in the atmosphere with altitude 165–299

Williams, L. W. Geophysical survey, Ashford Coal Fields, New South Wales 166–216

——— Seismic reflection survey at Roma, Queensland, 1952–53 166–357

Willmore, P. L., and Hodgson, J. H. Charts for measuring azimuth and distance and for tracing seismic rays through the earth 164–64

See also Robson, G. R.

Wilson, H. W. *See* McNair, A.

Wilson, J. T., Russell, R. D., and Farquhar, R. M. Economic significance of basement subdivision and structures in Canada 166–26

Wilson, J. T. *See also* Cummings, G. L.

Windes, S. L. Physical properties of mine rock, Part 1 167–269

Winsberg, Lester. The production of chlorine-39 in the lower atmosphere by cosmic radiation 165–238

Winterhalter, A. C. *See* Ellis, L. G.

Wohlfarth, E. P. The remanent magnetization of hematite powders 164–237

Wolff, Wilhelm. The assistance of geophysics in the clarification of structural questions in coal mining 167–105

Wolff, Wilhelm, and Hahn, Albrecht. The magnetic anomalies in the Hohe Venn Mountains 164–245

Wollin, Goesta. *See* Ericson, D. B.

Wood, F. W., and Everingham, I. B. A provisional isogonic map of Australia and New Guinea showing predicted values for the epoch 1955.5 164–230

Woods, H. J. *See* Terry, N. B.

Woods, J. P. The composition of reflections 165–350

Woollard, G. P., Rose, J. C., and Bonini, W. E. The establishment of an international gravity standard 165–188

Worzel, J. L., and Shurbet, G. L. Gravity anomalies at continental margins 165–189

See also Bentley, C. R., *and* Shurbet, G. L.

Wray, J. L. *See* Zeller, E. J.

Wright, H. E., Jr., and Rubin, Meyer. Radiocarbon dates of Mankato drift in Minnesota 167–14

Wulf, O. R. *See* Nicholson, S. B.

Wyllie, M. R. J., Gregory, A. R., and Gardner, L. W. Elastic wave velocities in heterogeneous and porous media 164–100

Wyrobek, S. M. Application of delay and intercept times in the interpretation of multilayer refraction time distance curves 166–351

Y

Yamagata, Osamu. *See* Minakawa, Shinya

Yamagishi, N. *See* Sagisaka, S.

Yamaguchi, Rinzo, and Satō, Yasuo. Range of possible existence of Rayleigh- and Sezawa-waves in a stratified medium 165–92

——— Stoneley wave—its velocity orbit and the distribution of amplitude 166–119

Yamaguti, Seiti. On the changes in the heights of mean sea-levels, before and after the great earthquakes 165–44

Yamakawa, N. Investigation of the disturbance produced by spherical obstacles on the elastic waves (I). On the scattering of the elastic waves by a spherical obstacle 166–113

Yamazaki, Yoshio. *See* Omote, Syun'itiro

Yanagihara, Kazuo. Abnormal variations of earth currents accompanied with the 'Boso-Oki earthquake', Nov. 25, 1953 166–35

Yaramanci, Ali. Critical review of the gravimetric prospecting methods 166–204

Abstract

Yepinat'yeva, A. M. Certain types of multiple seismic waves 165–335

——— Kinematic peculiarities of refracted waves in media containing wedge-shaped strata 166–346

Yeres'ko, S. I. Study of the errors in the determination of the foci of Crimean earthquakes 167–56

Yezupov, F. I. *See* Temkina, B. S.

Yokouchi, Yukio. Principal magnetic disturbances at Kakioka, 1924–1951 166–260

——— Solar-flare effects in geomagnetic field at Kakioka, 1924–1951 166–261

Yokoyama, Izumi. Energetics in active volcanoes. 1st paper. (Activities of Volcano Mihara, Ooshima Island during the period 1953–54) 167–285

——— Geomagnetic anomalies related to the magnetization of the basalt in the vicinity of Gembudō 164–235

——— Geomagnetic studies of Volcano Mihara. The 5th paper. (Changes in three geomagnetic components during the period from May 1951 to August 1953.) 164–315

——— Geomagnetic studies of Volcano Mihara. The 6th paper. (Continuous observation of changes in geomagnetic declination during the period from 1951 to 1954.) 165–250

——— Geomagnetic studies of Volcano Mihara. 7th paper. (Possible thermal process related to changes in the geomagnetic field.) 167–286

——— Magnetic survey in Temmabayashi district, Aomori prefecture 165–288

See also Rikitake, Tsuneji.

Yoshizawa, Shizuyo. *See* Kanai, Kiyoshi.

Yoshizumi, Eizaburo. On a electrical prospecting by traveling waves—Introduction 166–139

——— On a electrical prospecting by traveling waves—Traveling waves in the case of a semiinfinite medium 166–140

Yosikawa, Haruo. Some examples of electrical prospecting in the area bearing black ore ("Kuroko") deposits 166–158

Yudkevich, R. V. The valuation of the oil-bearing potential of reservoirs characterised by low specific resistivity 164–105

Yumura, Tetsuo. Magnetic anomaly due to serpentine rocks (Magnetic survey of the Hizume district) 166–291

——— On the results of geomagnetic observation at the solar eclipse Sept. 12th, 1950 166–262

Yüngül, Sulhi. Prospecting for chromite with gravimeter and magnetometer over rugged topography in east Turkey 165–208

Yurchenko, B. I. On the methods of seismic observations in drill holes 166–332

Yurkevich, O. I. On the seismicity of Zakarpatskaya 165–32

Z

Zaccara, Gaetano. On some gravimetric and electrical surveys in south-central Italy 165–199

Zadorozhnyy, I. K., and Zykov, S. I. The disintegration constants of radioactive elements used in the determinations of geologic age 166–299

Zähringer, J. *See* Gentner, W.

Zatopek, Alois. Possible applications of electronic chronographs in geophysics 164–154

Zavaritskiy, A. N., Piyp, B. I., and Gorshkov, G. S. The investigation of the Kamchatka volcanoes 165–379

Zeitler, G. *See* Noddack, W.

Zeller, E. J., Wray, J. L., and Daniels, Farrington. Thermoluminescence induced by pressure and by crystallization 164–32

Zeschke, Günter. Prospecting and detection of radioactive minerals and ores 166–312

Zhirov, K. K., and Kurbatov, V. V. X-ray analysis of monazites for their fitness for geologic age determinations 166–16

Zidarov, D. Electromagnetic model for the solution of the direct problem of magnetometry and gravimetry 164–240

Zierfuss, H., and van der Vliet, G. Laboratory measurements of heat conductivity of sedimentary rocks 167–155

Zietz, Isidore, and Henderson, R. G. A preliminary report on model studies of magnetic anomalies of three-dimensional bodies 166–286

Abstract
Zmuda, A. J. Limiting form of Taylor series used in extrapolating components of the geomagnetic intensity 164–229
——— Note on the adjustment of isomagnetic charts to mutual consistency 165–279
——— Note on the components of magnetic intensity at inverse points relative to a spherical boundary 166–259
Zmuda, A. J., and McClung, Lowell. Vertical extrapolation of geomagnetic field components 164–228
Zmysłowska, S. *See* Pienkowski, S.
Zumberge, J. H., and Potzger, J. E. Late Wisconsin chronology of the Lake Michigan basin correlated with pollen studies 167–13
Zvolinskiy, N. V. Multiple reflections of elastic waves in a layer 164–90
Zvolinskiy, N. V., and Skuridin, G. A. On the asymptotic method of solving dynamic problems of the theory of elasticity 165–75
Zykov, S. I. *See* Zadorozhnyy, I. K.

SUBJECT INDEX

A

Acoustic properties, sediments, determination: Shumway 165–99; Toulis 165–98
Actinon emanation, effect of temperature: Kosov 166–12; Starik 166–14
Aegean Sea, gravity anomalies: Harrison 165–206
Africa, age determination: Bernazeaud 167–22; Fritze 165–294; Grimbert 167–21; Holmes 166–17; Horne 165–18; Macgregor 166–18
  crustal structure: Press 166–243
  gravity anomalies: Cizancourt 165–205; Sutton 166–215
  isostasy and pediplanation: King 164–206
  Precambrian orogenies: Harpum 166–195
  radioactivity surveys: Bowie 165–327
  tectonics: Brock 164–217
  volcanic activity: Bellair 164–316; Guest 166–369
Age, Africa, compilation: Holmes 166–17
  Africa, Ivory Coast uraninite: Bernazeaud 167–22; Grimbert 167–21
    significance of: Macgregor 166–18
    South, lepidolite: Fritze 165–294
    Witwatersrand mineralization: Horne 165–18
  atmosphere: Linnenhorn 164–4
  Australia, late Quaternary samples: Gill 165–4
    molybdenite, New South Wales: Herr 164–31
    pegmatite, Western: Jeffery 167–32
  California, Santa Cruz marine terrace: Bradley 165–6
    Sierra Nevada batholith: Folinsbee 167–29
  Canada, Blind River uraninite: Wanless 166–27
    core samples, Alberta and Saskatchewan: Shillibeer 165–13
    Devonian sylvite, Saskatchewan: Folinsbee 167–29
    geologic provinces: Wilson 166–26
    Keewatin peat, Northwest Territories: Taylor 166–9
    Lake Athabasca uranium province: Eckelmann 164–21
    major tectonic subdivisions: Cumming 166–25; Wilson 166–26
    Marian River area, Northwest Territories: Shillibeer 165–13
Age, Canada, monazite, Yellowknife geologic province: Folinsbee 166–28
    Precambrian areas: Mawdsley 166–24
    Yellowknife granite: Folinsbee 167–29
  carbon-14 determinations, Chicago: Libby 166–5
    København laboratory: Levi 165–2; Tauber 167–8
    Lamont laboratory: Broecker 166–6
    Michigan laboratory: Crane 167–9
    publication: Levi 164–7
    U. S. Geological Survey: Rubin 164–14
  Ceylon, Precambrian orogenies: Holmes 167–20
    zircons: Gottfried 164–22
  Chile, molybdenite from San Antonio: Herr 164–31
  Colorado, Brown Derby pegmatite: Aldrich 165–17, 166–29
    Quartz Creek granite: Aldrich 165–17, 166–29
  crust: Linnenborn 164–4
  Czechoslovakia, Rožna lepidolite: Kantor 167–35
  Denmark, Neolithic period: Tauber 167–8
  earth: Linnenborn 164–4; Patterson 167–5; Russell 166–4; Smart 167–3
  France, clay near Grenoble: Moret 166–10, 167–37
    Mayet de Montagne granite: Roques 166–30
  Germany, Buggingen sylvite: Gentner 164–27
    Eifelmaar eruption: Straka 164–16
    Fichtelgebirge granite: Noddack 164–26
    Lausitz granite: Schurmann 167–19
    Stassfurt sylvinite: Noddack 164–26
  Iceland, Grábók volcano: Schwarzbach 165–5, 167–12
  India, Archean orogenies: Aswathanarayana 164–34; Holmes 167–20; Mahadevan 164-33
    Archean rocks, Mysore and Bihar: Venkatasubramanian 167–16
  Italy, Vesuvius lava: Begemann 164–23

Age, Japan, peat: Shima 167–10
  Madagascar, galena: Besairie 164–35, 167–23
    pegmatite minerals: Holmes 165–14
  Massachusetts, granites: Webber 167–24
  meteorites: Cherdyntsev 164–17; Folinsbee 167–29; Gerling 165–16, 166–23; Herzog 167–33; Paneth 164–18; Patterson 167–5; Schumacher 165–15
  Nevada, Tule Springs charcoal: Harrington 164–15
  New Hampshire, Devil's Slide ring dike: Jaffe 165–10
  Norway, Stavanger molybdenite: Herr 164–31
  Oklahoma, Arbuckle and Wichita Mountains: Hamilton 167–25
  Old Faithful geyser: Marler 167–11
  Pleistocene glaciation: Ericson 166–8; Flint 166–7; Ruhe 165–7; Suess 165–8; Taylor 166–9; Wright 167–14; Zumberge 167–13
  Sierra Nevada batholith: Folinsbee 167–29
  South Dakota, Black Hills: Kulp 167–27; Wetherill 167–26
  Sweden, Alno complex: Eckermann 165–19
    lepidolite from Varutrask: Fritze 165–294
  Switzerland, Neolithic period: Tauber 167–8
  Texas, Precambrian intrusion: Geol. Assoc. Canada 167–2
  Ukraine granites: Gerling 166–2
  U. S. S. R., northern Caucasus: Afanas'yev 164–30; Amirkhanov 164–29
  universe: Öpik 167–4
Age determination, carbon-14 method, accuracy: McCallum 165–3
  carbon-14; bibliography: Levi 165–2
    conference on: Levi 164–7
    effect of natural C^{14} variations: Rafter 164–12
    effect of weathering: Hunt 164–13
    evaluation: Broecker 167–7
    liquid scintillation technique: Pringle 164–9
    methane proportional counter: Burke 164–10
    principles: Due Rojo 166–1; Hahn 164–2, 165–1; Kulp 164–5, 6; Libby 164–8, 166–5; Simon 164–1
  comparison of methods: Aldrich 165–17, 166–29, 167–17
  cube-edge variation method: Ahrens 167–1; Wasserstein 166–19
  extinct radionuclide method: Kohman 165–314
  fluorine method: Simon 164–1
Age determination, helium method, application to meteorites: Paneth 164–18
  historical development: Paneth 164–18
    principles: Ahrens 167–1; Hahn 165–1; Polanski 164–3
    suitability of minerals for: Starik 167–15
  ionium-uranium ratio in limestone: Barnes 166–20
  lead methods, comparison: Kulp 164–19
    discordant ages: Ahrens 164–20; Eckelmann 164–21; Horne 165–18; Kuroda 165–12; Stieff 165–20; Tilton 165–9; Wetherill 166–11, 167–28
    effect of radioemanation coefficients: Kosov 166–12; Starik 166–14
    effect of uranium and thorium leaching: Starik 166–13, 15
    effect of crystal structure: Zhirov 166–16
    graphical calculations: Roques 167–18
    physical basis: Ahrens 167–1; Polanski 164–3; Simon 164–1
    recent developments: Mawdsley 166–24
  pleochroic halo method: Deutsch 164–25; Hayase 164–24
  potassium-argon method, apparatus for: Noddack 164–26
    effect of temperature: Gentner 164–27
    method of obtaining argon for: Amirkhanov 166–21; Gentner 164–28
    principles: Ahrens 167–1; Hahn 164–2, 165–1; Polanski 164–3
    recent developments: Mawdsley 166–24
    sediments: Lipson 167–30; Wasserburg 167–31
    young samples: Folinsbee 167–29
  potassium-calcium method: Hahn 164–2, 165–1
  radiation damage method: Ahrens 167–1
  reliability of: Marmo 166–3
  rhenium-osmium method: Herr 164–31
  rubidium-strontium method, interlaboratory comparison: Aldrich 167–26
    principles: Hahn 165–1, 167–1; Polanski 164–3
    recent developments: Mawdsley 166–24
  symposium on: Geol. Assoc. Canada 167–2
  thermoluminescence method: Ahrens 167–1; Zeller 164–32
  tritium method: Hahn 164–2, 165–1; Kaufman 164–218; Libby 164–8

- Airborne magnetic maps, Alaska, Prince of Wales Island: Rossman 167–218
  - Alberta: Canada Geol. Survey 167–219
  - Newfoundland: Canada Geol. Survey 167–220
  - New Zealand: Gerard 167–224
  - Northwest Territories: Canada Geol. Survey 167–221
  - Ontario: Canada Geol. Survey 167–222
  - Saskatchewan: Canada Geol. Survey 167–223
- Airborne magnetic profile, Colorado Plateau: Joesting 167–145
  - Tunis to Lisbon: Agocs 165–282
- Airborne magnetic surveys, Arctic Islands: DuVernet 166–288
  - Australia: Brundage 165–281
  - Brazil, in uranium exploration: MacFadyen 165–329
  - magnetic storm monitor for: Wickersham 164–238
  - Norway: Mining Mag. 164–247
- Airborne radioactivity surveys, Brazil: MacFadyen 165–329
  - South Dakota, Black Hills: Rizzi 166–325
  - Wisconsin, near Wausau: Vickers 167–251
- Airborne surveys, equipment for: Eng. Min. Jour. 165–117
- Alaska, aeromagnetic survey, Prince of Wales Island: Rossman 167–218
  - earthquakes, 1953: Murphy 164–45
  - geophysical exploration in: Joesting 165–150
  - geophysical research in: Colbert 165–157
  - thermal studies in Taku glacier: Miller 167–127
- Alberta, aeromagnetic maps: Canada Geol. Survey 167–219
  - age of core samples: Shillibeer 165–13
  - gravity surveys: Stackler 166–211
  - seismic surveys: Blundun 166–360; Denton 164–290
- Aleutian Ridge, structural interpretation of: Gates 164–150
- Algeria, gravity and magnetic anomalies, Tanezrouft desert: Castet 167–212
  - radioactivity of hot springs: Guigue 164–264
- Alps, earthquake in: Toperczer 164–38
  - structural development: Kraus 164–144
- Anhydrite, elastic constants: Müller 167–79
- Antarctica, investigations of ice sheets: Loewe 165–167
- Antilles, Lesser, origin: Shulz-Weidner 164–201
- Arctic Islands, airborne magnetic survey: DuVernet 166–288
- Arctic Ocean, bottom structure: Umschau 166–368
- Argentina, hot springs and fumaroles, northwestern: Bartolucci 167–279
  - magnetic surveys, Deception Island: Hernandez 166–290
- Argon, isotopes in iron meteorites: Gentner 164–210
- Arizona, gravity surveys, Bisbee copper mines: Allen 166–219
  - magnetization, volcanic rocks: Opdyke 165–272
- Asia, central, earthquake prediction: Petrushevskiy 166–65
  - crustal structure, southeast: Nagamune 166–244
  - earthquake, Nov. 2, 1945: Chernyakina 165–35
  - magnetic surveys, Ala Tau ridge: Petrova 165–283
- Atlantic Ocean, bathymetric chart, northeastern: Hill 165–374
  - crustal structure: Berckhemer 166–248; Butterlin 164–202; Officer 165–372
  - gravity profile: Worzel 165–189
  - magnetic survey, Caryn Peak area: Miller 165–287
  - seismic surveys: Bentley 164–200; Katz 165–228
- Atmosphere, radioacivity, Bavarian Alps: Reiter 164–267, 165–303, 167–232
  - radioactivity, Heidelberg; Schumann 165-304
  - Wellington, New Zealand: Chapman 165–301; Crosthwait 165–300
  - radon content: Anderson 166–311
- Australia, age, molybdenite, New South Wales: Herr 164–31
  - pegmatites, Western: Jeffery 167–32
  - age determinations, Quaternary samples: Gill 165–4
  - earthquakes, Adelaide, March 1, 1954: Kerr-Grant 167–50
  - electrical surveys, Western: Weibenga 166–153
  - gravity surveys, eastern: Marshall 165–190
    - Moorlands coalfield: Seedsman 164–169
    - New South Wales: Williams 166–216
    - Peake and Denison Ranges: Knapman 166–218
    - Perth Basin: Thyer 166–217
  - isogonic map, 1955.5: Wood 164–230
  - magnetic survey, airborne, northwestern: Brundage 165–281
    - Middleback Range: McPharlin 164–242, 243
    - New South Wales: Rao 167–213
  - radioactivity logging, Kadina district: Knapman 164–272
  - seismic surveys, Queensland: Williams 166–357
  - temperature in subcrust, secular variation: Carey 165–165

- Austria, earthquakes, distribution: Toperczer 164–38
  - electrical surveys, engineering problems: Fritsch 165–128
  - magnetic surveys, Vienna basin: Burgl 167–214
  - radioactivity, Gastein hot springs: Pohl-Rüling 164–268
  - radon content of air, Badgastein and Bockstein: Pohl 164–266
  - seismic surveys, Ötztaler Alps glaciers: Förtsch 164–163, 165–169, 167–130
- Azores, magnetic survey: Custodio de Morais 167–215
  - volcanic fracture patterns: Machado 167–278

B

- Baffin Island, seismic surveys, Penny Ice Cap: Rothlisberger 164–152
- Baltic area, geoid: Ölander 167–112
- Bashkir A. S. S. R., seismic exploration: Berzon 166–338
- Bauxite, seismic surveys for, Hungary: Szenas 164–296
- Belgian Congo, gravity observations: Sutton 166–215
  - gravity surveys: Jones 167–143
  - volcanism and rift valleys: Caben 165–381
- Beryllium–7, production in atmosphere: Cruikshank
- Boron, isotopes, variations in nature: Parwel 167–176
- Brazil, airborne surveys for radioactive minerals: MacFadyen 165–329
  - electric logs, Bahia area: Varjão de Andrade 164–123
- British Columbia, earthquakes: Milne 164–43, 44, 165–23
  - gravity surveys: Stackler 166–211

C

- Calderas, Azores, formation of: Machado 167–278
  - geomorphic features: Escher 164–305
- California, age, marine terrace at Santa Cruz: Bradley 165–6
  - age, Sierra Nevada batholith: Folinsbee 167–29
  - earthquake, 1906, San Francisco: O'Connell 167–42
  - earthquakes, Kern County, 1952: Benioff 166–48: Gutenberg 166–43, 46, 47; Neumann 166–45; Oakeshott 166–41, 42; Richter 166–44
    - major, 1769–1952: Vanderhoof 166–38
    - San Joaquin Valley: Richter 166–40
    - southern part: Richter 166–39
- California, fault movements in: Benioff 166–48; Hill 166–199, 200; Whitten 166–188, 197
  - gravity surveys, intermontane basins: Mabey 166–220
  - radioactivity, Lassen volcanic rocks: Adams 164–258
  - seismic surveys, Great Valley: Soske 166–358
    - Searles Lake: Mabey 166–220
    - Yosemite Valley: Gutenberg 166–359
  - seismograph stations: Gutenberg 166–68
  - surface wave velocity: Press 167–77
  - tectonic pattern: Benioff 166–198
  - triangulation surveys across faults: Whitten 166–188
- Canada, age, Blind River uraninite: Wanless 166–27
  - age, core samples, Alberta and Saskatchewan: Shillibeer 165–13
    - Devonian sylvite, Saskatchewan: Folinsbee 167–29
    - geologic provinces: Wilson 166–26
    - Keewatin peat, Northwest Territories: Taylor 166–9
    - Lake Athabasca uranium province: Eckelmann 164–21
    - major tectonic subdivisions: Cumming 166–25; Wilson 166–26
    - Marian River area, Northwest Territories: Shillibeer 165–13
    - Precambrian areas: Mawdsley 166–24
    - Yellowknife granite: Folinsbee 167–29
  - crustal movement, Lake Ontario–St. Lawrence River basin: Price 167–174
  - earthquakes, west coast: Milne 164–43, 44, 165–23
    - west of 113°, 1841–1951: Milne 166–49
  - geodetic observations, Arctic regions: Ross 165–160
  - geophysical research, Arctic regions: Beals 165–158
  - gravity surveys, Alberta: Stackler 166–211
    - British Columbia: Stackler 166–211
    - Northwest Territories: Stackler 166–211
    - Ontario: Dyer 165-193; Garland 165–191; Pohly 166–225
    - Yukon: Stackler 166–211
  - heat flow, Resolute Bay: Misener 164–184
  - seismic surveys, Shield area: Hodgson 165–227

Carbon, isotopes, atmosphere: Rafter 164–12
  isotopes, diamond: Wickman 165–237
    graphite: Wickman 165–237
    igneous carbonates: Wickman 165–237
    plants and animals: Rafter 164–12
    sea water: Rafter 164–12
    shells: Rafter 164–12
Carbon dioxide, cycle in nature: Ericksson 167–131
  effect on climate: Plass 167–132
Carbon–14, half life: Zadorozhnyy 166–299
  dating. See Age and Age determination.
  measurement in gas Geiger counters: Broda 164–11
  natural variations: Rafter 164–12
Caribbean Sea, crustal structure: Butterlin 165–229
  earthquakes 1950–51: Ramirez 164–40
Caspian Sea, mud volcano: Kulskova 165–377
Central America, earthquakes 1950–51: Ramirez 164–40
Ceylon, age of orogenies: Holmes 167–20
  age of zircons: Gottfried 164–22
Chile, age of San Antonio molybdenite: Herr 164–31
Chlorine–39, production in lower atmosphere: Winsberg 165–238
Coal, geophysical surveys for: Hiller 164–292; Iida 165–155; Polak 164–136; Whetton 164–170, 171; Williams 166–216; Wolff 167–105
Colorado, age of Brown Derby pegmatite: Aldrich 165–17, 166–29
  age of Quartz Creek granite: Aldrich 165–17, 166–29
Colorado Plateau, aeromagnetic profile, Uravan area: Joesting 167–145
  gravity profile, Uravan area: Joesting 167–145
  remanent magnetization of rocks: Runcorn 165–273
  seismic surveys: Pakiser 165–355
Columbia River basalts, magnetization: Campbell 167–209
Continental drift, effect of expanding earth: Egyed 167–165
  paleomagnetic evidence on: Hospers 167–196; Nairn 167–206; Öpik 167–198; Runcorn 167–197
  South American-African assembly: Carey 165–163
Continents, growth around nuclei: Cumming 166–25; Folinsbee 166–28
  structures, classification: Sheynmann 167–116
Convection currents, distribution: Havemann 164–146
  dynamic effects: Havemann 164–146
  lead isotope evidence: Russell 165–313
Copper, electrical surveys for, Peru: Terrones 165–133
Core, fluid motions, effect on magnetic field: Takeuchi 164–220
  fluid motions, effect on rotation: Takeuchi 164–220
  magnetoelastic interactions in: Knopoff 164–82
  magnetohydrodynamic oscillations: Rikitake 164–219
  nature: Bath 165–222; Öpik 167–161
Costa Rica, volcanic activity, 1954: Bullard 164–308
  volcanoes, Cordillera Central: Weyl 165–382
Crete, gravity anomalies: Harrison 165–206
Crust, buckling: Niskanen 167–120
  deformation, under present ice sheets:
    Japan: Miyabe 166–189
      Loewe 165–167
    post-Pleistocene, Fennoscandia: Sauramo 166–250
    western Aleutian area: Gates 164–150
  effect of viscosity on strain energy in: Kasahara 167–123
  elastic anisotropy in: Lopez Arroyo 164–196
  electrical conductivity, Europe: Wiese 166–249
  energy from weathering processes: Korzhinskiy 167–154
  energy transfer: Kasahara 167–123
  evolution: Belousov 167–117
  ferrimagnetism: Fanselau 165–258
  formation: Voytkevich 167–171; Egyed 167–165
  magnetization: Chatterjee 166–255
  mechanical behavior: Heaps 166–108
  nature, eastern Indian Ocean: Fairbridge 167–273
  strain variations in: Ozawa 166–72
  structure, accuracy of determination: Gayskiy 164–63
    Africa: Press 166–243
    Antilles region: Butterlin 164–202
    Asia, southeast: Santo Akima 165–61; Nagamune 166–244
    Atlantic Ocean: Bentley 164–200; Berckhemer 166–248; Butterlin 164–202; Katz 165–228
    Canadian Shield: Hodgson 165–227
    Caribbean Sea: Butterlin 165–229
    determination from blasts: Adlung 166–245; Reinhardt 164–197
    determination from $C_{1, 2}$ waves: Caloi 164–66
    determination from geomagnetic variations: Wiese 164–193
    determination from seismic wave dispersion: Santo Akima 165–61
    Eurasia: Stoneley 166–90
    Great Hungarian Plain: Galfi 166–364
    Gulf of Mexico: Miller 165–287

Crust, structure, India, Hindu Kush region: Choudbury 167–76
   Italy: Caloi 167–51
   Japan: Nishimura 167–169; Research Group 166–247; Tamaki 166–246; Tsuboi 165–201, 202; Utsu 166–94
   New York: Katz 165–230
   ocean basins: Ewing 167–168
   Pacific Ocean: Nagamune 166–244
   Pennsylvania: Katz 165–230
   Tibet: Santo Akima 165–61
   Tien Shan: Gamburtsev 164–199
   Virgin Islands: Shurbet 167–151
  thickness, for gravity interpretation: Lagrula 164–198
Cyprus, gravity anomalies: Bemmelen 166–193; Harrison 165–206
Czechoslovakia, age of Rožna lepidolite: Kantor 167–35
  electrical surveys, Vltava River dam: Behounek 164–111
  gravity network: Chudoba 165–194
  gravity observations, central Carpathians: Valek 165–195
  magnetic elements, Pruhonice observatory: Haaz 164–231
  seismic wave velocities: Adlung 166–245

D

Deep-sea sediments, cosmic sources: Öpik 164–204
  cosmic spherules in: Fredriksson 165–373
Deflection of the vertical, equation, uncertainties in: Vening Meinesz 167–110
  Japan: Japan Geog. Survey Inst. 166–190
Deformation, crust, zones of negative anomalies: Niskanen 167–120
  experimental, felsic rocks: Sabatier 164–320
   marble: Shimozuru 165–371; Turner 167–271
  methods of measuring: Bonchkovskiy 164–142; Kats 167–272
  model experiments: Bucher 167–119; Nettleton 164–148; Travis 164–149
  variation with intensity of applied force: Gurevich 165–220
Denmark, magnetic anomalies: Lundbak 167–204
Density, determination for gravity surveys: Egyed 165–172
  infinite inclined dike, from gravity: Haaz 165–177
  mine rock: Windes 167–269
  Paleozoic rocks, Tatar S. S. R.: Krinari 167–207
Deuterium, in natural waters: Friedman 164–211
Dielectric constant, quartz; Stuart 165–140
  marble: Srivastava 167–102
Dike, depth and dip from gravity: Haaz 165–177
Dolomite, Young's modulus: Brown 167–80

E

Earth, age: Herzog 167–33; Patterson 167–5
  evolution: Belousov 164–191; Schmidt 164–188
  expansion: Egyed 167–164, 165
  figure: Arnold 166–186; Chovitz 167–111
  internal structure. *See* Internal constitution.
  origin: Gialanella 164–189; Levin 164–190; Schmidt 164–188
  thermal history: Diamond 167–230, Jacobs 165–212; Lyubimova 166–230; Picciotto 166–29; Urey 165–213
Earth currents, crustal investigations by: Wiese 164–193
  effect on geomagnetic field: Burkhart 167–190
  equipment for measuring: Burkhart 167–38; Miguel 166–33; Sebestyén 165–102
  geophysical exploration by: Khovanova 165–101; Porstendorfer 164–103
  low-frequency: Khovanova 165–101
  micropulsations: Burkhart 166–34
  models: Kertz 165–253
  observations at Toledo, Spain: Miguel 166–31, 32
  origin: Burkhart 167–190; Porstendorfer 164–103
  variations associated with earthquakes, Japan: Yanagihara 166–35
Earth tides, mathematical treatment: Melchior 164–76
  representation: Jung 164–77
  review: Lopez Arroyo 164–75
Earthquake waves. *See* Seismic waves.
Earthquakes, accelerations: Gutenberg 166–78; Karapetyan 164–53; Tandon 165–27
  Alaska, 1953: Murphy 164–45
  Assam, Aug. 15, 1950: Takahashi 165–91
  Atlantic Ocean, Aug. 28, 1933: Satō 167–78
  Australia, March 1, 1954: Kerr-Grant 167–50
  Austria: Toperczer 164–38
  California, fault motion: Whitten 166–197
   Kern County 1952: Benioff 166–48; Gutenberg 166–43, 46, 47; Neumann 166–45; Oakeshott 166–41, 42; Richter 166–44
   major, 1769–1952; VanderHoof 166–38

Earthquakes, California, San Francisco, 1906: O'Connell 167–42
San Joaquin valley: Richter 166–40
southern: Richter 166–39
Canada, Aug. 22, 1949: Hamamatsu 166–50
west coast: Milne 164–43, 44, 165–23
west of 113°: Milne 166–49
Caribbean 1950–51: Ramirez 164–40
causes: Egyed 167–165; Matuzawa 165–39; O'Connell 167–41; Tamrazyan 167–46
Central America, 1950–51: Ramirez 164–40
Central Asia, aftershocks of Nov. 2, 1946: Chernyavkina 165–35
predictions: Petrushevskiy 166–65
deep-focus, cause: Lyubimova 166–230
deviations in traveltimes, Japan: Tamaki 166–92
records at Göttingen: Korschunow 166–91
depth determination: De Bremaecker 165–57; Girlanda 164–50
Ecuador, May and July 1955: Sauer 165–24
effect on earth currents, Japan: Yanagihara 166–35
effect on springs: Nikitin 165–37
effect on well levels: Mügge 164–54
effects in mines, Silesia: Budryk 164–48
effects on buildings: Kanai 167–58; Karapetyan 164–53; Nazarov 164–52
energy: Gutenberg 166–78, 167–67, 68, 69; St. Amand 166–83; Savarenskiy 166–67; Solov'yev 166–76
epicenter location: Asano 165–51; Chernyavkina 165–45; Gayskiy 164–63; Golenetskiy 165–55; Ichikawa 165–56; Kolosenko 165–53; Miyamoto 166–73; Pasechnik 165–66; Satō 166–74; Vvedenskaya 165–33, 52; Yeres'ko 167–56
frequency, relation to crack phenomena: Komura 164–56
relation to depth: Koning 167–55
statistical formula for: Komura 164–56
Georgian S. S. R.: Ioseliani 167–265
Germany, Upper Swabia: Gwinner 165–25
Greece, Aug. 1953: Hodgson 166–51
Hawaii, 1953: Murphy 164–45
India, distribution: Tandon 165–26
Hindu Kush, March 4, 1949: Choudbury 167–76
March 22, 1954: Tandon 165–27
Earthquakes, intensity: Gutenberg 166–78; Kishinouye 165–45; Satō 165–40
Ionian Islands, direction of faulting: Hodgson 166–51
Italy, Messina, 1908: O'Connell 167–42
Italy, May 15–16, 1951, Val Padana: Caloi 167–51
Dec. 26, 1952: Girlanda 164–49
Nov. 23, 1954: Girlanda 164–50
deformation preceding, in Tolmezzo area: Caloi 164–61
Japan, Oct. 12–18, 1935: Lapwood 167–73
Sept. 10, 1943 aftershocks: Omote 167–44
June 28, 1948, Fukui: Miyamoto 166–73
Oct.–Nov. 1952 off Sanriku: Sagisaka 166–96
November 26, 1953 aftershocks: Kasahara 167–74
October 19, 1955, Futatsui: Shima 166–53
crustal deformation associated with: Geog. Survey Inst. 164–55
damage, relation to nature of ground: Kanai 164–68; Subsoil Research Team 167–59
deep-focus, anomalous traveltimes: Tamaki 166–92
direction of first motion: Ichikawa 165–36; Utsu 166–94
distribution: Wadati 166–52
effect on mean sea level: Yamaguti 165–44
Suwanose-jima volcano, 1952–53; Murauchi 164–314
Tokyo, 1923; O'Connell 167–42
Kamchatka: Svyatlovskiy 164–39, 166–66
Kansas, Jan. 6, 1956: Dellwig 166–55
history of: Merriam 166–54
Kurile Islands: Svyatlovskiy 164–39, 166–66
Madagascar, 1954: Poisson 167–47
April 16, 1955: Coze 167–53
Nov. 19, 1955: Poisson 167–52
magnitude, 1896–1956: Gutenberg 167–69
effect of calculation methods: Gutenberg 166–46
effect of station azimuth: Gutenberg 166–46
Japan: Hayatu 164–58
near deep-focus: Wadati 166–77
new scale: Gutenberg 166–78, 167–67
relation to energy: Gutenberg 166–78, 167–67; Solov'yev 165–41; Utsu 166–79
relation to occurrence of aftershocks: Asada 164–57
tsunami-accompanied: Iida 167–45

Earthquakes, Manchuria, July 10, 1940: Fujimoto 166–85
  mechanism at origin: Hodgson 164–60; Keylis-Borok 166–81; Kogan 166–82; Malinovskaya 164–59; Matuzawa 165–42; Scheidegger 165–164; Takagi 165–43; Tandon 165–27; Vvedenskaya 166–80
  Mexico, 1950–51: Ramirez 164–40
  Mongolia, 1905: Marinov 167–125
  motion of sea surface due to: Honda 164–91
  Nevada, 1860–1954: Byerly 166–56
    Fallon–Stillwater, 1954: Byerly 166–56; Cloud 166–57; Slemmons 166–58; Steinbrugge 166–59; Tocher 166–60
  New Zealand, Hawkes Bay, 1931: O'Connell 167–42
  northeastern America: Lehmann 164–65
  observations in central Asia: Vvedenskaya 165–33
  observations of motion in buildings: Kanai 165–46
  Panama Canal Zone, 1953: Murphy 164–45
  Philippine Islands, April 1, 1955: Alcaraz 165–28
  Poland, Upper Silesia: Budryk 164–48; Janczewski 164–46, 47
  Portugal, Lisbon, 1755: O'Connell 167–42
  prediction: Aki 164–62; Gerasimov 165–50; Montandon 167–71; Petrushevskiy 165–49, 166–65
  Puerto Rico, 1953; Murphy 164–45
  recording devices, Japan: Miyamura 167–64, 65, 66
    U. S. S. R.: Shebalin 165–67; Ventskevich 166–106
  registration by ground-water fluctuations: Mügge 164–54
  relation of soil mechanics to ground motion: Housner 167–57
  relation to earth tides: Tamrazyan 167–46
  ripples in aftershocks, Japan: Kasahara 167–74
  seismometer for determining intensity of: Medvedev 167–61
  signal device: Solov'yev 165–70
  slow movements related to: Gurevich 165–38
  sounds: Sato 166–74
  Spain, July 1, 1950, Gergal: Rodriguez 166–63
    1951: Due Rojo 164–41
    1952: Due Rojo 164–42
    March 29, 1954, direction of faulting: Hodgson 167–70
    April 19, 1956, Granada: Due Rojo 166–61; Pastor 166–62

Earthquakes, strain in crust at time of: Ozawa 166–72
  Switzerland, foci in central Valais: Wanner 167–48
  tsunamis accompanying, Japan 684–1955; Iida 167–45
  Turkey 1952–54: Pinar 167–49
    March 18, 1953; Mügge 164–54
  Turkmen S. S. R., Nov. 5, 1946: Rezanov 164–51
  U. S. S. R., Akhalkalaki region; Yskhakaya 165–34
    Ashkhabad region: Puchkov 166–64
    Caucasus: Kirillova 165–30; Nikitin 165–37; Savarenskiy 166–67
    Lake Issyk Kul region: Gerasimov 165–50
    Little Caucasus region; Karapetyan 165–31
    Transcaucasia: Byus 165–29
    Ukraine: Yurkevich 165–32
  United States, 1953: Murphy 164–45
  Venezuela, relation to strike-slip faults: Rod 167–54
  world, 1953; Due Rojo 164–36; Lotze 164–37; Rothé 167–43
    1954: Due Rojo 165–21; Lotze 165–22: Rothé 167–43
    distribution: O'Connell 167–41
Ecuador, earthquakes, May and July 1955: Sauer 165–24
Egypt, geophysical methods in archeology: Lerici 165–148
  gravity anomalies, Nile delta; Harrison 165–206
Elastic constants, anhydrite: Müller 167–79
  crystals: Raman 165–93
  determination in small clyindrical specimens: Terry 166–121
  igneous rocks: Müller 167–79
  mantle: Shima 166–240
  marble: Shimozuru 165–94
  mine rock: Windes 167–269
  porous media: Wyllie 164–100
  porous solids: Barducci 164–96
  sedimentary rocks: Muller 167–79
  seismic determination: Brown 167–80; Evison 167–81
  volcanic rocks: Sakuma 164–99
Elastic creep in igneous rocks: Lomnitz 167–270
Elastic impedance, rigid circular plate: Bycroft 165–77
Elastic waves, amplitude-distance relations: Kanai 167–85
  attenuation, lossy media: Knopoff 166–112
    resonant-chamber method of determining: Shumway 165–99; Toulis 165–98
    rocks: Collins 164–93
    shallow-water sediments, San Diego area: Shumway 165–99

Elastic waves, boundary, continuously varying intermediate layer: Homma 166–115
  composite, graphical analysis: Kosminskaya 165–85
  cylindrical, in isotropic elastic medium: Chakraborty 166–110
    reflection from plane boundary of semispace: Zvolinskiy 165–75
  diffracted, dynamic characteristics of: Oblogina 166–120
  dispersed surface, analysis by Fourier transform: Sato 165–90
  elastico-viscous medium: Iida 165–80
  floating lake ice: Omote 167–82
  from harmonic source: Kosminskaya 165–79
  from point pressure pulse: Pekeris 164–83, 165–88
  from point source in sea bottom: Honda 164–91
  generated by explosion: Suzuki 165–86
  generated by variable body forces: Eason 165–78
  head, infinitely small amplitude: Matschinski 165–83
  interaction with magnetic field: Knopoff 164–82
  Love, dispersion in heterogeneous medium: Takahashi 165–91
  model studies of generation: Kasahara 166–122
  multiple reflections of: Zvolinskiy 164–90
  nondispersive surface: Sato 165–89
  produced by rock destruction: Shamina 166–366
  produced by twists on surface of cavity: Chakraborty 166–111
  propagation, anhydrite: Müller 167–79
    anisotropic media: Helbig 165–82
    at discontinuities: Skuridin 166–109
    axially symmetrical multilayered medium: Keylis-Borok 165–84
    cubic crystal: Stoneley 165–87
    elastic layer on elastic base: Ishkov 165–81
    electrical conductors: Knopoff 164–82
    igneous and sedimentary rocks: Müller 167–79
    interference waves: Keylis-Borok 164–89
    materials possessing solid friction: Knopoff 167–84
    on boundary of semispace: Kosminskaya 165–332
    physical bases: Gurevich 165–76
  pulse experiments: Collins 164–93
  Rayleigh, generated at rough surface: Sato 166–117
    range of possible existence in stratified medium: Yamaguchi 165–92
Elastic waves, reflection, at seat bottom: Usami 166–116
    effect of Poisson's ratio: Koefoed 164–94
    from liquid-solid boundary: Spencer 164–85
    in continuously varying layer: Natuzawa 167–83
    on corrugated surface: Satō 166–114
  refraction, at sea bottom: Usami 166–116
  refraction, in continuously variable layer: Matuzawa 167–83
  scattering by spherical obstable: Yamakawa 166–113
  Sezawa, range of possible existence in stratified medium: Yamaguchi 165–92
  spectral response of ground: Takahasi 166–127
  Stoneley, velocity, orbit, distribution of amplitude: Yamaguchi 166–119
  surface, Fourier analysis: Sato 167–78
  SV, at solid-liquid interface: Matuzawa 164–84
  velocity, as function of hydrostatic pressure: Shimozuru 165–95
    determination in small cylindrical specimens: Terry 166–121
    marble: Shimozuru 165–94
    porous media: Wyllie 164–100
    resonant-chamber method of determining: Shumway 165–99
    shallow-water sediments, San Diego area: Shumway 165–99
    sodium: Shimozuru 166–123
    unconsolidated marine sediments: Shumway 165–99
    variation with frequency in quartz: Hughes 165–96
Elastic waves, velocity, variation with pressure: Hughes 165–97
  velocity, variation with temperature: Hughes 165–97; Shimozuru 164–98
Electrical conduction, metallic and silicate minerals: Noritomi 164–128
Electrical conductivity, coals and coke: Mukherjee 164–127
  crust, Europe: Wiese 166–249
    Japan: Nagata 166–258
    magnetically induced heterogeneities: Bartels 164–194
  mantle: Evernden 166–170
Electrical crevasse detector: Cook 167–98
Electrical current, build-up in ground: Enenshteyn 166–134
  dissemination in heterogeneous space from linear electrode: Ovchinnikov 166–133
  generated by tidal streams, Cook Strait, New Zealand: Olsson 167–39

- Electrical dipole, field strength and phase of ground-wave propagation: Wait 165–110
  - in interface between perfect dielectrics, radiation resistance: Wait 165–105
  - transient field over homogeneous curved ground: Wait 165–106
- Electrical exploration, applied potential method: McMurry 166–164
  - circular-line electrode method: Bacon 165–118
  - compensating method, errors in: Tikhonov 164–106
  - conducting half-plane problem: Teisseyre 166–136
  - depth-profiling method, interpretation: Szabadvary 164–108
  - developments of past decade: Kiyono 165–122
  - direct-current method: Chetayev 166–132
  - equilibro-four-electrode method: Satō 166–138
  - equipment and field techniques: Suyama 165–126
  - evaluating sand deposits by: McCullough 164–112
  - for ground water: Rao 167–96
  - graphical scales in: Roman 167–89
  - inclined beds: Šumi 166–146
  - induced polarization methods: Dobrin 164–132
  - induced potential method, device for: Orilia 167–94
  - in engineering problems: Fritsch 165–128
  - in karst areas: Samoylov 164–109
  - instrument calibration: Barsukov 165–127
  - interpretation methods: Shalayev 164–104
  - inverse problem: Belluigi 166–150
  - magneto-telluric current method: Coulomb 166–131
  - potential variation curves in: Tsekov 166–149
  - reduction of disturbing effects: Uryson 167–81
  - reflex method: Chetayev 165–109
  - resistivity method, depth range: Krajcovic 166–145
    - determining long axis of ore body: Clark 165–121
    - four-electrode: Carpenter 164–107
    - interpretation: Kunetz 165–119; Mooney 166–144
    - principles: Kisow 164–101
  - self-potential method, basic principles: Kunori 165–124; Wilckens 165–125
    - bibliography: Kunori 165–124
    - constancy of field: Bukhnikashvili 167–92
    - form of anomalies: Ohashi 166–143
- Electrical exploration, self-potential method, limitations of: Nosske 167–93
    - progress in: Noguchi 165–123
  - telluric-current method, apparatus for: Sebestyen 165–102
    - based on long-period variations: Kebuladze 166–130
    - U. S. S. R.: Bukhnikashvili 166–163
  - traveling-wave method: Yoshizumi 166–139
  - tri-potential resistivity method: Carpenter 165–120
  - two-coil galvanometer for: Groshevoy 165–103
  - use of antenna resistance in: Tikhonov 165–107
  - veins: Šumi 166–146
- Electrical field, natural, of sulfide deposits: Bukhnikashvili 167–92
  - point source, effect of spheroidal disturbance: Khalfin 166–129
- Electrical logging, correlation of Mesaverde Group: Chuman 165–139
  - detection of thin oil-bearing beds: Dakhnov 164–121
  - determination of aquifer by, Mississippi: Priddy 164–126
  - determination of flooded zones by: Martin 164–118
  - disturbances, instrumental: Rivkin 164–117
    - stray currents: Komarov 165–136
  - effectiveness in determining true resistivity: Martin 166–166
  - evaluating oil potential by: Yudkevich 164–105
  - induced potential method: Sebestyen 164–124
  - interpretation in Wilcox formation: Alger 164–125, 166–169
  - interpretation methods in shaley formations: de Witte 164–120
  - interpretation problems, Frio sand, Texas: Blum 164–122
    - in low resistivity sands. Blum 164–122
  - in uranium exploration: Broding 165–137
  - laboratory study of parameters of Weir sand: Moore 166–167
  - lignite deposits, Hungary: Sebestyen 164–124
  - lithologic determinations from: Nechay 165–134
  - MicroLog method, lower Glen Rose of East Texas: Wade 167–99
  - model studies: Al'pin 166–165; Karplus 165–135; Temkina 164–119
  - principles and techniques: Heidecke 164–115

Electrical logging, progress in: Fuchida 165–138
  quality-of-water determinations from: Pryor 166–168
  transient method: Karplus 165–135
  value of: Kisow 164–116
  water wells, Brotas formation, Brazil: Varjao de Andrade 164–123
Electrical potential, induced, laboratory measurements: Erkel 165–141
  point source, at surface near dipping bed: Chastenet de Gery 166–147
  at surface of layered medium: Mooney 166–144
   effect on thin vertical layers: Kunetz 165–119
Electrical properties, clays, relation to water content: Deeg 164–129
  marbles: Srivastave 167–102
  quartz, as function of frequency and temperature: Stuart 165–140
  reservoir rocks: Hill 165–142
  rocks, determination by attenuation of radio waves: Tarkhov 166–171
Electrical resistivity, apparent, over dipping beds: Chastenet de Gery 166–147
  curves for layered earth: Mooney 166–144
  cyclothemic sediments: McCullough 164–112
  departure curves, digital computation: Frankel 167–90
  determination of porosity by: Cambefort 164–130
  effectiveness of logs in determining: Martin 166–166
  meteorites: Evernden 166–170
  minerals and ores: Parasnis 167–100
  sandstones, relation to interstitial water: Perkins 167–101
Electrical spontaneous polarization, pyrite: Shibato 165–143
Electrical surveys, Australia, Wester, for ground water: Wiebenga 166–153
  Austria: Fritsch 165–128
  Czechoslovakia, Vltava River dam: Behounek 164–111
  France, near Chambery: Gidon 165–363
  Germany, Jankendorf and central Harz: Nosske 167–93
   Kropfmühle graphite deposit. Wilckens 166–154
   northern plain: Mielecke 166–156
   Selters mineral spring area: Schenk 166–155
  Hungary, Koszeg hills: Sebestyen 164–110
  Italy, Caprarola and Frascati, south-central: Zaccara 165–199
   Grosseto: Manfredini 165–129
  Japan, for ground water: Kurata 165–130
   Hanabusa mine: Iida 166–157
Electrical surveys, Japan, Hanaoka mine: Yoshikawa 166–158
   Isahaya Bay: Tsukada 165–131
   Kuga mine, Yamaguchi-ken: Shibato 164–113
   Mihara volcano: Suwa 166–375
   Oami landcreep area, Yamagata: Minakawa 166–160
   Takayama dam site: Obara 166–159
   Tsumo mine, Shimane-ken: Suyama 166–162
   Tsuzura, Miyazaki-ken: Shibato 166–161
  Peru, for copper: Terrones 165–133
  Tanganyika: King 166–151, 152
  Virginia, Austinville: McMurry 166–164
  Yugoslavia, dam sites: Fritsch 165–128; Stefanovic 167–97
   Trepča lead-zinc district: Meisser 165–284
Electrofiltration potential, hydroelectric projects, Georgian S.S.R.: Tsitsishvoli 167–95
Electromagnetic coupling of loops over homogeneous ground: Wait 165–112
Electromagnetic exploration, airborne, 1955 developments: Dobrin 164–132
Electromagnetic exploration, airborne, equipment for: Engineering and Mining Journal 165–117
Electromagnetic exploration, based on impedance: Tikhonov 16–128
Electromagnetic exploration, development: Slichter 16–176
  dipole electrode arrangement: Shakhsuvarov 166–148
  Elflex method, theory: Belluigi 165–108
  estimation of tonnages by: Belluigi 165–115
  galvanic, method, field procedures: Makino 165–113
  induction method, theoretical study: Kiyono 165–114, 166–142
  limitations of: Slichter 166–176
  text book on: Tarkhov 164–102
Electromagnetic field, build up in multilayer medium: Vladimirov 166–135
  generated by alternating current-carrying cable over terrain including interlayer: Belluigi 165–115, 116
  generated by dipole in stratified media: Tikhonov 165–104
  produced by spherical body in uniform field: Kiyono 165–114, 166–142
Electromagnetic surveys, Peru, Cercapuquio lead-zinc district: Melchiori 165–291
  Portugal, Baixo Alentejo pyrite belt: Rocha Gomes 165–132
Electromagnetic wave, propagation in ground: Poritsky 165–111

Electronic chronographs, geophysical uses: Zatopek 164–154
Electronic computers, use in geophysics: Jones 167–106: Kogbetliantz 166–212
El Salvador, Ahuachapan fumarole area: McBirney 167–280
  eruption of Izalco 1955–56: Meyer-Abich 167–281
  magnetic survey, Ahuachapan fumarole area: Durr 167–216
  peleean eruption products: Weyl 164–307
  thermal activity in older volcanic area: Grebe 167–282
Engineering, geophysical methods in: Fritsch 165–128: Hensoldt 166–175; Plichon 166–174
England, geophysical surveys for coal, West Midlands: Polak 164–136
  gravity observations, Channel Islands: Day 165–196
  gravity survey, Yorkshire: Whetton 167–146
  radioactivity background, West Cumberland area: Fair 165–310
  radioactivity measurements, Stowell Park borehole: Ponsford 166–305
  temperatures, Stowell Park borehole: Bullerwell 166–237
English Channel, seismic survey: Day 167–268
Eniwetok Atoll, heat flow: Birch 166–239

F

Faults, deep, classification and distribution of: Peyve 167–118
  location by radioactivity measurements: Schumann 165–304
  movements on, California: Benioff 166–48; Hill 166–199, 200; Oakeshott 166–41; Whitten 166–188, 197
    Ionian Islands: Hodgson 166–51
    Mongolia: Marinov 167–125
    Pacific: Hodgson 164–60
    Spain: Hodgson 167–70
  radioactivity of springs near, Yugoslavia: Miholic 167–245
  seismic interpretation of: Ivanhoe 165–348; Posgay 164–283
Fennoscandia, uplift in: Lyustikh 165–232; Sauramo 166–250
Figure of the earth, determination from arcs: Chovitz 167–111
Folding, relation to physical properties: de Sitter 167–121
  types in orogenesis: de Sitter 167–121
France, age of clay near Goenoble: Moret 166–10, 167–37
  age of Mayet de Montagne granite: Roques 166–30
  electrical survey, near Chambéry: Gidon 165–363
  exploration of Parentis oil field: Vajk 166–181
France, gravity anomalies, Berry: Goguel 167–141
  gravity map, northern Massif Central: Goguel 167–144
  hydrogen isotopes in gases of Lacq oilfield: Roth 167–177
  magnetic surveys, Mauche: Bassompierre 164–244
  magnetization of Auvergne basalts: Roche 167–205
  radioactivity, Hercynian Vosges: Rothé 167–249
    littoral sediments: Rivière 164–261, 167–242
    mineral springs: Muchemblé 164–269
    Mure coal basin: Sarrot-Reynauld 166–324
    Puy-de-Dôme: Garrigue 166–308
    Vosges Mountains: Jurain 164–262
  seismic survey, near Chambéry: Gidon 165–363
  temperatures, Isère-Arc tunnel: Bordet 164–185

G

Galapagos Islands, volcanoes and tectonics: Banfield 164–310
Galvanometer, small high-sensitivity reflex: Groshevoy 164–278
  string, sensitivity of: Antsyferov 164–114
Gamma-radiation counters, natural background of: Shashkin 167–247
Gamma rays, air scattering: Sakakura 165–296
Gas, radioactivity: Pierce 165–308
Geochronology, climatic variations in: Langergausen 166–2
Geodesy, deflections of vertical: Japan Geog. Survey Inst. 166–190
  world system: Heiskanen 167–107
Geodetic observations in the Canadian Arctic: Ross 165–160
Geoid, in Baltic area: Ölander 167–112
  best-fitting, Mexico: Castro 164–140
  deflections, survey method based on: de Graaff Hunter 167–108
  precision of gravimetric determination: Hirvonen 164–141
  undulations, causes of: Niskanen 164–139
Geophysical correlations, effect of "filters" on: Dedebant 166–183
Geophysical exploration, activity 1955: Donohoo 165–145; Hammer 164–137, 164–156
  Alaska: Joesting 165–150
  Alberta, Little Smoky field: Carlyle 167–104
  Canada, problems of: Ogilvie 167–103
  continental shelf areas: Cortes 165–151

- Geophysical exploration, for minerals: Heinrichs 166–177; Martin 164–135; Slichter 166–176
  - for petroleum: Flandrin 164–131; McCarver 166–179; Migaux 164–134; Morrisey 166–178
  - for uranium: Black 165–152; Denson 165–153
  - France, Parentis oilfield: Vajk 166–181
  - Germany: Brand 166–182; Closs 164–133
  - importance of geology in interpretation of: Oliphant 166–180; Skeels 166–173
  - in archeology: Carabelli 165–149; Lerici 165–148
  - in coal mining; Polak 164–136; Wolff 167–105
  - in foundation engineering: Hensoldt 166–175
  - Italy, modern instruments and methods: Boaga 166–172
  - Japan: Hayashi 165–154; Iida 165–155; Sato 165–156
  - probability methods in: Slichter 166–176
  - Spain: Dupuy de Lome 164–138
  - technical developments 1955: Dobrin 164–132, 165–144; Donohoo 165–145
  - ultrasonic wave methods: Kotonski 166–337
  - U. S. S. R., Institute of: Fedynskiy 165–147
- Geophysics, fluctuation phenomena in, mathematical analysis: Matschinski 165–159
  - method of characteristic points: Timofeyev 166–185
- Georgian S. S. R. earthquakes, Kartalin plain: Ioseliani 167–265
  - electrofiltration potential, hydroelectric projects: Tsitsishvili 167–95
  - radioactivity, hot springs: Balavadze 167–244
  - seismic surveys, Kartalin plain: Ioseliani 167–265
- Geotectonics, eastern Indian Ocean: Fairbridge 167–273
  - elasticity theory in: Aslanyan 167–115
  - fundamental questions of: Belousov 167–114
  - geochemical control of: Bemmelen 166–193
  - mechanical analyses: Aslanyan 167–115; Gurevich 165–162
  - model experiments: Bucher 167–119
  - related to uranium mineralization, Australia: Rade 166–196
  - role of gravity in: Bucher 167–119
  - sheet theory: Rode 166–202
  - vertical movements in, Africa: Brock 164–147
  - wrench-faulting in: Moody 167–122
- Germany, age, Buggingen sylvite: Gentner 164–27
    - Eifelmaar eruption: Straka 164–16
    - Fichtelgebirge granite: Noddack 164–26
    - Lausitz granodiorite: Schurmann 167–19
  - development of applied geophysics: Closs 164–133
  - earthquakes and recent tectonics, Upper Swabia: Gwinner 165–25
  - electrical surveys, as aid to geologic mapping: Mielecke 166–156
    - Kropfmühle graphite deposit: Wilckens 166–154
    - mineral spring area at Selters: Schenk 166–155
    - near Jankendorf and central Harz: Nosske 167–93
  - magnetic surveys, East: Lauterbach 165–286
    - Eifel volcanic area: Cipa 165–285
    - Hohe Venn region: Wolff 164–245
    - Ries: Reich 164–304
  - radioactivity of air, Zugspitzplatt, Bavarian Alps: Reiter 165–303, 167–232
  - seismic surveys, Alsatian potash mines: Seelis 164–291
    - Barsinghausen: Hiller 164–292
    - Bavarian Alps: Reich 164–293
    - lake ice: Hellbardt 165–367
    - Minden-Steinhuder Meer area: Bortfeld 164–294
    - Rappbode dam site: Martin 167–267
    - Rethem salt dome: Schulze 167–266
    - Ries: Reich 164–304
    - Ruhr coal district: Hiller 164–292
  - seismic wave velocities: Adlung 166–245
    - in Swabian foreland Molasse: John 166–361
  - structure between Bremen and Cuxhaven from seismic data: Jankowsky 166–362
  - telluric current surveys: Porstendorfer 164–103
  - use of geophysics in coal mining: Wolff 167–105
- Glacial chronology, carbon-14 dating: Ericson 166–8; Flint 166–7; Ruhe 165–7; Suess 165–8; Taylor 166–9; Wright 167–14; Zumberge 167–13
- Glaciation, carbon-dioxide theory of: Plass 167–132
- Glaciers, effect on sea level: Cailleux 164–207
  - flow patterns: Nielsen 167–126
  - seismic surveys, Baffin Island: Röthlisberger 164–152
    - Ötztaler Alps: Förtsch 164–153, 165–169, 167–130

- Glaciers, temperature in Grenland: Georgi 167–128; Wegener 165–168
    - Taku, Alaska: Miller 167–127
- Glaciology, recent history of: Baird 165–166
- Granite, geophysical evidence on origin: Bott 167–142
- Graphite, carbon isotopes: Wickman 165–237
  - electrical resistivity: Parasnis 167–100
- Gravimeter, Atlas, calibration and maintenance: Borrego Gonzales 164–158
  - calibration by vertical gradient: Lozano Calvo 165–185
  - CH3, calibration: Koz'yakova 167–138
    - processing of data of: Karatayev 166–206
  - drift of zero: Shokin 164–159; 165–183
  - earth-tide studies: Clarkson 166–205
  - North American, description: Matsuda 165–186
  - quartz, for establishing bases: Bulanzhe 165–184
    - precision of: Bulanzhe 167–139
  - special types, U. S. S. R.: Bulanzhe 165–184; Lukavchenko 164–155
  - spring balance, theory: Veselov 164–157
  - static, theory of errors: Wieladek 166–207
  - Worden, description: Tsuboi 165–187
- Gravitational effect of Jupiter: Argentieri 164–79
- Gravity, Bouguer correction with varying density: Vajk 167–133
  - derivatives, electronic computers for: Kogbetliantz 166–212
  - distribution, on surface of rotating ellipsoid: Müller 165–170
  - elevation corrections, across boundaries: Colley 164–166
  - free-air correction, improvement: Thyssen-Bornemisza 166–221
  - measurement by electronic chronographs:
    - Zatopek 164–154
  - measurement by pendulum: Castro 164–156
  - measurement in drill holes: Lukavchenko 164–168
  - normal, for Spain: Lozano Calvo 166–214
  - second vertical derivative: Veselov 164–162
  - terrain corrections, density determination for: Egyed 165–172
    - integrators for computing: Monnet 167–136
  - tidal corrections for 1955: Goguel 165–173; Morelli 165–174
  - tidal variations, analysis: Lecolazet 167–135
    - instrument for measuring: Clarkson 166–205
  - vertical gradient: Thyssen-Bornemisza 166–221
- Gravity anomalies, Africa, northern: Cizancourt 165–205
  - analog computer for comparison of: Geyer 166–210
  - at continental margins: Worzel 165–189
  - effect of intermediate layer: Lagrula 166–208
  - France, Berry: Goguel 167–141
  - horizontal cylinder: Lyapunov 164–164
  - India: Krishnan 164–145
  - Indonesia: Lyustikh 165–197
  - infinite inclined dike: Haáz 165–177
  - in interpretation of tectonics: Lyustikh 165–171
  - interpretation: Ball 165–180; Brown 164–161; Goguel 165–175; Lyapunov 164–164; Malovichko 166–209; Matsuzawa 165–178; Mikov 165–278; Pudovkin 164–163; Sato 165–181; Smolitskiy 164–160; Stackler 165–129; Veselov 164–162
  - Luxembourg: Coron 166–224
  - Mediterranean, eastern: Harrison 165–206
    - western: Cizancourt 165–205
  - model studies: Zidarov 164–240
  - North America, mid-continent area: Thiel 166–226
  - over fault: Morrison 164–167
  - physicochemical explanation: Perrin 167–140
  - relation to changes in level, Hungary: Bendefy 165–182
  - relation to earthquake wave decay: Hayatu 164–58
  - relation to geologic processes: Kazanli 164–222
  - relation to origin of granite: Bott 167–142
  - removal of first-order spherical harmonic terms: Hirvonen 167–109
  - vertical cylinder: Oszlaczky 165–176
- Gravity observations, Africa, central: Sutton 166–215
  - Alaska: Garland 165–192
  - at sea, second-order corrections: Vening Meinesz 167–134
  - Belgian Congo: Sutton 166–215
  - Canada: Garland 165–192
  - Channel Islands: Day 165–196
  - Czechoslovakia: Chudoba 165–194
  - Great Britain, primary base-line: Watson 166–213
  - Indian Ocean, Tromelin Islet: Cattala 167–148
  - Madagascar: Cattala 164–177
  - Ruanda Urandi: Sutton 166–215
  - Tanganyika: Sutton 166–215
  - Uganda: Sutton 166–215
  - U. S. S. R. mines: Lukavchenko 164–168
    - evaluation of errors: Bulanzhe 167–137
  - Virgin Islands: Shurbet 167–151
  - Yugoslavia, Macedonia: Prosen 167–152

Gravity profile, Colorado, Uravan area: Joesting 167–145
Gravity surveys, Alberta: Stackler 166–211
Algeria, Tanezrouft desert: Castet 167–212
Arizona, Bisbee copper mines: Allen 166–219
Australia, eastern: Marshall 165–190
Moorlands coalfield area: Seedsman 164–169
New South Wales: Williams 166–216
Peak and Denison Ranges: Knapman 166–218
Perth Basin: Thyer 166–217
Belgian Congo: Jones 167–143
British Columbia: Stackler 166–211
California, Mojave Desert: Mabey 166–220
Searles Lake: Mabey 166–220
Czechoslovakia, central Carpathians: Valek 165–195
England, Yorkshire: Whetton 167–146
France, northern Massif Central: Goguel 167–144
Germany, coal mining areas: Wolff 167–105
Illinois, reef-type structure: Pohly 166–225
Indiana, reef-type structure: Pohly 166–225
Italy, east-central: Morelli 164–173; Scarsella 164–174
Garigliano and Volturno plains: Falini 165–200
northeastern part: Norinelli 164–175
south-central: Zaccara 165–199
Valle Latina and Pontine Plain: Tribalto 165–198
Japan, Akita-ken: Matsuda 166–222
Chubu district: Tsuboi 165–201
Hokkaido: Geog. Survey Inst. 164–176
in progress: Tsuboi 165–187
Kantō plain: Ogawa 166–223; Tsuboi 165–187
Tōkoku district: Tsuboi 165–202
Kansas, southeastern: Cook 164–179
Luxembourg: Gloden 165–203
Madagascar: Cattala 165–204
Michigan, reef-type structure: Pohly 166–225
Upper Peninsula: Frantti 165–209
Minnesota, Lake Superior region: Thiel 166–226
modern methods: Yaramanci 166–204
New Mexico, southeast: Flawn 167–208
New Zealand, Kotuku-Ahaura district: Dibble 167–149
Northwest Territories: Stackler 166–211
Oklahoma, northeastern: Cook 164–179
Gravity surveys, Ontario, northern: Garland 165–191
reef-type structure: Pohly 166–225
Salina Guelph area: Dyer 165–193
Pennsylvania, Clinton County: Jarmell 165–210
Puerto Rico: Shurbet 165–207
Ruanda-Urandi: Jones 167–143
Sakhalin Island: Gnedin 166–203
Texas, west: Flawn 167–208
Turkey, for chromite: Yüngül 165–208
underground: Allen 166–219
U. S. S. R., Apsheron Peninsula: Tsimel'zon 166–227
Saratov region: Shvank 164–178
West Siberian plain: Timofeyev 167–150
Wales, East Carmarthenshire: Whetton 164–170, 171
northern: Powell 164–172
Wisconsin, Lake Superior region: Thiel 166–226
Yukon: Stackler 166–211
Great Britain, present-day tectonic movements: Meshcheryakov 166–201
primary gravity base-line: Watson 166–213
radioactivity, sedimentary rocks: Ponsford 165–311
Great Lakes, crustal movement in area of: Price 167–174
Greece, earthquakes, Ionian Islands, Aug. 1953: Hodgson 166–51
Greenland, density in icecap: Georgi 167–128
seismic surveys of icecap: Loewe 165–167; Victor 164–151
surface and base of icecap: Bourgoin 167–129
temperature in icecap: Georgi 167–128; Wegener 165–168
thermal gradient: Bondam 165–216
Gulf of Mexico, magnetic survey: Miller 165–287
seismic reflections in: Ellis 166–355

H

Hawaii, earthquakes, 1954: Murphy 164–45
eruption of Kilauea, 1955: Macdonald 165–383
Heat, in earth: Diamond 167–230; Jacobs 165–211: Kohman 165–314: Lyubimova 164–180, 165–212, 166–230; Urey 165–213
Heat, sources of, in geologic processes: Nieuwekamp 166–192
Heat flow, Canada, Resolute Bay: Misener 164–184
England, Cambridge: Chadwick 166–236
Eniwetok Atoll: Birch 166–239
Hungary, Liassic coal basin: Boldizsár 166–238

- Heat flow, New Mexico: Herron 167–158
  - Texas: Herrin 167–158
  - West Indies: Robson 167–159
- Helium, isotopes, in atmosphere: Mayne 165–239
  - isotopes, in iron meteorites: Gentner 164–210
  - zircon: Hurley 165–11
- Hematite, electrical resistivity: Parasnis 167–100
  - ferromagnetism in: Li 165–259
  - magnetostriction: Urquhart 165–260
- Hot springs, Algeria, radioactivity: Guigue 164–264
  - Argentina, industrial use: Bartolucci 167–279
  - El Salvador: Grebe 167–286
  - Georgian S.S.R., radioactivity: Balavadze 167–244
  - heat loss from: Lyustikh 165–130
  - Italy, Ischia: Santi 164–317
  - Kamchatka: Zavaritskiy 165–379
  - radon content: Guigue 164–264
  - Yugoslavia, radioactivity: Miholić 167–245
- Hungary, heat flow, Liassic coal basin: Boldizsár 166–238
  - induced potential logging for lignite: Sebestyén 164–124
  - leveling surveys, correction: Bendefy 165–182
  - magnetic elements: Haaz 164–231
  - seismic surveys, bauxite deposits: Szénás 164–296
    - Dorog: Posgay 164–283
    - near Hajdúszoboszló: Gálfi 166–364
    - road vibrations: Lanyi 164–297
    - Transdanubian area: Adam 164–295
  - self-potential surveys, Köszeg hills: Sebestyén 164–110
- Hydrogen, isotopes, dating by: Libby 164–8
  - fumarole gases: Friedman 164–211
  - Lacq oilfield gases: Roth 167–177
  - natural waters: Friedman 164–211; Libby 164–8
  - phase transition under pressure: Davydov 165–221
  - survey instruments: Driver 165–241

I

- Ice, density, Greenland: Georgi 167–128
  - elastic constants: Hellbardt 165–367
  - elastic wave propagation in: Omote 167–82
  - seismic surveys, Germany: Hellbardt 165–367
  - temperature, Alaska, Taku glacier: Miller 167–127
    - Greenland: Georgi 167–128; Wegener 165–168
  - thickness, Antarctica: Loewe 165–167
    - Greenland: Loewe 165–167; Victor 164–151
- Icecap, determination of basement surface: Bourgoin 167–129
- Iceland, age of Grabrok lavas: Schwarzbach 165–5, 167–12
  - magnetization of basalts: Brynjolfsson 165–269; Hospers 167–196
- Idaho, peleean eruption products: Weyl 164–307
- Igneous rocks, creep in: Lomnitz 167–270
  - elastic constants: Müller 167–79
  - elastic wave propagation in: Müller 167–79
  - reverse thermoremanent magnetization of: Nagata 164–236
- Illinois, gravity surveys, reef-type structure: Pohly 166–225
  - radioactivity, black shale: Krumbein 166–307
- Illinois Basin, electrical logging: Pryor 166–168
- Ilmenite, magnetization, at low temperature: Kume 165–262
- Inclinometer, fluxmeter type: Subbotin 165–161
  - precision: Bonchkovskiy 164–142
- India, age determinations: Aswathanarayana 164–34; Holmes 167–20; Mahadevan 164–33; Venkatasubramanian 167–16
  - crustal structure in Hindu Kush: Choudhury 167–76
  - dielectric consants of marble from: Srivastava 167–102
  - earthquake, March 22, 1954; Tandon 165–27
    - distribution: Tandon 165–26
  - magnetization of Deccan trap: Clegg 166–281
  - orogenic cycles: Aswathanarayana 164–34; Mahadevan 164–33
  - radioactivity of charnockites: Aswathanarayana 164–256
  - radioactivity of rocks and minerals from: Aithal 167–236, 237; Sastry 167–238
  - radioactivity of sea floor sediments off coast of: Mahadevan 164–257
  - seismic survey in Gangetic alluvium, near Calcutta: Kailasam 164–298
  - structural evolution of: Rode 166–202
  - tectonic history: Krishnan 164–145
- Indiana, gravity surveys, reef-type structure: Pohly 166–225
- Indian Ocean, bathymetric and geotectonic features: Fairbridge 167–273
  - declination and absolute gravity of Tromelin Islet: Cattala 167–148
- Indonesia, gravity anomalies: Lyustikh 165–197

- Internal constitution of earth: Belousov 164–191; Egyed 167–165; Gutenberg 167–167; Haalck 167–163; Jung 164–192; Kazanli 164–222; Magnitskiy 165–223, 167–162; Matumoto 164–81; Molodensky 165–224; Savarenskiy 165–226; Vening Meinesz 166–242
  - *See also* Core, Crust, and Mantle.
- Iodine, isotopes, natural abundance: Purkayastha 165–242
  - in natural uranium fission: Purkayastha 165–242
- Ionium-uranium ratio, coral limestone: Barnes 166–20
- Iraq, seismic surveys: Gaskell 166–365
- Isostasy, and pediplanation: King 164–206; Pugh 164–205
  - early Norwegian work on: Jelstrup 167–175
  - first order harmonic term in: Jung 167–173
  - South Africa: King 164–206
  - viscosity of crust from: Lyustikh 165–232
- Isostatic calculations, geophysical data implied in: Gutenberg 167–172
- Isostatic compensation, in Spain: Lozano Calvo 166–214
- Isostatic readjustment, Great Britain: Meshcheryakov 166–201
  - Great Lake region: Price 167–174
- Isotopes, argon, in meteorites: Gentner 164–210; Gerling 165–16, 166–251
  - isolation for age determinations: Amirkhanov 166–21
- Isotopes, beryllium, in atmosphere: Cruikshank 165–236
  - boron, variations in nature: Parwel 167–176
  - carbon, animals: Rafter 164–12
    - atmosphere: Rafter 164–12
    - crust: Wickman 165–237
    - diamond: Wickman 165–237
    - graphite: Wickman 165–237
    - igneous carbonates: Wickman 165–237
    - plants: Rafter 164–12
    - in sea water: Rafter 164–12
    - shells: Rafter 164–12
  - chlorine, production in atmosphere: Winsberg 165–238
  - helium, atmosphere: Mayne 165–239
    - meteorites: Gentner 164–210
- Isotopes, hydrogen, fumarole gases: Friedman 164–211
    - gas, Lacq oilfield: Roth 167–177
    - in natural waters: Brown 165–240; Fireman 166–254; Friedman 164–211
    - survey instruments: Driver 165–241
- Isotopes, lead, and primary magma: Voytkevich 167–171
    - galena of Colorado Front Range: Phair 166–253
    - galena of Mississippi Valley: Kulp 164–212
    - mantle: Russell 165–313
    - meteorites: Voytkevich 167–171
    - Vesuvius lavas: Begemann 164–23
  - lithium, natural abundances: Fillieson 164–213
  - naturally occurring, of low abundances: White 165–235
  - neon, meteorites: Gerling 165–16; 166–251
  - nitrogen, in naturally occurring substances: Hoering 164–214
  - oxygen, Mediterranean core: Emiliani 165–243
    - in silicate rocks and minerals: Schwander 164–215
    - in uranium minerals: Hoekstra 165–245
  - phosphorus, formation from argon in air: Marquez 164–216
  - potassium, diffusion in metamorphism: Dutt 164–263
  - radium, in uranium minerals: Kuroda 165–12
  - rubidium, meteorites: Herzog 167–33
  - strontium, meteorites: Herzog 167–33
    - rubidium-poor rocks: Ewald 167–34
    - sea water: Ewald 167–34
  - sulfur, Mississippi Valley galenas: Kulp 164–212
    - Rhodesian copper deposits: Bateman 167–178
    - sulfide minerals: Kulp 165–244
  - tantalum, decay scheme: Eberhardt 164–217
  - uranium, natural abundances: Lounsbury 166–252
- Italy, age determination, Vesuvius lava: Begemann 164–23
  - archeological studies by geophysical methods: Carabelli 165–149; Lerici 165–148
  - crustal structure: Caloi 167–51
  - earthquake, 1908, Messina: O'Connell 167–42
    - May 15–16, 1951, Val Padana: Caloi 167–51
    - Dec. 26, 1952, Tyrrhenian basin: Girlanda 164–49
    - Nov. 23, 1954: Girlanda 164–50
    - registration at Pavia: Pannocchia 164–67
    - slow deformation presaging, Tolmezzo area: Caloi 164–61
  - electrical surveys, Caprarola and Frascati: Zaccara 165–199
    - Grosseto: Manfredini 165–129

Italy, eruption at Solfatara di Pozzuoli: Parascandola 166–371
  eruption of Stromboli February–March, 1954: Cucuzza Silvestri 166–370
  geophysical methods in: Boaga 166–172
  gravity surveys, east-central: Morelli 164–173; Scarsella 164–174
  gravity surveys, Garigliano and Volturno plains: Falini 165–200
    northeastern part; Norinelli 164–175
    south-central: Zaccara 165–199
  seismic surveys, Valle Latina: Tribalto 165–198
  thermal waters, Ischia: Santi 164–317; Sappa 164–318
  uranium and thorium prospecting in: Ippolito 165–326

J

Japan, crustal structure: Nishimura 167–169; Research Group 166–247, 167–170; Tamaki 166–246; Utsu 166–94
  deflection of vertical: Geog. Survey Inst. 166–190
  deformation of crust following earthquakes: Geog. Survey Inst. 164–55; Iida 165–234; Miyabe 166–189
  earth-current measurements, Mihara volcano: Suwa 166–375
  earthquake, Sept. 1, 1923: O'Connell 167–42
    Oct. 12–18, 1935: Lapwood 167–73
    Sept. 10, 1943: Omote 167–44
    June 28, 1948, at Fukui: Miyamoto 166–73
    Oct.-Nov. 1952 off Sanriku: Sagisaka 166–96
    Nov. 26, 1953: Kasahara 167–74
    Oct. 19, 1955: Shima 166–53
    off British Columbia, records in: Hamamatsu 166–50
    Suwanose-Jima: Murauchi 164–314
  earthquake damage, relation to nature of ground: Kanai 164–68; Subsoil Research Team 167–59
  earthquakes, deep-focus, traveltime anomalies: Tamaki 166–92
    direction of initial motion: Utsu 166–94
    distribution: Wadati 166–52
    effect on mean sea level: Yamaguti 165–44
    magnitude: Hayatu 164–58
  electrical surveys, for ground water: Kurata 165–130
    Hanabusa mine, Gifu: Iida 166–157
    Hanaoka mine: Yoshikawa 166–158

Japan, electrical surveys, for ground water—Continued
    Isahaya Bay: Tsukada 165–131
    Kuga mine, Yamaguchi: Shibatō 164–113
    Oami landcreep area: Minakawa 166–160
    Takayama dam site: Obara 166–159
    Tsumo mine, Shimane: Suyama 166–162
    Tsuzura, Miyazaki: Shibatō 166–161
  geophysical surveys, for coal: Iida 165–155 for oil: Hayashi 165–154
    in mineral exploration: Satō 165–156
  gravity surveys, Akita: Matsuda 166–222
    Chubu: Tsuboi 165–201
    Hokkaido: Geog. Survey Inst. 164–176
    Kanto: Ogawa 166–223; Tsuboi 165–187
    Tohoku: Tsuboi 165–202
  leveling survey, northeastern: Okada 167–113
    southwestern: Geog. Survey Inst. 164–55
  magnetic survey, Gembudo: Yokoyama 164–235
    Hizume district: Yumura 166–291
    Hokkaido: Geog. Survey Inst. 164–246
    Kuga mine, Yamaguchi, Shibatō 164–113
    Mihara volcano: Yokoyama 167–286
    Temmabayashi district, Aomori: Yokoyama 165–288
    Tsumo mine, Shimane: Suyama 166–162
    Tsuzura, Miyazaki: Shibatō 166–161
  microseisms, relation to typhoon Sept. 11–15, 1950: Ikegami 167–128
  movements of crust since Holocene: Nakano 164–209
  radioactivity of atmosphere: Tajima 165–302
  radioactivity survey, Naegi region, Gifu: Sano 166–326
  radon in springs: Kikkawa 164–265
  sea level changes, Bay of Ise: Iida 165–234
  seismic surveys, in foundation engineering: Sasa 165–365
    optimum conditions: Nagumo 166–334
    techniques: Tamano 165–360

Japan, seismic surveys, tunnel and bridge sites: Hattori 165–364
  volcanic eruption, Fuji, 1707: Tsuya 166–373
  volcanic eruptions, Mihara: Suwa 166–375; Tsuya 164–313, 167–284; Yokoyama 167–285, 286
    Myōjin reef: Morimoto 165–384
    Sakura-jima, 1955: Suwa 166–374
    Suwanose-Jima: Murauchi 164–314

K

Kamchatka, earthquakes: Svyatlovskiy 164–39, 166–66
  thermal springs: Zavaritskiy 165–379
  topography: Udintsev 166–372
  volcanic acivity: Menyaylov 166–377; Udintsev 166–372; Vlodavets 165–378; Zavaritskiy 165–379
Kansas, earthquake, Jan. 6, 1956: Dellwig 166–55
  earthquakes, history: Merriam 166–54
  gravity survey, southeastern: Cook 164–179
Kirghiz S. S. R., seismic surveys: Gamburtsev 164–199
Krakatoa, appearance in 1748: Neumann van Padang 167–291
Kurile Islands, earthquakes: Svyatlovskiy 164–39, 166–66
  topography: Udintsev 166–372
  volcanic activity: Gorshkov 166–376; Udintsev 166–372; Vlodavets 165–378
Kuwait, seismic surveys: Gaskell 166–365

L

Latitude variation, effect of sun and moon: Castro 164–78
  spectrum: Rudnick 165–74
Lava, temperature and viscosity, Mihara eruption: Suwa 166–375
Lead, isotopes, galena from Colorado Front Range: Phair 166–253
  isotopes, galena from Mississippi Valley: Kulp 164–212
    lava from Vesuvius: Begemann 164–23
    meteorites: Voytkevich 167–171
    relation to primary magma problem: Voytkevich 167–171
  radiogenic, in zircon: Hurley 165–11
Lead-zinc ore, magnetic and electromagnetic surveys for Peru: Melchiori 165–291
Lepidolite, interlaboratory comparison of age determinations: Aldrich 167–36
Lignite, induced-potential surveys for, Hungary: Sebestyen 164–124
Lithium, isotopes, abundances in nature: Gillieson 164–213
Luxembourg, gravity map: Coron 166–224
  gravity survey: Gloden 165–203

M

Madagascar, age determinations: Besairie 164–35, 167–23: Holmes 165–14
  earthquakes, 1954: Poisson 167–47
    April 16, 1955: Coze 167–53
    Nov. 19, 1955: Poisson 167–52
  gravity, diurnal variations: Cattala 167–147
    observations: Cattala 167–177
  gravity surveys: Cattala 165–204
    magnetic declination: Cattala 167–188, 189
Magnetic activity, influence of moon and inner planets: Sucksdorff 164–227
  polar regions: Mayaud 167–187
Magnetic anomalies, computation of vertical components from *T*.: Simonenko 166–287
  electronic computers in analysis of: Kogbetliantz 166–212
  infinite horizontal masses: Strakhov 165–277
  infinite inclined dike: Haaz 165–117
  interpretation: Mikov 165–278; Pudovkin 164–163; Smellie 167–210; Sato 165–181; Voskoboynikov 164–241; Zietz 166–286
  model studies: Zidarov 164–240; Zietz 166–286
  relation to geologic processes: Kazanli 164–222
  relation to volcanic eruptions: Yokoyama 164–315
  three-dimensional bodies: Zietz 166–286
  total intensity interpretation: Smellie 167–210; Zietz 166–286
Magnetic declination, Danzig, secular variation: Olczak 164–225
  Indian Ocean, Tromelin Islet: Cattala 167–148
  Japan, near Mihara volcano, 1951–1954: Yokoyama 165–250
Magnetic declination, Madagascar: Cattala 167–188, 189
  measurement with QHM magnetometer: Thiesen 166–268
  solar daily variations at Swider: Lisowski 165–251
Magnetic elements, annual values: Johnston 166–263
  Hungary: Haaz 164–231
  Spain, Toledo observatory, 1947: San Roman 166–264
Magnetic exploration, textbook: Logachev 166–285
Magnetic field, effect on convection: Jirlow 167–181
  permeable alloy cylinder: Selzer 167–195
  vertical gradient: Pudovkin 164–163

- Magnetic field of the earth, bay disturbances, Cheltenham: Bartels 164–194; Princep Curto 166–266
    - diurnal distribution: Princep Curto 166–266
    - Japan: Kato 165–247
    - San Juan: Princep Curto 166–266
    - Sitka: Bartels 164–194
    - Tortosa: Princep Curto 166–266
    - Tucson: Bartels 164–194; Princep Curto 166–266
    - Watheroo: Bartels 164–194
  - disturbances, Kakioka, 1924–1951: Yokouchi 166–260
  - diurnal variation in low latitudes: Nicholson 164–226
  - diurnal variation, seasonal change: Nicholson 164–226
  - effect of altitude on pole: Jacobs 166–257
  - effect of Coriolis force on: Rikitake 167–180
  - effect of fluid motions near core boundary on: Takeuchi 164–220
  - effect of solar eclipse: Egedal 165–249; Yumara 166–262
  - effect of solar flares on, Kakioka data: Yokouchi 166–261
  - effect on earth currents: Bartels 164–194
  - in geologic past: Campbell 167–209; Clegg 167–195; Doell 164–234; Hospers 167–196; Irving 166–276; Martinez 166–284; Nairn 167–206; Opdyke 165–272; Öpik 167–198; Roche 167–205; Runcorn 165–273, 167–197, 199
  - intensity, components at inverse points: Zmuda 166–259
    - extrapolation by Taylor series: Zmuda 164–228, 229
    - in polar regions: Quiring 164–224
    - numerical integration: Block 167–191
  - measurement by proton precession: Water 165–256
  - observations at Macquarie Island: McGregor 166–265
  - origin: Chatterjee 166–255; Kalashnikov 164–221; Kazanli 164–222; Namikawa 167–179; Rikitake 164–219, 166–256, 167–180
  - present theories on: Runcorn 167–182
  - pulsations, recording: Blum 166–269
  - relation to earth currents: Burkhart 167–190
  - reversals: Campbell 167–209; Opdyke 166–279; Roche 167–205; Runcorn 167–199
  - secular variation, cause: Quiring 164–224
    - core-mantle boundary: McDonald 164–223
- Magnetic field of the earth, secular variation, 44-year cycle; Barta 167–184
    - Poland, 1901–1935: Olczak 167–183
    - relation to polar wandering: Quiring 164–224
  - short-period variations, Japan: Rikitake 166–36
    - model experiment: Nagata 166–258
    - seasonal distribution: Okhotsimskaya 167–186
  - variations at high latitudes: Pudovkin 167–185
  - variations, influence of sea: Rikitake 166–36
  - vertical component, variometer for: Ozdogan 165–257
- Magnetic gradiometer, airborne: Glicken 164–239
- Magnetic map, isogonic, Australia and New Guinea: Wood 164–230
  - Spain: Munuera Quiñonero 165–252
- Magnetic observatories, list of: Johnston 166–263
- Magnetic storms, earth currents induced by, models for: Kertz 165–253
  - monitor for: Wickersham 164–238
- Magnetic surveys, airborne, Alaska: Rossman 167–218
    - Australia: Brundage 165–281
    - construction of isomagnetic charts from: Zmuda 165–279
    - New Zealand: Gerard 167–224
    - Norway: Mining Magazine 164–247
  - Alaska, Prince of Wales Island: Rossman 167–218
  - Algeria, Tanezrouft desert: Castet 167–212
  - Arctic Islands: Du Vernet 166–288
  - Argentina, Deception Island: Hernández 166–290
  - Asia, Ala Tau ridge: Petrova 165–283
  - Atlantic Ocean, Caryn Peak area: Miller 165–287
  - Australia, Middleback Range: McPharlin 164–242, 243
    - northwestern: Brundage 165–281
    - New South Wales: Rao 167–213
    - Vienna basin: Bürgl 167–214
  - Azores Islands: Custódio de Morais 167–215
  - El Salvador, Ahuachapán fumarole area: Durr 167–216
  - France, Manche: Bassompierre 164–244
  - Germany, East: Lauterbach 165–286
    - Eifel volcanic area: Cipa 165–285
    - Hohe Venn region: Wolff 164–245
    - Ries: Reich 164–304
  - Gulf of Mexico: Miller 165–287

Magnetic surveys, Japan, Aomori-ken: Yokoyama 165–288
  Hizume district: Yumura 166–291
  Hokkaido: Geog. Survey Inst. 164–246
  Mihara volcano: Yokoyama 167–286
  Shimane-ken: Suyama 166–162
  Tsuzura, Miyazaki-ken: Shibatō 166–161
  Yamaguchi-ken: Shibatō 164–113
 Michigan, Upper Peninsula: Frantti 165–209
 New Zealand: Gerard 167–224
 North Dakota, Keene dome: Opp 165–289
  Tioga area: Hansen 165–290
 Norway: Mining Magazine 164–247
 Peru, Cercapuquio lead-zinc district: Melchiori 165–291
 Poland, Carpathian Mountains: Máloszewski 167–217
 reduction of data: Fanselau 167–211
 Sakhalin Island: Gnedin 166–203
 Spain and Portugal: Rodríguez-Navarro 166–292
 Tanganyika: King 166–289
 tracing buried faults by: Petrova 165–283
 Tunis to Lisbon: Agocs 165–282
 Turkey, for chromite: Yüngül 165–208
 U. S. S. R., shield area: Andreyev 164–248
 Wales, northern: Powell 164–172
 Yugoslavia, Trepča lead-zinc district: Meisser 165–284
Magnetic susceptibility, infinite inclined dike; Haáz 165–177
 Kursk anomaly: Ostrovskiy 165–274
 magnetite: Rao 167–200
 measured with Kalashnikov magnetometer: Bronshteyn 164–232
 Paleozoic rocks, Tatar S. S. R.: Krinari 167–207
 plutonic rocks, Leinster granite, Ireland: Manley 165–270
 Precambrian rocks, southeast New Mexico: Flawn 167–208
  west Texas: Flawn 167–208
 relation to chemical composition: Bronshteyn 164–232
 relation to stress: Kapitsa 164–233
 sedimentary rocks: Bronshteyn 164–232
 soil: LeBorgne 165–271
Magnetite, crystallographic intergrowths in: Roy 166–271
 demagnetization; Rimbert 166–274, 275
 magnetic properties: Rao 167–200
 magnetization near Curie point: Smith 165–261
 TiO_2 content as function of temperature: Buddington 164–181
Magnetization, anisotropy of, in rocks: Grabovskiy 166–270
 artificially deposited sediments: King 166–278
Magnetization, basalts, Ahaggar Mountains, Algeria: Roquet 165–266
  Auvergne, France: Roche 167–205; Roquet 165–266
  Columbia River: Campbell 167–209
  Iceland: Brynjolfsson 165–269
  Japan: Asami 166–282; Yokoyama 164–235
 chemical sediments: Martinez 166–284
 Colorado Plateau sediments: Runcorn 165–273
 Deccan trap: Clegg 166–281
 Denmark: Lundbak 167–204
 dolerites, Tasmania: Irving 166–280
 doleritic basalt: Manley 167–201
 effect of alteration and weathering: Manley 167–201
 effect of alternating field: Rimbert 166–274, 275
 effect of heating: Grabovskiy 166–273
 eruptive rocks: Nagata 164–236
 ferrimagnetic model of: Fanselau 165–258
 ferromagnetic minerals, effect of magnetic interaction: Nagata 167–202
 generation of: Grabovskiy 165–263
 Grand Canyon rocks: Doell 164–234
 hematite: Li 165–259; Urquhart 165–260; Wohlfarth 164–237
 ilmenite, at low temperature: Kume 165–262
 Japanese rocks: Uyeda 165–267
 lava flows northern Arizona: Opdyke 166–279
 liparite: Kruglyakova 165–265
 magnetite: Rao 167–200; Smith 165–261
 measurement in small samples: Smith 165–276
 near Curie point: Smith 165–261
 Netherlands: Lundbak 167–204
 plutonic rocks, Leinster granite, Ireland: Manley 165–270
 polar movements deduced from: Clegg 166–281; Irving 166–276; Nairn 167–206; Öpik 167–198; Runcorn 165–273
 present studies of: Clegg 167–195
 reverse, effect of accessory minerals: Kruglyakova 165–265
  effect of heating: Roquet 165–266
  origin: Asami 166–282; Campbell 167–209; Clegg 167–195; Hospers 167–196; Nagata 164–236; Roche 167–205; Uyeda 165–267; Verhoogen 166–277; Yokoyama 164–235
 sandstones, California: Doell 165–268
 sedimentary rocks: Runcorn 167–199
 self-reversal by ionic ordering. Verhoogen 166–277
 stability of remanent: Grabovskiy 165–264

Magnetization, Suwanose-Jima, Japan: Murauchi 164–314
  techniques of measuring: Frohlich 167–193
  titanomagnetite: Nagata 167–202
  two-phase systems: Grabovskiy 165–275
  types of, in rocks: Petrova 166–272
  varved clays from Sweden: Griffiths 166–283
  volcanic rocks, Arizona: Opdyke 165–272
    rich in pyrite: Roquet 167–203
Magnetometer, airborne, review of: Kato 165–280
  BMZ, suitability for southern hemisphere: Slaucitajs 166–267
  electronic recording variometer: Meek 165–254
  nuclear resonance: Dobrin 164–132
  portable electrical: Serson 167–192
  QHM, determination of declination with: Thiesen 166–268
    suitability for southern hemisphere: Slaucitajs 166–267
  saturated-core recording: Gerard 165–255
  studies of short-period fluctuations: Gerard 165–255
  vibrating-coil: Smith 165–276
Magnetostriction, hematite: Urquhart 165–260
Mantle, constitutiton of: Magnitskiy 166–241; Savarenskiy 165–226; Vening Meinesz 166–242
  distribution of elements in: Shimazu 164–195, 165–225
  elastic properties: Shima 166–240
  electrical conductivity in: Evernden 166–170
  extinction coefficients of material: Clark 166–228
  temperatures in: Clark 166–228
Marble, deformation as 300–500° C: Turner 167–271
  dielectric properties: Srivastava 167–102
  elastic wave velocity, under pressure: Shimozuru 165–371
  fracture of: Shimozuru 165–371
Massachusetts, age of granites: Webber 167–24
Mediterranean Sea, airborne magnetometer profile, Tunis to Lisbon: Agocs 165–282
  gravity anomales: Cizancourt 165–205; Harrison 165–206
Metamorphism, heat in: Nieuwenkamp 166–192
Meteorites, age of: Allan 167–6; Cherdyntsev 164–17; Folinsbee 167–29; Gerling 165–16, 166–23; Herzog 167–33; Paneth 164–18; Patterson 167–5; Schumacher 165–15
Meteorites, argon in: Gentner 164–210; Gerling 165–16, 166–251
  electrical resistivity: Evernden 166–170
  helium in: Gentner 164–210
  neon: Gerling 165–16, 166–251
  origin of: Allan 167–6; Öpik 167–161; Pettersson 164–203
  radioactivity: Deutsch 167–234
  strontium-rubidium isotope abundances: Herzog 167–33
  thermal history of: Allan 167–6
  uranium and thorium content: Curatolo 164–255
Mexico, earthquakes 1950–51: Ramirez 164–40
  geoid, best fitting: Castro 164–140
  geophysical methods in archeology in: Lerici 165–148
  Parícutin, birth and development: Foshag 167–287
Michigan, gravity surveys, reef-type structures: Pohly 166–225
  gravity surveys, Upper Peninsula: Frantti 165–209
  magnetic surveys, Upper Peninsula: Frantti 165–209
Microseisms, Bermuda: Darbyshire 167–226; Shurbet 167–225
  direction: Schuyler 165–292
  mechanism of transmission: Shurbet 167–225
  observations, Hamburg, Germany: Strobach 166–296
    Normandy, France: Bernard 167–227
    northwestern Pacific Ocean: Monakhov 166–293
    U. S. S. R.: Savarenskiy 164–249
  origin: Das Gupta 164–250; Gutenberg 166–295; Monakhov 166–293, 294
  periods, Japan: Arakawa 165–293
  refraction at island stations: Darbyshire 167–226
  relation to Japanese typhoon, Sept. 11–15, 1950: Ikegami 167–228
  relation to Moroccan swell: Bernard 167–227
  southern California: Gutenberg 166–295
  statistical investigations: Strobach 166–296
  vector seismograph for study of: Strobach 166–296
  wave motion in: Strobach 166–296
Microtremor, periods, Japan: Kanai 164–251
Minnesota, age of Mankato drift: Wright 167–14
  gravity survey, Lake Superior region: Thiel 166–226
Mississipi, electrical log studies of aquifers: Priddy 164–126

Model studies, crustal deformation: Bucher 167–119
  elastic wave generation: Kasahara 166–122
  electrical resistivity logging: Al'pin 166–165; Temkina 164–119
  electrical transient logging: Karplus 165–135
  electromagnetic induction in earth: Nagata 166–258
  gravity anomalies: Zidarov 164–240;
  magnetic anomalies: Zidarov 164–240; Zietz 166–286
  marine seismic phenomena: Sarrafian 165–349
  radioactivity logging: Dewan 165–318
  salt dome formation: Nettleton 164–148; Travis 164–149
  seismic reflection: Woods 165–350
  seismic wave propagation: Kota 164–92; Paterson 166–126
Moon, craters: Escher 164–305
  origin of: Öpik 167–166
Mountain building, theories: Eardley 166–194
Mud cones, development from gas explosions: Malz 164–306
Mud volcano, Caspian sea: Kulaskova 165–377

N

Netherlands, magnetic anomalies: Lundbak 167–204
Nevada, age of Tule Springs charcoal: Harrington 164–15
  earthquakes, 1860–1954: Byerly 166–56
    Fallon-Stillwater, 1954: Byerly 166–56; Cloud 166–57; Slemmons 166–58; Steinbrugge 166–59; Tocher 166–60; Whitten 166–188
  triangulation and leveling surveys, near Fallon: Whitten 166–188
Newfoundland, aeromagnetic maps: Canada Geol. Survey 167–220
New Hampshire, age of Devil's Slide ring dike: Jaffe 165–10
New Mexico, gravity survey, southeast: Flawn 167–208
  heat flow: Herrin 167–158
  thermal survey near Lordsburg: Kintzinger 167–157
New Zealand, aeromagnetic survey: Gerard 167–224
  earth currents near Cook Strait: Olsson 167–39
  earthquake, Hawkes Bay, 1931: O'Connell 167–42
  gravity survey, Kotuku-Ahaura district: Dibble 167–149
  isogonic map, 1955.5: Wood 164–230
  Ngauruhoe eruption, 1954–55: Gregg 167–288
New Zealand, peleean eruptions: Weyl 164–307
  radioactivity, atmosphere at Wellington: Chapman 165–301; Crosthwait 165–300
    soils: Gibbs 165–312; McCallum 165–306
Nicaragua, eruption of Las Pilas, 1952: McBirney 167–289
  origin of Nejapa pits: McBirney 167–290
  volcanic activity, 1954: Bullard 164–308
  volcanic activity, Masaya-Nindiri vents: McBirney 164–309
Nitrogen, isotopes, in natural substances: Hoering 164–214
North Dakota, magnetic survey, Keene dome: Opp 165–289
  magnetic survey, Tioga area: Hansen 165–290
Northwest Territories, aeromagnetic maps: Canada Geol. Survey 167–221
  age, Keewatin peat: Taylor 166–9
    Marian River outcrops: Shillibeer 165–13
  gravity surveys: Stackler 166–211
Norway, aeromagnetic survey, southwestern part: Mining Mag. 164–247
  age of Stavanger molybdenite: Herr 164–31
  radioactivity surveys, carborne: Bowie 165–327
  temperature of formation of zinc deposits: Kullerud 164–182

O

Ocean basins, evolution: Belousov 167–117
  seismic measurements in: Ewing 167–168
  topography: Dùe Rojo 166–367
Ocean floor, radioactivity of sediments of: Mahadevan 164–257
Ohio, seismic surveys, Portage County: Pakiser 165–355
Oklahoma, age of Arbuckle Mountains: Hamilton 167–25
  age of Wichita Mountains: Hamilton 167–25
  gravity survey, northeastern part: Cook 164–279
Ontario, aeromagnetic maps: Canada Geol. Survey 167–222
  gravity surveys: Dyer 165–193; Garland 165–191; Pohly 166–225
Oregon, magnetic measurements, Columbia River basalts: Campbell 167–209
Orogenesis, heat in: Nieuwenkamp 166–192
  Precambrian, superposition in Tanganyika: Harpum 166–195
  South American cordillera: Gerth 166–378
  strain of rock in: deSitter 167–121

- Orogenesis, theories of: Eardley 166–194; Gaertner 164–143; Kraus 164–144; Scheidegger 165–164
- Orogenic movements, determination by seismic investigations: Reich 164–293
- Oxygen, isotopes, Mediterranean deep-sea core: Emiliani 165–243
  - isotopes, silicate rocks and minerals: Schwander 164–215
    - uranium minerals: Hoekstra 165–245

P

- Pacific Ocean, crustal structure: Nagamune 166–244
  - faults beneath: Due Rojo 166–367
  - magnetic observations, Macquarie Island: McGregor 166–265
- Paleomagnetism. *See* Magnetic field of the earth
- Paleotemperatures, Mediterranean Sea in Pleistocene: Emiliani 165–243
- Panama Canal Zone, earthquakes, 1953: Murphy 164–45
- Pennsylvania, crustal structure: Katz 165–230
  - gravity survey, Clinton County: Jarmell 165–210
- Permafrost, depth at Resolute Bay, Canada: Misener 164–184
- Peru, electrical surveys for copper: Terrones 165–133
  - magnetic and electromagnetic surveys Cercapuquio district: Melchior 165–291
- Petroleum, airborne radioactivity surveys for: Gregory 167–248
  - geophysical exploration for: Brand 166–182; Carlyle 167–104; Closs 164–133; Cortes 165–151; Dupuy de Lome 164–138; Flandrin 164–131; Hammer 164–137, 165–146; McCarver 166–179; Migaux 164–131; Morrisey 166–177; Ogilvie 167–103; Oliphant 166–180; Vajk 166–181
  - radioactivity: Pierce 165–308
- Phase transitions under pressure: Davydov 165–221
- Philippine Islands, earthquake, April 1, 1955: Alcaraz 165–28
- Phosphorus, formation of isotope 32 from argon: Marquez 164–216
- Plutonium, half life of isotope 244: Diamond 167–230
- Poisson's ratio, determination in situ: Evison 167–81
  - effect on reflection coefficients of waves: Koefoed 164–94
  - lake ice: Hellbardt 165–367
- Poland, earthquakes, Upper Silesia: Budryk 164–48: Janczewski 164–46, 47
  - geomagnetic secular variation, 1901–35: Olczak 167–183
- Poland, magnetic observations, Swider: Lisowski 165–251
  - magnetic survey, Carpathian Mountains: Małoszewski 167–217
- Polar regions, geophysical activity: Due Rojo 166–184
  - physical characteristics: Due Rojo 166–184
- Pole, movement, damping: Gutenberg 165–72; Melchior 165–71
  - movement, effect of convection currents: Havemann 164–146
    - effect of earth's rigidity: Munk 165–73
    - mathematical treatment: Fleckenstein 164–80
    - paleoclimatic evidence: Irving 166–276
    - paleomagnetic evidence: Clegg 166–281; Irving 166–276; Nairn 167–206; Öpik 167–198; Runcorn 165–273
    - sphere subject to visco-elastic deformation: Burgers 166–191
  - position, Jurassic time: Nairn 167–206
    - Mesozoic time: Irving 167–280
- Porosity, determination by neutron logs: Edwards 164–271
  - determination by resistivity: Cambefort 164–130
  - determination by velocity logging: Denton 166–331
  - mine rock: Windes 167–269
- Portugal, earthquake, Nov. 1, 1755: O'Connell 167–42
  - electromagnetic surveys, Baixo Alentejo pyrite belt: Rocha Gomes 165–132
  - magnetic survey: Rodriguez-Navarro 166–292
  - radioactivity surveys, Sierra da Estrela: Morais 167–250
  - soil temperatures, Coimbra Univ.: Custódio de Morais 165–214
- Potash, determination underground by radioactivity: Wendt 167–235
- Potassium, beta radiation: Hée 165–295
  - cosmic abundance: Urey 165–213
  - diffusion during metamorphism: Dutt 164–263
  - measurement by scintillation spectrometer: Hurley 165–298
- Potassium-40, branching ratio: Gentner 164–28; McNair 164–254; Shillibeer 164–253; Wasserburg 164–252, 167–31; Wetherill 167–229
  - half life: Zadorozhnyy 166–299
- Potential function, gradient, evaluation on different levels: Tyapkin 164–165
  - graphical scales for mapping: Roman 167–89
- Pressure gage, for seismic surveys: Galfi 164–277

Puerto Rico, earthquakes, 1953: Murphy 164–45
  gravity survey: Shurbet 165–207
Pyrite, electrical resistivity: Parasnis 167–100
  electromagnetic exploration for, Portugal: Rocha Gomes 165–132
  self-potential survey for, Germany: Nosske 167–93
  spontaneous polarization: Shibatō 165–143
Pyrrhotite, electrical resistivity: Parasnis 167–100

Q

Quartz, elastic wave velocity: Hughes 165–96
  dielectric constant: Stuart 165–140

R

Radioactivity, atmosphere, effect of temperature inversions: Reiter 164–267
  atmosphere, filter method of studying: Schumann 165–304
    France, Val-Joyeux: Tanaevsky 165–305
    geographic distribution: Blifford 166–310
    Germany, Bavarian Alps: Reiter 164–267, 165–303, 167–232
    Germany, Heidelberg: Schumann 165–304
    Japan: Tajima 165–302
    New Zealand, Wellington: Chapman 165–301; Crosthwait 165–300
    relation to wind direction: Reiter 164–267
    time distribution: Blifford 166–310
    variation with altitude: Wilkening 165–299
  black shale, Illinois: Krumbein 166–307
  carbon: Zadorozhnyy 166–299
  charnockites and associated rocks, India: Aswathanarayana 164–256
  deep-sea sediments, India: Aswathanarayana 166–309
  determination of density of sands by: Wendt 167–243
  distribution in earth: Voytkevich, 167–171
  drill cores, Polish oil fields: Wierzbicka 167–241
  extinct natural: Kohman 165–314
  fault location by: Schumann 165–304
  geologic applications: Aswathanarayana 166–298; Picciotto 166–297
  granites, Japan: Hayase 164–24
    Poland: Pienkowski 167–240; Szwacka 167–239
  ground, Sweden, 1950–55; Sievert 167–233
Radioactivity, hot springs, Algeria: Guigue 164–264
    Georgian S. S. R: Balavadze 167–244
    Yugoslavia: Miholić 167–245
  khondalites, India: Sastry 167–238
  littoral sediments, France: Rivière 164–261, 167–242
  mantle: Russell 165–313
  meteorites: Deutsch 165–306, 167–234
  mineral springs, northern France: Muchemble 164–269
  natural, West Cumberland area, England: Fair 165–310
  natural waters: Geslin 166–303
  near-surface materials: Hess 166–304
  oil and gas fields, United States: Pierce 165–308
  petroleum brines: Armbrust 165–307; Pierce 165–308
  potash salts, determination of potash content in boreholes: Wendt 167–235
  potassium: Gentner 164–28; McNair 164–254; Wasserburg 164–252; Zadorozhnyy 166–299
  precipitation, Val-Joyeux, France: Tanaevsky 165–305
  Puy-de-Dôme summit: Garrigue 166–308
  quartz inclusions: Huntley 164–260
  relation to granitization in charnockites, India: Aswathanarayana 164–256
  rocks, Stowell Park borehole, England: Ponsford 166–305
  rocks and minerals, India: Aithal 167–236
  rubidium: Flinta 166–302; Fritze 165–294; Geese-Bahnisch 166–301; Zadorozhnyy 166–299
  sedimentary rocks, Great Britian: Ponsford 165–311
  sediments off eastern India: Aswathanarayana 166–309; Mahadevan 164–257
  soils, field measurement: McCallum 166–306
    New Zealand: Gibbs 165–312
  thermal waters, Yugoslavia: Miholić 167–245
  thorium: Zadorozhnyy 166–299
  uranium: Zadorozhnyy 166–299
  volcanic rocks, Lassen, Calif.: Adams 164–258
  zircons: Ford 164–259
Radioactivity logging, Australia, Kadina district: Knapman 164–272
  distinguishing oil- and water-bearing strata by: Dakhnov 166–321; Kukharenko 166–320
  for uranium: Broding 165–137
  gamma-gamma method: Dobrin 164–132

- Radioactivity logging, gamma ray, equipment: Latta 165–315
    - interpretation: Latta 165–315
  - influence of bed thickness: Dewan 165–318
  - influence of borehole conditions: Dewan 165–318
  - model studies: Dewan 165–318
  - neutron, basic theory: Kantor 164–270
  - neutron, porosity determination by: Edwards 164–271
  - neutron-gamma method: Dakhnov 166–321
  - scintillation unit for: Comstock 165–317
  - spectral gamma ray: Brannon 165–316
  - tracer techniques: Vybornykh 166–323
  - uses: Russell 166–315
  - U. S. S. R. oilfields: Obolenskaya 166–319
- Radioactivity patterns around oilfields: Lundberg 166–322; Gregory 167–248
- Radioactivity surveys, Africa: Bowie 165–327
  - airborne, Brazil: MacFadyen 165–329
    - South Dakota, Black Hills: Rizzi 166–325
    - U. S. Atomic Energy Commission: Boyle 165–328
    - U. S. S. R.: Baranov 165–330
    - Wisconsin, near Wausau: Vickers 167–251
  - applications: Glazov 167–246; Herzog 164–273
  - Canada: Lang 165–324
  - carborne: Bowie 165–327
  - correction for residual radioactivity: Argentière 165–309
  - France, for uranium: Lenoble 165–323
    - Hercynian Vosges: Rothé 167–249
    - Mediterranean coast: Rivière 167–242
    - Mure coal basin: Sarrot-Reynauld 166–324
  - instruments for: Bisby 165–320; Bowie 165–237; Milojevic 165–321; Sano 166–316; Satō 166–344; Stead 165–319
  - Italy, for uranium and thorium: Ippolito 165–326
  - Japan: Sano 166–326
  - methods: Davidson 165–322; Russell 166–315; Stead 165–319; Zeschke 166–312
  - Norway: Bowie 165–327
  - Portugal, Sierra da Estrela: Morais 167–250
  - review and bibliography: Hatsuda 165–325
  - stratigraphic correlation by: Sarrot-Reynauld 166–324
  - U. S. S. R.: Melkov 166–313
- Radio wave methods: Chetayev 165–109
- Radio wave, very low frequency, propagation: Wait 165–110
- Radio waves, attenuation, determination of electrical properties by: Tarkhov 166–171
- Radium, isotopic constitution, petroleum brines: Armbrust 165–307
  - uranium minerals: Kuroda 165–12
- Radon content of air, Austria: Pohl 164–266; Pohl-Ruling 164–268
  - atmosphere: Anderson 166–311
  - emanation, effect of temperature: Starik 166–14
  - exhalation from ground: Kikkawa 164–265
  - hot springs, Algeria: Guigue 164–264
  - springs, Japan: Kikkawa 164–265
- Reefs, gravity surveys for: Dyer 165–193
- Rhodesia, sulfur isotopes in copper deposits of: Bateman 167–178
- Rigidity, lake ice: Hellbardt 165–367
- Road vibration, seismic measurement, Hungary: Lanyi 164–297
- Rock bursts, seismic waves in investigation of: Riznichenko 164–300
- Rotation, sphere subject to viscoelastic deformation: Burgers 166–191
- Rotation of earth, effect of convection currents: Havemann 164–146
  - effect on fluid motion near core boundary: Takeuchi 164–220
  - Fourier analysis of motion: Rudnick 165–74
  - variation in: Fleckenstein 164–80
- Ruanda-Urundi, gravity surveys: Jones 167–143: Sutton 166–215
- Rubidium-87, comparison of determinations of: Aldrich 167–36
  - half life: Aldrich 167–231; Flinta 166–302; Fritze 165–294; Geese-Bähnisch 166–301; Zadorozhnyy 166–299

S

- Sakhalin Island, tectonics: Gnedin 166–203
- Salt domes, formation: Nettleton 164–148; Travis 164–149
  - mechanism of emplacement: Meinhold 167–124
- Saskatchewan, aeromagnetic maps: Canada Geol. Survey 167–223
  - age of core samples: Shillibeer 165–13
  - age of Devonian potash salt: Folinsbee 167–29
- Scintillation counters, Japan: Sano 166–318
- Scintillation logging unit: Comstock 165–317
- Scintillation spectrometer, direct measurement of uranium and thorium with: Hurley 165–297, 298
- Scotland, seismic surveys, Firth of Forth: Drysdale 165–368

- Sea level, changes, before and after great earthquakes : Yamaguti 165–44
  - changes, effect of glaciers : Cailleux 164–208
    - Quaternary : Arambourg 164–207
    - Netherlands coast : Bennema 165–233
  - variations, Bay of Ise, Japan, related to earthquakes : Iida 165–234
- Sedimentary rocks, elastic constants : Müller 167–79
  - potassium-argon ages : Lipson 167–30
- Sediments, radioactivity of : Geslin 166–303
- Seismic exploration, air shooting, pressure wave formation in : Galfi 165–362
  - analysis of approximate interpretation methods : Puzyrev 166–353
  - composition of reflections : Woods 165–350
  - compounding of seismometer outputs : Dyk 165–344; Grunenbaum 167–258
  - design of filters in : Muir 164–281
  - detection of diffracted waves in : Posgay 165–337
  - determination of reflector beneath refracting interface : Favre 164–287
  - determination of velocities in near-surface layers : Posgay 164–282
  - determining depth to reflecting horizon : Krouskij 164–284
  - developments 1930–50 : Omote 165–331
  - device for measuring pressure waves from explosions : Galfi 164–277
  - direction of first motion in : Masuda 166–348
  - distortions in phase displacement circuits : Petrov 166–342
  - effect of change size on amplitude : Gaskell 166–340
  - efficiency of explosions in : Richard 166–339
  - electric analog : Ormea 165–354
  - elimination of surface wave effects in : Bortfeld 164–294
  - factors affecting record character : Nikolayevskiy 166–341
  - frequency spectrum of waves in : Berzon 165–333
  - geometric analysis of fault evidence : Ivanhoe 165–348
  - harmonic analysis of records : Korschunow 167–259
  - high-frequency reflection methods, U. S. S. R. : Berzon 166–338
  - improvements in : Nature 166–328
    - integration of geologic evidence in interpretation : Ivanhoe 165–347
  - magnetic tape recording : Salter 165–359
  - marine, explosives for : Jakosky 167–264
    - model studies : Sarafian 165–349
- Seismic, exploration, model studies, reflections : Woods 165–350
  - multiple reflections, equation for : Sojka 166–336
  - multiple seismometer arays, theory : Smith 165–343
  - noise analysis : Smith 165–343
  - nomograms for use in interpretations ; Litvinenko 166–354
  - parallel traveltime curves : Berckhemer 166–344
  - portable high frequency apparatus for : Fedoseyenko 167–262
  - quantitative interpretation of isochrone maps : Berzon 166–345
  - reflection, analyses of data : Kilczer 165–346
    - determination of coefficients of linear velocity function : Favre 167–257
    - determination of curved layers in : Weber 165–340
    - determination of curved reflectors from traveltime curves : Puzyrev 165–339
    - effect of anisotropy of stratified media : Krey 167–260
    - geophone patterns : Muir 164–281
    - off-set spread : Chujo 166–335
    - optimum conditions in Japan : Nagumo 166–334
    - mean errors in analysis of fault structures : Posgay 164–283
    - multiple reflections from curved surface : Weber 165–336
    - perpendicular-time curve : Brauch 164–285
    - shot-hole patterns : Muir 164–281
    - traveltime curves : Kametani 165–341
  - reflections from animate diffractors : Burling 166–356
  - refraction, Alberta foothills : Blundun 166–360
  - delay-time analysis : Tarrant 166–350
  - determination of discordant layer in : Kilczer 165–345
  - graphical solutions : Tatsugami 166–349
    - multilayer time-distance curves : Wyrobek 166–351
    - problems in anisotropic media : Kleyn 165–352
    - Rayleigh waves in : Korschunow 166–124
    - semigraphical interpretation : Tarrant 166–350
    - statistical treatment of data : Rische 166–352
  - secondary pressure-bubble pulses : Slutskovskiy 164–280
  - shallow-reflection method, evaluation : Pakiser 165–355

- Seismic, exploration, shallow-refraction, errors and limits in: Domzalski 166–347
  - statistical methods in: Matschinski 167–254
  - surface waves in: Sato 165–342
  - teamwork in: Brinckmeier 166–327
  - technical developments, 1955: Dobrin 164–132
  - techniques, Japan: Tamano 165–360
  - templates for velocity functions: Hagedoorn 164–288
  - ultrasonic waves in: Koltoński 166–337; Malecki 164–95
  - use of shear waves in: Jolly 167–253
  - velocity determinations in deep boreholes: Kokesh 166–333
  - velocity filters in: Voyutskiy 165–356
  - velocity logging: Denton 164–290, 166–331; Hicks 166–330; Kokesh 166–333; Nature 166–328; Van Nostrand 166–329, 167–225; Yurchenko 166–332
  - weight-dropping method: Waldie 165–357
  - wells shot for velocity: Gaither 164–289
- Seismic exploration instruments, American reflection-type, in Japan: Hayakawa 165–361
  - automatic gain control: Slutskovskiy 164–274
  - design principles for reflection amplifiers: Hermont 167–263
  - elimination of blasting cap lag: Lopes Paradela 165–358
- Seismicity, correction of maps for lack of observation: Savarenskiy 167–72
  - expression of: Kirillova 165–30; St. Amand 166–83
- Seismic surveys, Alberta: Denton 164–290
  - Atlantic Ocean: Bentley 164–200; Katz 165–228
  - Australia, Queensland: Williams 166–357
  - Baffin Island, Penny Ice Cap: Rothlisberger 164–152
  - California, Great Valley: Soske 166–358
    - Searles Lake: Mabey 166–220
    - Yosemite Valley: Gutenberg 166–359
  - Canadian Shield: Hodgson 165–227
  - Colorado Plateau: Pakiser 165–355
  - English Channel: Day 167–268
  - France, Chambery vicinity: Gidon 165–363
  - Georgian S. S. R., Kartalin plain: Ioseliani 167–265
  - Germany, Barsinghausen coal district: Hiller 164–292
    - Bavarian Alps: Reich 164–293
    - Bremen-Cuxhaven area: Jankowsky 166–362
    - lake ice: Hellbardt 165–367
    - Minden-Steinhuder Meer area: Bortfeld 164–294
    - Rappbode dam site: Martin 167–267
    - Rethem salt dome: Schulze 167–266
    - Ries: Reich 164–304
    - Ruhr coal district: Hiller 164–292
    - use in coal mining: Wolff 167–105
  - Greenland: Loewe 165–167; Victor 164–151
  - Gulf of Mexico, unusual reflections: Ellis 166–355
  - Hungary, for bauxite: Szenas 164–296
    - Dorag: Posgay 164–283
    - Hajduszoboszlo vicinity: Galfi 166–364
  - ice covering lake, Germany: Hellbardt 165–367
  - ice sheets, Antarctica: Loewe 165–167
  - in landslide prevention, Japan: Sasa 165–365
  - India, near Calcutta: Kailasam 164–298
  - Iraq: Gaskell 166–365
  - Italy, Valle Latina: Tribalto 165–198
  - Japan, earthquake-proof building foundations: Sasa 165–365
    - tunnel and bridge sites: Hattori 165–364
  - Kirghiz S. S. R.: Gamburtsev 164–199
  - Kuwait: Gaskell 166–365
  - Middle East: Gaskell 166–365
  - Ohio, Portage County: Pakiser 165–355
  - Ötztaler Alps glaciers: Förtsch 164–153, 167–130
  - Pacific Ocean: Nature 166–328
  - Scotland, Firth of Forth: Drysdale 165–368
  - Trucial Coast: Gaskell 166–365
  - U. S. S. R., Emba region: Barenboym 164–299, 165–338
    - Turgay lowland, Siberia: Khalevin 165–369
  - Venezuela: Laubscher 165–370
  - Wisconsin, lead-zinc district: Pakiser 165–355
- Seismic waves, absorption coefficient, determination from group wave length: Korschunow 166–124
  - absorption coefficient, Spain: Rodriguez 166–63
  - acceleration, effect of foundation material: Puchkov 165–47
    - relation to period, Tokyo and Yokohama: Kanai 164–68

Seismic waves, amplitude, decay factor: Hayatu 164–58
    effect of ground conditions: Savarenskiy 164–69
    effect of soil layer on: Kats 165–64
    explosion-generated: Medvedev 167–61
    ground coefficients, Japan: Katsumata 166–84
  angles of emergence: Adlung 165–54; Monakhov 167–75
  anomalies in arrival time, Japan: Haseba 165–59
  chart for tracing ray paths: Willmore 164–64
  diffraction of: Posgay 165–337
  dispersion, at small distances: Tazime 166–363
    near explosion: Keller 164–279
  distortion by instruments: Anstey 165–334
  effect of filters: Anstey 165–334
  effect on foundations: Giuliani 166–86
  energy: Solov'yev 164–88
  experimental study: Kaneko 165–353; Press 165–100; White 166–125
  frequency analysis: Bereza 165–351
  frequency-distance relations: Berzon 165–333
  generated by transducer at surface of stratified ground: Evison 167–252
  generated by transient horizontal force: White 166–125
  guided, New Zealand coal mine: Evison 165–366
  initial motion, asymmetrical conical push type: Takagi 165–43
  internal refraction of: Berckhemer 166–355
  model studies: Kato 164–92; Paterson 166–126
  motion at depth: Kanai 165–63
  multiple: Yepinat'yeva 165–335
  observation at short distances: Kaneko 165–353
  P phases, extended distance tables: Hodgson 165–60, 166–88
  pP and *PP*, traveltime curves of: Bullen 166–87
  periods, Göttingen records: Dohr 166–95
    Japan: Fujimoto 166–85
  propagation, shear, experimental studies: Jolly 167–253; Press 165–100
    in porous media: Paterson 166–126
    in thin plates: Kato 164–92
  propagation, with highspeed surface layer: Press 165–100
  refracted, in media containing wedge-shaped layers: Yepinat'yeva 166–346
    on salt dome: Barenboym 165–338
  S phases, extended distance tables: Hodgson 166–89
  traveltimes at Praha: Karnik 165–58

Seismic waves, surface, associated with *S* waves: Caloi 164–66
    definition and classification: Sato 164–86
    determination of azimuth of epicenter from: Arkhangel'skaya 166–75
    dispersion, crustal structure from: Santo Akima 165–61
    Fourier analysis of movement near origin: Sato 167–86
    in soil: Korschunow 164–286
    Lg, velocity in California: Press 167–77
    long-period: Matumoto 164–81
    Love, in near earthquake, Japan: Sagisaka 166–96
    Love propagation in heterogeneous media: Suzuki 164–87
    Rayleigh, appearance in reflection surveys: Bortfeld 164–294
    Rayleigh, dispersion, 10–500 sec range: Ewing 165–62
    Rayleigh, dispersion in Africa: Press 166–243
    Rayleigh, in refraction surveys: Korschunow 166–124
    Rayleigh, proof of Satō formula for propagation: Durbaum 167–88
    Rayleigh, propagation in medium with superficial double layers: Homma 166–118
    Rayleigh, propagation in medium with two surface layers: Stoneley 166–90
    Sezawa-tye, displacement distribution: Kanai 167–87
  unknown phases, near earthquakes, Japan: Utsu 166–93
  velocity, as function of saturation: Hicks 166–330
    crust: Gamburtsev 164–199, Katz 165–230
    determination by elastic rebound: Ozerskaya 164–97
    earthquake in Tyrrhenian Sea: Girlanda 164–49
    earthquakes in Japan: Lapwood 167–73
    effect of fault zones: Laubscher 165–370
    effect of stress: Riznichenko 164–301
    effect of topography: Baillie 167–256
    Germany, Swabian foreland Molasse sediments: John 166–361
    glacier ice, Austria: Fortsch 164–153, 165–169
    glacier ice, Baffin Island: Röthlisberger 164–152

Seismic waves, velocity, laboratory determination: Ozerskaya 164–97
    Little Caucasus: Karapetyan 165–31
    mantle: Matorina 165–65
    near Pavia, Italy: Pannocchia 164–67
    northeastern America: Lehmann 164–65
    northeastern Japan: Research Group 166–247
    relation to stress: Riznichenko 164–300
    Spain: Rodriguez 166–63
Seismograph, automatic time-signal recorder for: Olsson 164–74
  classification of: Ullmann 166–102
  coefficient of coupling with galvanometer: Nersesov 167–63
  developments in California: Benioff 166–97
  effect of shunt condenser: Bernard 164–72
  electrodynamic, errors in recording: Teupser 166–104
    frequency: Bokanenko 167–261
    phase characteristics: Bokanenko 167–261
  electromagnetic linear strain: Benioff 166–97
  electromagnetic, recorder with amplifier: Tazime 166–105
  electromechanical, for measuring vibrations in buildings: Skatskiy 166–100
  electrostatic magnification: Molard 164–73
  for determining intensity of earthquakes: Medvedev 167–61
  four-component inclined: Pasechnik 165–66
  fused quartz secular strain gage: Benioff 166–97
  Galitzin-type, sensitivity controls for: Neumann 166–103
  general equation of motion for one degree of freedom: Ullmann 166–101
  horizontal torsion: Stegena 164–275
  improved recording methods: Ventskevich 166–106
  improvements, Moscow station: Shebalin 165–67
  Ishimoto accelerometer, constants of: Miyamura 167–62
  line carrier telerecording: Miyamura 167–65
  magnetic control for adjusting period: Dowling 165–69
  mechanical, errors in recording: Teupser 166–104
Seismograph, radio telerecording: Miyamura 167–66
  Reeff, calibration: Adams 164–71
  shaking table for calibration: Gurvich 164–276
  signal device: Solov'yev 165–70
  strong motion, non-linear oscillations of: Ichikawa 166–98
  torsion: Benioff 166–97
  triggered magnetic tape recording: Omote 166–107
  variable inductance: Akamatu 166–99
  variable reluctance transducer electromagnetic pendulum: Benioff 166–97
  Wiechert 200 kg, abnormal free vibration: Higuti 165–68
Seismograph stations, California: Gutenberg 166–68
Seismology, concepts of: Benioff 166–37
  textbook: Savarenskiy 167–40
  three-dimensional problems, graphical solution: Gal'perin 166–343
Seismometer, shaking table for calibration: Gurvich 164–276
Soils, radioactivity of, New Zealand: Gibbs 165–312
  thermal conductivity: DeVries 167–156, Webb 165–215
Soil thermometers, errors in: Garvitch 166–232
Solar system, origin: Dauvillier 167–160
South America, orogenesis and volcanism of cordillera: Gerth 166–378
South Dakota, age of, Bob Ingersol pegmatite minerals: Wetherill 167–26
  age of mineralization, Black Hills: Kulp 167–27
  airborne radioactivity surveys, Black Hills: Rizzi 166–325
Spain, earthquakes, July 1, 1950, Gergal: Rodriguez 166–63
  earthquakes, 1951: Due Rojo 164–41
    1952: Due Rojo 164–42
    March 29, 1954: Hodgson 167–70
    Granada, April 1956: Due Rojo 166–61; Pastor 166–62
  geophysical exploration for petroleum: Dupuy de Lome 164–138
  isostatic compensation in: Lozano Calvo 166–214
  magnetic maps, historical note: Munuera Quinonero 165–252
  magnetic observations Toledo observatory, 1947: San Roman 166–264
  magnetic survey of: Rodriguez-Navarro 166–292
  normal gravity formula for: Lozano Calvo 166–214
  telluric current measurements at Toledo: Miguel 166–31, 32
Strain behavior of rocks at low stresses: Lomnitz 167–270

- Strength, mine rock: Windes 167–269
- Stress in elastic material from intrusions: Heaps 166–108
- Strontium, isotopes, meteorites: Herzog 167–33
  - isotopes, rubidium-poor rocks: Ewald 167–34
- Sulfur, isotopes, Mississippi Valley galenas: Kulp 164–212
  - isotopes, Rhodesian copper deposits: Bateman 167–178
    - sulfide minerals: Kulp 165–244
- Sumatra, anisotropy in sedimentary section, Betun area: Kleyn 165–352
  - peleean eruption products: Weyl 164–307
- Sweden, age, Alno complex: Eckermann 165–19
  - age, lepidolite from Varutrask: Fritze 165–294
    - microcline from Varutrask: Gentner 164–28
  - geophysical methods in archeology in: Lerici 165–148
  - radioactivity 1950–55: Sievert 167–233
- Switzerland, earthquakes, foci in central Valais: Wanner 167–48

T

- Tanganyika, electrical surveys, for water: King 166–151
  - electrical surveys, Kidunda dam site: King 166–152
  - gravity observations: Sutton 166–215
  - magnetic surveys: King 166–289
  - pre-Karroo systems: Harpum 166–195
  - volcanic eruption, Oldonyo L'Engai: Guest 166–389
- Tantalum, isotopes, South African tantalites: Eberhardt 164–217
- Tatar S. S. R., density and magnetic susceptibility, Paleozoic rocks: Krinari 167–207
- Temperature, effect of bodies of water on: Bondam 165–216
  - effect of radiative transfer on: Clark 166–228
  - England, Stowell Park borehole: Bullerwell 166–237
  - formation of zinc deposits, northern Norway: Kullerud 164–182
  - France, Isère-Arc tunnel: Bordet 164–185
  - Greenland, ice cap: Wegener 165–158
    - near Ivigtut: Bondam 165–216
  - Hungary, Liassic coal basin: Boldizsár 166–238
  - interior of earth: Lyubimova 164–180
  - lava, Mihara eruption 1950–51: Suwa 166–375
  - measurement, in boiling pools: Garvitch 165–218
    - in boreholes: Vasil'yev 164–186
    - stability of thermistors for: Beck 166–234
- Temperature, New Mexico, Lordsburg area: Kintzinger 167–157
  - secular variation, Tasmanian subcrust: Carey 165–165
  - soil, errors in thermometers for measuring: Garvitch 166–232
    - pingo in Mackenzie Valley: Pihlainen 166–235
    - Portugal, Coimbra Univ: Custodio de Morais 165–214
  - U. S. S. R., Donets Basin: Kashpur 165–217
  - West Indies soufrières: Robson 167–159
- Texas, age of Precambrian intrusions: Geol. Assoc. Canada 167–2
  - gravity survey, west: Flawn 167–208
  - heat flow: Herrin 167–158
- Thermal conductivity, measurement in boreholes: Beck 166–233
  - Paleozoic and Mesozoic rocks, England: Chadwick 166–236
  - pyrophyllite: Carte 166–231
  - Resolute Bay cores: Misener 164–184
  - rock salt: Herrin 167–158
  - sedimentary rocks: Zierfuss 167–155
  - coil: DeVries 167–156, Webb 165–215
- Thermal conductivity probe, axial-flow error in: Blackwell 165–219
  - for use in boreholes: Beck 166–233
  - theory: Jaeger 166–229
- Thermal gradient, Canada, Resolute Bay: Misener 164–184
  - Germany, relation to oil and gas formation: Fabian 164–183
  - Greenland: Bondam 165–216
  - New Mexico, eastern: Herrin 167–158
  - New Mexico, Lordsburg area: Kintzinger 167–157
  - Texas, west: Herrin 167–158
  - U. S. S. R., Caucasus: Lyubimova 167–153
- Thermal history of earth: Diamond 167–230; Jacobs 165–211; Lyubimova 165–212, 166–230: Picciotto 169–29; Urey 165–213
- Thermal logs in gas wells: Kunz 164–187
- Thermal springs, Argentina, industrial use: Bartolucci 167–279
  - El Salvador: Grebe 167–286
  - Heat loss from: Lyustikh 165–30
  - Kamchatka: Zavaritskiy 165–379
  - radioactivity, Yugoslavia: Miholić 167–245
- Thermistors, stability: Beck 166–234
- Thermoelectricity, metallic and silicate minerals: Noritomi 164–128
- Thermoluminescence, age determination by: Zeller 164–32
  - induced by pressure and crystallization: Zeller 164–32
- Thermometer, geologic, titaniferous magnetite as: Buddington 164–181
  - resistance, with single-core cable: Vasil'yev 164–186

Thorium, cosmic abundances: Urey 165–213
  direct measurement by scintillation spectrometer: Hurley 165–297, 298
  exploration for, Italy: Ippolito 165–326
  half life: Zadorozhnyy 166–299
Thorium-uranium ratios, Indian rocks and minerals: Aithal 167–237
Thoron, emanation, effect of temperature: Starik 166–14
Tritium, abundance in natural waters: Brown 165–240; Fireman 166–254
  age determination by: Kaufman 164–218; Libby 164–8
  natural distribution: Kaufman 164–218
  survey instrument for: Driver 165–241
Trucial Coast, seismic surveys: Gaskell 166–365
Tsunami, caused by volcanic eruption: Vlodavets 166–380
  Kurile-Kamchatka region: Udintsev 166–372
  mathematical expression of: Sretenskiy 166–69
  prediction: Brekhovskikh 166–70
  warning systems: Savarenskiy 166–71
Turkey, earthquake, March 18, 1953: Mugge 164–54
  earthquakes, 1952–54: Pinar 167–49
  gravity surveys for chromite: Yüngül 165–208
  magnetic surveys for chromite: Yüngül 165–208
Turkmen S. S. R., earthquake, Nov. 5, 1946: Rezanov 164–51
  earthquakes, energy: Solov'yev 166–76

U

Uganda, gravity observations: Sutton 166–215
Ukrainian S. S. R., age of granites: Gerling 166–22
  earthquakes: Yurkevich 165–32
United States, earthquakes 1953: Murphy 164–45
Universe, age: Öpik 167–4
  origin: Dauvillier 167–160; Gialanella 164–189
Uranium, cosmic abundances: Urey 165–213
  direct measurement by scintillation spectrometer: Hurley 165–297, 298
  geotectonics related to mineralization of Australia: Rade 166–196
  half life: Zadorozhnyy 166–299
  in meteorites: Curatolo 164–255
  natural fission: Purkayastha 165–242
  natural isotope abundances: Lounsbury 166–252
  See also Radioactivity.
U. S. S. R., age, granites of Ukraine: Gerling 166–22
  age, northern Caucasus minerals: Afanas'yev 164–30; Amirkhanov 164–29
  density, Paleozoic rocks, Tatar S. S. R.: Krinari 167–207
  depth to basement: Andreyev 164–248
  earthquakes, Akhalkalaki region: Tskhakaya 165–34
    Ashkhabad region: Puchkov 166–64
    Caucasus: Byus 165–29; Karapetyan 165–31; Kirillova 165–30; Savarenskiy 166–67
    energy: Savarenskiy 166–67
    Ukraine: Yurkevich 165–32
  geothermal investigations: Lyubimova 167–153
  gravity measurements in mines: Lukavchenko 164–168
  gravity survey, Apsheron peninsula: Tsimel'zon 166–227
    Saratov region: Shvank 164–178
    West Siberian plain: Timofeyev 167–150
  Institute of geophysical exploration: Fedynskiy 165–147
  magnetic properties, Paleozoic rocks. Tatar S. S. R.: Krinari 167–207
    rocks of Kursk anomaly: Ostrovskiy 165–274
  magnetic surveys, shield area: Andreyev 164–248
  physical properties, basement rocks: Ozerskaya 165–231
  radioactivity logging: Obolenskaya 166–319
  seismic surveys, Bashkir A. S. S. R.: Berzon 166–338
    Emba region: Barenboym 164–299, 165–338
    Kirghiz S. S. R.: Gamburtsev 164–199
    Russian platform: Berzon 166–338
  telluric current survey: Bukhnikashvili 166–163
  temperature measurement, Donets Basin: Kashpur 165–217
  thermal gradient, Caucasus: Lyubimova 167–153
  volcanic eruptions, Kurile Islands: Gorshkov 166–376; Vlodavets 165–378
  volcanoes: Vlodavets 165–378, 166–379; Zavaritskiy 165–379

V

Venezuela, earthquakes, relation to strike-slip faults: Rod 167–54
  seismic surveys: Laubscher 165–370
Virginia, electrical surveys, Austinville: McMurry 166–164
Virgin Islands, crustal thickness: Shurbet 167–151
  gravity observations: Shurbet 167–151

Viscosity, lava from Mihara: Suwa 166–375
  obsidian: Sabatier 164–302
  secular variation in subcrust, Tasmania: Carey 165–165
  trachyte: Sabatier 164–302
  volcanic rocks: Sakuma 164–99
Volcanic acoustics, underwater: Snodgrass 164–311
Volcanic activity, Costa Rica: Bullard 164–308; Weyl 165–382
  energy released in: Lyustikh 165–380; Yokoyama 167–285
  Japan, Suwanose-jima: Murauchi 164–314
  magnetic changes accompanying: Yokoyama 164–315, 165–250, 167–286
  Mexico, Barcena volcano: Snodgrass 164–311
  Nicaragua, 1954: Bullard 164–308
    Masaya vents: McBirney 164–309
Volcanic arcs, density versus chemical composition: Matschinski 167–276
Volcanic calderas, formation, Azores: Machado 167–278
  geomorphic features: Escher 164–305
Volcanic craters, Nicaragua, origin: McBirney 167–290
Volcanic eruptions, 1953, damage from: Lotze 164–37
  1954, damage from: Lotze 165–22
  Etna, July 1955: Klemmer 167–283
  Fuji, 1707: Tsuya 166–373
  Izalco, El Salvador, 1955–56: Meyer-Abich 167–281
  Kilauea, 1955: Macdonald 165–383
  Kurile Islands: Gorshkov 166–376
  Las Pilas, Nicaragua: McBirney 167–289
  Mihara, Japan: Suwa 166–375; Tsuya 164–313, 167–284; Yokoyama 167–286
Volcanic eruptions, Myōjin reef, Japan: Morimoto 165–384
  Ngauruhoe, New Zealand, 1954–55: Gregg 167–288
  Oldonyo L'Engai, Tanganyika: Guest 166–369
  Parícutin: Foshag 167–287
  peleean: Weyl 164–307
  Sakura-jima, Japan, 1955: Suwa 166–374
  Sheveluch, Kamchatka: Menyaylov 166–377
  Solfatara di Pozzuoli, Italy: Parascandola 166–371
  Stromboli, Feb.-Mar. 1954; Cucuzza Silvestri 166–370
Volcanic eruptions, tsunami caused by: Vlodavets 166–380
  Vesuvius, 1944: Imbo 164–312, 165–375, 376
Volcanic sounds: Snodgrass 164–311
Volcanism, mud-cone analogy: Malz 164–306
  cause: Binge 164–303
  origin, Belgian Congo: Cahen 165–381
    northern Africa: Bellair 164–316
  submarine, effect on chemistry of oceans: Buljan 167–277
Volcanoes, Costa Rica central cordillera: Weyl 165–382
  Galapagos Islands: Banfield 164–310
  Kamchatka: Vlodavets 165–378; Zavaritskiy 165–379
  Kurile Islands: Vlodavets 165–378
  South America: Gerth 166–378
  U. S. S. R.: Vlodavets 166–379
  world, catalog: Neumann van Padang 167–275

W

Wales, gravity surveys, East Carmarthenshire coalfield: Whetton 164–170, 171
  gravity surveys, northern: Powell 164–172
  magnetic survey, northern: Powell 164–172
Washington, magnetic measurements, Columbia River basalts: Campbell 167–209
West Indies, crustal structure: Butterlin 164–202
  heat flow: Robson 167–159
Wisconsin, airborne radioactivity reconnaissance near Wausau: Vickers 167–251
  gravity survey: Thiel 166–226
  seismic surveys, lead-zinc district: Pakiser 165–355

Y

Young's modulus, determination in situ: Brown 167–80; Evison 167–81
  dolomite: Brown 167–80
  effect of porosity: Barducci 164–96
  lake ice: Hellbardt 165–367
  limestone: Brown 167–80
  rodlike minerals: Terry 166–121
Yugoslavia, electrical surveys, dam sites: Fritsch 165–128; Stefanović 167–97
  gravity measurements, Macedonia: Prosen 167–152
  radioactivity, Fojnica hot spring: Miholić 166–245

U. S. GOVERNMENT PRINTING OFFICE: 1957